

Section 1 Identification

Page E1 of E2



Nasco
901 Janesville Ave.
Fort Atkinson, WI 53538-0901
Phone: 920-563-2446

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory and industrial use only.
Not for drug, food or household use.

Product	ZINC CHLORIDE
----------------	---------------

Synonyms	Butter of Zinc
-----------------	----------------

Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS05 / GHS07 / GHS09

Target organs: Liver, Kidneys

**GHS Classification:**

Acute toxicity, ingestion (Category 4)

Skin irritation (Category 1B)

Aquatic acute (Category 1)

Aquatic chronic (Category 1)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Zinc chloride	7646-85-7	100%	231-592-0

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES BURNS AND/OR DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Zinc chloride, fume	TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid, hygroscopic white crystals. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: 290°C (554°F) Boiling point: 732°C (1350°F) Flash point: Not flammable	Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): Nil Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.9 Solubility(ies): 81% @ 25°C(77°F) in water	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: ZnCl ₂ Molecular weight: 136.29
---	--	--

Section 10 Stability and reactivity

Chemical stability: Stable
Hazardous polymerization: Will not occur.
Conditions to avoid: Excessive temperatures and heat. Very deliquescent. Protect from moisture.
Incompatible materials: Potassium, cyanides, sulfide. Reacts exothermically with alkaline materials. Corrosive to metals, especially when hot.
Hazardous decomposition products: Chlorine gas, zinc oxide, hydrogen chloride gas, zinc chloride fumes.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 350 mg/kg ; Inhalation-rat LC50: 0.6 mg/L/10 minutes ; Dermal-guinea pig LDLo: 173 mg/kg
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
Inhalation: Cough, sore throat, burning sensation, labored breathing, shortness of breath. Symptoms may be delayed.
Ingestion: Abdominal pain, burning sensation in the throat and chest, sore throat, nausea, vomiting, shock or collapse.
Skin: Burns, pain and redness.
Eyes: Pain, redness and severe deep burns.
Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.
Additional information: RTECS #: ZH1400000

Section 12 Ecological information

Toxicity to fish: *Salmo gairdneri* (fish, estuary, fresh water), LC50 = 1.1 mg/L
Toxicity to daphnia and other aquatic invertebrates: *Daphnia magna* (Crustacea), EC50 = 73 - 390 µg/L/72 hours
Toxicity to algae: *Chlorella vulgaris* (Algae), NOEC = 560 µg/L/35 days - growth rate
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
PBT and vPvB assessment: No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN2331
Shipping name: Zinc chloride, anhydrous
Hazard class: 8
Packing group: III
Reportable Quantity: 1,000 lbs (454 kg)
Marine pollutant: No
Exceptions: No exceptions
2020 ERG Guide # 154

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Zinc chloride, anhydrous		Listed	1000 lbs (454 kg)	Not listed	Listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.