

WA33732 thru WA33738

EXXONMOBIL HD 6719.17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday. March 26, 2012 / Rules and Regulations

Date of issue: 01/05/2017

Revision date: 07/27/2017

Supersedes: 07/27/2017

Version, 2.0

SECTION 1: Identification

Identification

00000

: Mixtures

Product form Trade name

: EXXONMOBIL HD 6719.17

Product code

: US1007669CT

1.2

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

: Manufacture of plastics products, including compounding and conversion.

1.3.

Details of the supplier of the safety data sheet

A. Schulman Inc

3637 Ridgewood Road Fairlawn, OH 44333

Schulman Canada

945 A Southgate

Guelph, ON N1L 089

Customer service phone: 1-800-54-RESIN

Regulatory Information Contact : amer.regulatory.requests@aschulman.com

Emergency telephone number

Emergency number

: For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 CCN707712

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US and GHS-Canada classification

Sensitisation - Skin, category 1

May cause an allergic skin reaction

Label elements

Encapsulated product.

GHS-US and GHS-Canada labelling

Signal word (GHS-US and GHS-Canada)

: Warning

Hazard statements (GHS-US and GHS-Canada) : May form combustible dust concentrations in air

Other hazards

Other hazards not contributing to the

classification

: The components of this product are encapsulated and present no potential for exposure as

shipped.

This product is not hazardous in the form in which it is shipped by the manufacturer. The product is not expected to create any unusual hazards when handled and processed according to good manufacturing practices and the guidelines in this SDS.

Unknown acute toxicity (GHS-US and GHS-Canada)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Proprietary Antioxidant	(CAS No.) N/A	0.1 - 1



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/05/2017

Revision date: 07/27/2017

Supersedes: 07/27/2017

Version: 2.0

Full text of hazard classes and H-statements : see section 16

The specific chemical identity and/or exact percentage (concentration) of the composition has been withheld as a trade secret.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

00000

: In all cases of doubt, or when symptoms persist, seek medical advice.

First-aid measures after inhalation

: Remove casualty to fresh air and keep warm and at rest.

First-aid measures after skin contact

: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Following contact with the melted product, quickly cool affected skin area with water. Do not attempt to remove congealed product from skin.

First-aid measures efter eye contact

: Rinse cautiously with water for several minutes. If eye irritation persists, consult a specialist.

First-aid measures after ingestion

: IF SWALLOWED: rinse mouth, Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed 4.2.

Symptoms/effects after inhalation

: Inhalation of dust may cause irritation of the respiratory system.

Symptoms/effects after skin contact

: The melted product can cause severe burns.

Symptoms/effects after eye contact

: If eye irritation persists: Get medical advice/attention.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

: Water spray. Dry extinguishing powder. Foam. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Thermal decomposition can lead to the escape of irritating gases and vapours. Carbon dioxide

(CO2). Carbon monoxide. Gas/vapours, toxic.

Reactivity

: None under normal conditions.

5.3. Advice for firefighters No additional information available

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

: Wear suitable protective clothing. Avoid generation of dust. Provide adequate ventilation. High slip hazard because of leaking or spilled product.

6.1.2. For emergency responders

No additional information available

6.2. **Environmental precautions**

Do not allow uncontrolled leakage of product into the environment.

6.3. Methods and material for containment and cleaning up Methods for cleaning up

: Remove mechanically, placing in appropriate containers for disposal. Handle contaminated packaging in the same way as the product itself.

Reference to other sections No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid generation of dust, Provide adequate ventilation, Remove all sources of ignition. Take precautionary measures against static discharges. When using do not eat, drink or smoke. Wash hands before breaks and at the end of work.

Conditions for safe storage, including any incompatibilities

Storage area

: Keep container tightly closed and dry.

07/27/2017 EN (English) 2/8



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday. March 26, 2012 / Rules and Regulations Date of issue: 01/05/2017 Revision date: 07/27/2017 Supersedes: 07/27/2017

Version: 2.0

00000

Special rules on packaging

: Keep/Store only in original container.

SECTION 8: Exposure controls/personal protection

Control parameters

Proprietary Antioxidant (N/A)

Not applicable

Exposure controls

Appropriate engineering controls

: If suction of the immediate vicinity is impossible or insufficient, the entire working place must be

sufficiently ventilated using appropriate machines.

Hand protection : Wear suitable gloves. : Wear eye/face protection. Eye protection

: Only wear fitting, comfortable end clean protective clothing. Skin and body protection

Respiratory protection In case of inadequate ventilation wear respiratory protection, particulates filter device (DIN EN

143).

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Solid Appearance : Granules. : NAT - NATURAL Colour

Odour threshold : No data available pH : not applicable Melting point : No data available : No data available Freezing point

Boiling point : Decomposes before boiling

Flash point : No data available Relative evaporation rate (butylacetate=1) : not applicable Flammability (solid, gas) : No data available Vapour pressure : not applicable Relative vapour density at 20 °C : not applicable Relative density : No data available Relative gas density : not applicable Solubility : Water: insoluble Log Pow : not applicable Self ignition temperature : No data available Decomposition temperature : No data available

: not applicable Viscosity, kinematic : not applicable Viscosity, dynamic : not applicable Explosive limits : No data available Explosive properties : not applicable. Oxidising properties : not applicable.

Other information

Minimum ignition energy : not applicable SADT : not applicable

SECTION 10: Stability and reactivity

Reactivity

None under normal conditions.

07/27/2017

EN (English)



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday. March 26, 2012 / Rules and Regulations

Date of issue: 01/05/2017

Revision date: 07/27/2017

Supersedes: 07/27/2017

Version: 2.0

Chemical stability 10.2.

Stable under normal conditions of use.

Possibility of hazardous reactions 10.3.

00000

Conditions to avoid 10.4.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Incompatible materials 10.5.

Strong acid. strong alkalis. Oxidizing agents.

10.6. Hazardous decomposition products

In case of fire: Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

: Not classified Acute toxicity

Skin corrosion/irritation : Not classified

pH: not applicable

Serious eye damage/irritation : Not classified

pH: not applicable

Respiratory or skin sensitisation : May cause an allergic skin reaction. : Not classified

Germ cell mutagenicity Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/effects after inhalation : Inhalation of dust may cause irritation of the respiratory system.

Symptoms/effects after skin contact : The melted product can cause severe burns.

Symptoms/effects after eye contact : If eye irritation persists: Get medical advice/attention.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

Persistence and degradability

EXXONMOBIL HD 6719.17	
Persistence and degradability	Experience so far shows this product to be inert and not degradable.

Bioaccumulative potential 12.3.

EXXONMOBIL HD 6719.17		
Log Pow	not applicable	
Bioaccumulative potential	No indication of bio-accumulation potential.	

12.4. Mobility in soil

EXXONMOBIL HD 6719.17				
Mobility in soil	Mobility/evalu	ation:negative.		

12.5. Other adverse effects

07/27/2017 EN (English)



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/05/2017 Revision date: 07/27/2017

Supersedes: 07/27/2017

Version: 2.0

00000

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Comply with local regulations for disposal.

Waste disposal recommendations : Do not empty into drains; dispose of this material and its container in a safe way. Handle

contaminated packaging in the same way as the product itself.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Proprietary Antioxidant CAS No N/A 0.1 - 1%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

15.3. Canadian Federal regulations

At least one chemical substance in this product is not listed on the Canadian Domestic Sustances List (DSL) or the Canadian Non-Domestic Substances List (NDSL) inventory.

SECTION 16: Other information

Revision date : 07/27/2017 Version : 2.0

Abbreviations and acronyms:



00000

EXXONMOBIL HD 6719.17

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/05/2017 Revision date: 07/27/2017

Version: 2.0

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
SVHC	Substance of very high concern		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
IMDG	International Maritime Dangerous Goods		
IATA	International Air Transport Association		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
MARPOL 73/78	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978. ("MARPOL" is short for marine pollution and 73/78 short for the years 19 and 1978.)		
IBC	The International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk		
OSHA	Occupational Safety & Health Administration		
TWA	Time Weighted Average		
STEL	Occupational Exposure Limits - Short Term Exposure Limits (STELs)		
ACGIH	American Conference of Government Industrial Hygienists		
TLV	Threshold Limit Value		
IARC	International Agency for Research on Cancer		

To the best of our knowledge, the information contained in this statement is accurate and reliable as of the date of publication. The information relates only to the product specifically identified in this document when not used in combination with any other products or materials. A. Schulman makes no warranties, express or implied, and assumes no liability in connection with any use of this information.

Upon sale of A. Schulman products, A. Schulman warrants that the products conform to the applicable written specifications at the time the products are shipped from A. Schulman's facility. All other express or implied warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose, are disclaimed.

Purchaser acknowledges that it has sole control and responsibility to ensure, on a continuing basis, that the products and any method of use or application of the products are suitable for its purposes. Any assistance provided by A. Schulman to purchaser relative to the product, including without limitation, formulation, manufacturing and testing for the use or application of the products for purchaser's purposes, is made without any express or implied warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose.

A. Schulman will not be liable for consequential or indirect damages and purchaser's exclusive remedy for claims (including claims for breach of warranty, negligence and strict liability) is limited to the replacement of the non-conforming products or the refund of the purchase price of the non-conforming products or, with regard to services, to re-process purchaser's materials.

END OF SAFETY DATA SHEET