# SAFETY DATA SHEET

3284

4500243

1. Identification

**Product identifier Envirotex Lite Resin** 

Other means of identification

SDS number 7511940

Product code 02008, 02016, 02032, 02064, 02128, MICHAELS SKU's: 178979, 178982, 178984

Recommended use **High Gloss Coating** 

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Environmental Technology, Inc. Company name

300 S. Bay Depot Road **Address** 

> Fields Landing CA 95537

707-443-9323 Telephone Telephone number

E-mail mail@eti-usa.com Contact person **Technical Director** 

CHEMTREC 800-424-9300 **Emergency phone number** 

2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Sensitization, skin Category 1

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

**Precautionary statement** 

Prevention Avoid breathing mist or vapor. Wear protective gloves/eye protection/face protection.

Contaminated work clothing must not be allowed out of the workplace. Wash thoroughly after

handling.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Specific

treatment (see this label). Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Epoxy Resin	Proprietary	4-90
C2 and C14 Alkyl Glycidyl Ethers	Proprietary	1-40

**Envirotex Lite Resin** 

SDS US

903592 Version #: 01 Revision date: - Issue date: 17-April-2014

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any

discomfort continues.

Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions Move container from fire area if it can be done without risk.

Cool containers exposed to flames with water until well after the fire is out. Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Specific methods

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground. Avoid discharge into storm drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

#### 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately.

Envirotex Lite Resin 903592 Version #: 01 Revision date: - Issue date: 17-April-2014 Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eve wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Chemical resistant gloves. **Hand protection** 

Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in Other

consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

No specific recommendation made, but respiratory protection may still be required under Respiratory protection

exceptional circumstances when excessive air contamination exists.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

# 9. Physical and chemical properties

Viscous liquid. **Appearance** 

**Physical state** Liquid. Liquid. Form Clear. Color

Minimal. Not distinct. Odor

Odor threshold Not available Not available. Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

> 392.0 °F (> 200.0 °C) Seta Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure < 1.33 mbar > 1 (Air=1)

Vapor density Relative density

Not available.

Solubility(ies)

Solubility (water) Slightly soluble **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Viscosity Not available.

Other information

0 % (VOC) Percent volatile

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

**Envirotex Lite Resin** SDS US 903592 Version #: 01 Revision date: -Issue date: 17-April-2014 3/6 Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Contact with incompatible materials. Avoid high temperatures.

Incompatible materials

Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids.

This can cause violent reactions.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

# Information on likely routes of exposure

Ingestion Under normal conditions of intended use, this material does not pose a risk to health. May be

harmful if swallowed.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eye contact Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Information on toxicological effects

**Acute toxicity** Not expected to be a hazard under normal conditions of intended use. May be harmful if

swallowed.

Skin corrosion/irritation Serious eye damage/eye

irritation

Causes skin irritation. Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Resins of this type, liquid resins based on BisPhenolA/Epichlorohydrin (Epoxy Resin), have proved

to be inactive when tested by in vivo mutagenicity assays.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not classified

Reproductive toxicity Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard Chronic effects** 

Due to the high viscosity the product is not an aspiration hazard. Based on available data, the classification criteria are not met.

12. Ecological information

**Ecotoxicity** Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility in soil Other adverse effects No data available. None known.

13. Disposal considerations

**Disposal instructions** Dispose of in accordance with federal, provincial and local regulations. Do not discharge into

4/6

drains, water courses or onto the ground.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Contaminated packaging

Not regulated.

Waste from residues / unused

Dispose of in accordance with local regulations.

products

Dispose in accordance with applicable federal, state, and local regulations.

**Envirotex Lite Resin** SDS US 903592 Version #: 01 Revision date: - Issue date: 17-April-2014

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

**General information** 

the IBC Code

This material is regulated only in bulk (> 119 Gallons/450 L) sizes. Non-bulk (<=119 Gallons/450 L) shipments can be reclassified to "not regulated" for transportation.

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

**US. Massachusetts RTK - Substance List** 

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)\*

Australia Australian Inventory of Chemical Substances (AICS) Yes

Envirotex Lite Resin

903592 Version #: 01 Revision date: - Issue date: 17-April-2014

5 / 6

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 17-April-2014

Revision date Version # 01

**NFPA Ratings** 



References ACGIH

**EPA: AQUIRE database** 

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Envirotex Lite Resin

903592 Version #: 01 Revision date: - Issue date: 17-April-2014

6 / 6

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).