

3372

SB13977



**dynarex**  
Corporation



Telephone: (845) 365-8200 \* Website: www.dynarex.com  
Toll Free: (888) DYNAREX \* Website: www.thcnet.com  
Fax: (845) 365-8201

Reviewed on 1/7/15

## Safety Data Sheet

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Basic Ice Pack (Urea)  
Product Code: 4517-4518  
Responsible Party: Dynarex Corporation  
10 Glenshaw Street  
Orangeburg, NY 10962

For further information contact MSDS Coordinator  
8am - 5pm Mon - Fri: 888-DYNAREX or 845-365-8200

#### EMERGENCY OVERVIEW

##### Emergency Telephone Numbers:

Local Emergency Center

**Health Hazards:** Avoid contact of the dry material with eyes, skin and clothing. Wash thoroughly after handling.

**Physical Hazards:** None anticipated.

- < Physical Form: Solid/Liquid
- < Appearance: White solid in water bag
- < Odor: None

NFPA HAZARD CLASS:	Health:	1 (Slight)
	Flammability:	0 (Least)
	Reactivity:	0 (Least)

*Executive Headquarters:* Ten Glenshaw Street, Orangeburg, NY 10962



**Telephone:** (845) 365-8200 \* **Website:** www.dynarex.com  
**Toll Free:** (888) DYNAREX \* **Website:** www.thcnet.com  
**Fax:** (845) 365-8201

**SECTION 2. HAZARDS IDENTIFICATION**

**Eye:** Contact may cause mild eye irritation including stinging, watering, and redness.

**Skin:** Contact may cause mild skin irritation including redness and burning. No harmful effects from skin absorption have been reported.

**Inhalation (Breathing):** No information available. Studies by other exposure routes suggest a low degree of toxicity by inhalation.

**Ingestion (Swallowing):** No harmful effects reported from ingestion.

**Signs and Symptoms:** Effects of overexposure may include irritation of the nose, throat and digestive tract, headaches, coughing, nausea, vomiting, diarrhea, and transient disorientation.

**Cancer:** Inadequate data available to evaluate the cancer hazard of this material.

**Target Organs:** No data available.

**Developmental:** Inadequate evidence available for this material.

**Pre-Existing Medical Conditions:** Conditions aggravated by exposure may include skin disorders.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS COMPONENTS	% Weight	EXPOSURE GUIDELINE		
		Limits	Agency	Type
None				
OTHER COMPONENTS	% Weight	EXPOSURE GUIDELINE		
		Limits	Agency	Type
Urea CAS# 57-13-6	40-70			Not Established
Water CAS# 7732-18-5	30-60			Not Established

Note: State, local or other agencies or advisory groups may have established more stringent limits. Consult an industrial hygienist or similar professional, or you local agencies, for further information.

**SECTION 4. FIRST AID MEASURES**

**Eye:** If irritation or redness develops, move victim away from exposure and into fresh air. Flush eyes with clean water. If

*Executive Headquarters:* Ten Glenshaw Street, Orangeburg, NY 10962





Telephone: (845) 365-8200 \* Website: www.dynarex.com  
Toll Free: (888) DYNAREX \* Website: www.thcnet.com  
Fax: (845) 365-8201

symptoms persist, seek medical attention.

**Skin:** Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists, seek medical attention.

**Inhalation (Breathing):** If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

**Ingestion (Swallowing):** First aid is not normally required; however, if swallowed and symptoms develop, seek medical attention.

### SECTION 5. FIRE FIGHTING MEASURES

**Flammable Properties:** Flash Point: None

OSHA Flammability Class: Not applicable

LEL/UEL: No data

Autoignition Temperature: No data

**Unusual Fire & Explosion Hazards:** Closed containers exposed to extreme heat can rupture due to pressure buildup.

**Extinguishing Media:** Use extinguishing agent suitable for type of surrounding fire.

**Fire Fighting Instructions:** For fires beyond the incipient stage, emergency responders in the immediate hazard area should wear bunker gear. When the potential chemical hazard is unknown, in enclosed or confined spaces, or when explicitly required by DOT, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Move undamaged containers from immediate hazard area if it can be done with minimal risk. Water spray may be useful in minimizing or dispersing vapors. Cool equipment exposed to fire with water, if it can be done with minimal risk.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Stay upwind and away from spill/release. Notify persons downwind of spill/release, isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Dike far ahead of spill for later recovery or disposal. Spilled material may be absorbed into an appropriate absorbent material. Notify appropriate federal, state, and local agencies. Immediate cleanup of any spill is recommended.

### SECTION 7. HANDLING AND STORAGE

**Handling:** Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29CFR 1910.146. The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 2 and 8). Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice.





Telephone: (845) 365-8200 \* Website: [www.dynarex.com](http://www.dynarex.com)  
Toll Free: (888) DYNAREX \* Website: [www.thcnet.com](http://www.thcnet.com)  
Fax: (845) 365-8201

**Storage:** Keep container(s) tightly closed. Do not heat or contact with strong oxidizers. Use and store this material in cool, dry, well-ventilated areas. Do not store at temperatures below 60°F. Store only in approved containers. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls:** If current ventilation practices are not adequate to minimize exposure, additional ventilation or exhaust systems may be required.

### Personal Protective Equipment (PPE):

**Respiratory:** Respiratory protection is not usually required.

**Skin:** The use of gloves impermeable to the specific material handled is advised to prevent skin contact, possible irritation, and absorption (see glove manufacturer literature for information on permeability).

**Eye/Face:** Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended. Depending on conditions of use, a face shield may be necessary.

**Other Protective Equipment:** A source of clean water should be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm).

Flash Point: None to boiling  
Flammable/Explosive Limits (%): No data  
Autoignition Temperature: No data  
Appearance: White solid in water bag  
Physical State: solid/Liquid  
Odor: None  
pH: No data  
Vapor Pressure (mm Hg): No data  
Vapor Density (air=1): 0.6 H<sub>2</sub>O, >1 Aerosol  
Boiling Point: >212°F  
Freezing/Melting Point: No data  
Solubility in Water: 100%  
Specific Gravity: 1.14  
Percent Volatile: 50 wt%  
Evaporation Rate (nBuAc=1): <1

## SECTION 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of storage and handling.





Telephone: (845) 365-8200 \* Website: [www.dynarex.com](http://www.dynarex.com)  
Toll Free: (888) DYNAREX \* Website: [www.thcnet.com](http://www.thcnet.com)  
Fax: (845) 365-8201

**Conditions To Avoid:** None known

**Incompatible Materials:** Avoid contact with strong oxidizing agents.

**Hazardous Decomposition Products:** If involved in a fire, oxides of carbon and nitrogen may be generated, exposure to heat may generate ammonia fumes.

**Hazardous Polymerization:** Will not occur.

### SECTION 11. TOXICOLOGICAL INFORMATION

No definitive information available on carcinogenicity, mutagenicity, target organs or developmental toxicity.

### SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined.

CHEMICAL FATE INFORMATION

Not determined.

### SECTION 13. DISPOSAL CONSIDERATIONS

This material, if discarded as produced, is not a RCRA "listed" or "characteristic" hazardous waste. Use resulting in chemical or physical change or contamination may subject it to regulation as a hazardous waste. Along with properly characterizing all waste materials consult state and local regulations regarding the proper disposal of this material.

### SECTION 14. TRANSPORT INFORMATION

Hazard Class or Division: Not classified as hazardous.

### SECTION 15. REGULATORY INFORMATION

This material contains the following chemicals subject to the reporting requirements of **SARA 313** and 40 CFR 372.

--None--

**Warning:** This material contains the following chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm, and are subject to the requirements of **California Proposition 65** (CA Health & Safety Code Section 25249.5)

--None Known--

This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

**EPA (CERCLA) Reportable Quantity:** --None--





Telephone: (845) 365-8200 \* Website: [www.dynarex.com](http://www.dynarex.com)  
Toll Free: (888) DYNAREX \* Website: [www.thcnet.com](http://www.thcnet.com)  
Fax: (845) 365-8201

## SECTION 16. OTHER INFORMATION

### Disclaimer:

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

Reviewed on 5/4/15

## SAFETY DATA SHEET

### SECTION 1. Product and Company Identification

**PRODUCT NAME:** Alcohol Preparation Pads/Swab

**RECOMMENDED USE:** Topical skin antiseptic

**Product Code:** AM-20200, 1113, 1114, 1116, PK-1114

**Manufacturer's Name:** Dynarex Corporation

**Manufacturer's Address:** 10 Glenshaw Street  
Orangeburg, NY 10962

**Emergency or Information Phone No.:** 888-DYNAREX or 845-365-8200  
At other times, contact the local Poison Control Center

### SECTION 2. Hazards Identification

Main Hazards:

Highly flammable; irritation to eyes; vapor may cause drowsiness and dizziness

Absorption:

Eye contact; ingestion; inhalation; skin contact

Carcinogenic Status:

Not considered carcinogenic by NTP, IARC, and OSHA

Target Organs:

Central nerves system; skin; eye; liver; respiratory system

Health Effects:

Page 1 of 8



Orangeburg, NY • Ada, OH • Pocahontas, AR • Jacksonville, FL • McCarran, NV  
[www.dynarex.com](http://www.dynarex.com)





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

Eyes – Liquid, mist or vapor will cause conjunctival irritation and possible corneal damage.

Skin – Repeated or prolonged contact may produce defatting of the skin leading to irritation and dermatitis. Liquid may be absorbed through the skin but not in toxicologically significant amounts, unless the contact area is large and under prolonged exposure.

Ingestion – Swallowing a small amount may have the effect of any of these symptoms: irritation of mouth, throat, digestive tract, and central nerves system depression.

Ingestion – A large dose may have the effect of any of these symptoms: dizziness, drowsiness, headache, mental confusion, nerve damage leading to numbness and muscle weakness, fall of blood pressure, liver damage, lung damage.

Inhalation – Exposure to vapor may have the effect of any of these symptoms: irritation of nose, throat and respiratory tract, central nerve system depression.

Inhalation – Exposure to vapor at high concentration may have the effects of any of these symptoms: dizziness, drowsiness, headache, mental confusion, lung damage, fall of blood pressure, liver damage, nerve damage leading to numbness and muscle weakness.

**SECTION 3. Composition/information on Ingredients**

Hazardous Ingredients (specific)	% Composition	CAS Number
Isopropyl Alcohol (2-Propanol)	70%	67-63-0
Inactive Ingredient		
Water	30%	7732-18-5







Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

## SECTION 4. First-aid measures

### Eyes:

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

### Skin:

Immediately flood the affected skin area with large quantity of water, preferably under a shower. Remove contaminated clothing and continue washing. Contaminated clothing should be washed thoroughly before re-use. Obtain medical attention if blistering of the skin occurs or redness persists.

### Ingestion:

Do not induce vomiting. Have victim drink several large glasses of water to dilute the stomach contents. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.

### Inhalation:

Remove the victim from exposure immediately. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.

### MEDICAL PERSONNEL:

Monitor the victim for systemic secondary effects on liver and kidney functions. Support and treat as appropriate.

## SECTION 5. Fire-fighting measures

Flash Point – 20°C/68°F

Boiling Point – 80°C/176°F





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

**Extinguishing Media – Dry Chemical or Alcohol Type Foam, Carbon Dioxide**

Be aware of the possibility of re-ignition. Keep containers and surroundings cool with water spray.

**Unusual Fire and Explosion Hazards –**

Class 3 Flammability. Vapor can travel a considerable distance to a source of ignition and flashback. Flashback can occur if air temperature exceeds flash point. Be aware the possibility of re-ignition.

**Special Fire Fighting Procedures –**

Handle as Flammable Liquid. Use Respiratory Protection. Wear full protective clothing for Fire Fighting Personnel.

**SECTION 6. Accidental release measures**

- Flush spills with water.
- Contain and absorb using soil, sand, or other inert material.
- Vapor can accumulate in low areas. Consider the need for evacuation.
- Prevent the material from entering drains or water courses.

**SECTION 7. Handling and storage**

- Eliminate all sources of ignition. Store away from heat.
- Store in well ventilated area.
- Handle as flammable liquid. Follow local, state and federal regulations.
- Avoid inhaling vapor. Avoid contact with eyes, skin and clothing.
- Wear eye protection if splashing is expected.
- Wear appropriate protective clothing.
- Use respirator if exposure level is high when handling bulk liquid.
- Keep container tightly closed when not in use.





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

## SECTION 8. Exposure controls/personal protection

- OSHA Occupation Exposure Standards PEL 400ppm (980mg/m<sup>3</sup>) 8h TWA
- UK EH40: OES 400ppm (980mg/m<sup>3</sup>) 8h TWA
- UK EH40: OES 500ppm (1225mg/m<sup>3</sup>) 15min TWA
- ACGIH: TLV 200ppm (980mg/m<sup>3</sup>) 8h TWA
- ACGIH: STEL 400ppm (1225mg/m<sup>3</sup>) 15min TWA
- Personal Protective Equipment
  - Gloves
  - Eye
  - Clothing

## SECTION 9. Physical and chemical properties

Appearance – Liquid Saturated Towelette / Pad / Swab  
Color – Clear  
Odor – Alcohol  
Vapor Density – 2.1 (Air = 1)  
Viscosity (cSt) – 2.9 cps at <@2> °C

Evaporation Rate – Environmental Dependent  
Water Solubility – Complete  
Specific Gravity – 0.8405

## SECTION 10. Stability and reactivity

Stability –	Stable under normal conditions
Conditions to Avoid –	None
Incompatibility –	None
Hazardous Decomposition or By-product –	Oxides of carbon





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

Polymerization –

Will Not Occur.

## SECTION 11. Toxicological information

### Acute Toxicity

- Low level of acute toxicity predicted.
- May be harmful by skin absorption.
- Oral LD50 (rat) 5045mg/kg.
- Dermal LD50 (rabbit) 12800mg/kg.
- Inhalation LCLO (rat) 1600ppm 4h.

### Chronic Toxicity / Carcinogenicity

- Material not expected to cause long-term adverse health effects.
- Material not classifiable as to its carcinogenicity to humans (Group 3).
- Chronic / Sub-chronic studies resulted in adverse effects to:
  - Liver, spleen, biochemical effects, brain tissue degeneration, changes in reflex behavior, sensory nerve damage.

### Genealogy Toxicity

- Material is not expected to cause any mutagenic effects.

### Reproductive / Developmental Toxicity

- Material is not expected to cause reproductive or developmental health effects.
- Experimental studies in animals have provided some evidence of embryo / fetus toxicity and birth defects only at does producing marked maternal toxicity.

## SECTION 12. Ecological information

- Mobility





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

- If released to soil, IPA is expected to have very high mobility
- Persistence / Degradability
- IPA is readily degraded in aerobic aqueous systems
- Bio-accumulation
  
- Low potential for bio-concentration in aquatic organisms

### **SECTION 13. Disposal considerations**

- Transfer into suitable containers for recovery or disposal.
- Dispose in accordance with all applicable local and national regulations.
- Do not remove labels from container until the container has been cleaned.
- Do not cut, puncture or weld on or near the container.
- Do not incinerate closed containers.
- Empty containers may contain hazardous residues

### **SECTION 14. Transport information**

- DOT CFR 172.101
- Not regulated per 49 CFR 173.4 Small Quantity Exemption

### **SECTION 15. Regulatory information**

This product is compliant with the following:

- EU Label: Classification and labeling have been performed according to EU Directive 67/548/EEC and 99/45/EC including amendments
- EU Hazard Symbol and Indication of Danger
- F – Highly flammable
- Xi – Irritant
- R11 – Highly flammable





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

- R36 – Irritating to eyes
- R67 – Vapors may cause drowsiness and dizziness
- S2 – Keep out of reach of children
- S7 – Keep container tightly closed
- S16 – Keep away from sources of ignition – No smoking
- S24 / S25 – Avoid contact with skin and eyes
- S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- US (Federal and State) Regulations and International Chemical Registration Laws TSCA listing
- This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Inventory
- This product does not contain any chemicals subject to EPA Title III of the SARA Listing in Sections 302 and 304
- All ingredients in this product are listed on the European Inventory of Existing Commercial Chemical Substance (EINECS Listing) or are exempted from listing
- All ingredients in this product are listed on the Canada Domestic Substance List (DSL Listing)

## **SECTION 16. Other information**

### **Disclaimer:**

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

Reviewed on 1/7/15

## SAFETY DATA SHEET

### SECTION 1. Product and Company Identification

**PRODUCT NAME:** Sting & Bite Pad

**PRODUCT USE:** OTC drug used as a topical analgesic

**Product Code:** 1408

**Manufacturer's Name:** Dynarex Corporation

**Manufacturer's Address:** 10 Glenshaw Street  
Orangeburg, NY 10962

**Emergency or Information Phone No.:** 888-DYNAREX or 845-365-8200  
At other times, contact the local Poison Control Center

### SECTION 2. Hazards Identification

Page 1 of 14



Orangeburg, NY • Ada, OH • Pocahontas, AR • Jacksonville, FL • McCarran, NV  
[www.dynarex.com](http://www.dynarex.com)





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 2 H225  
 Eye Irrit. 2A H319  
 STOT SE 3 H335  
 STOT SE 3 H336

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS02

GHS07

Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H225 - Highly flammable liquid and vapour  
 H319 - Causes serious eye irritation  
 H335 - May cause respiratory irritation  
 H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US)

: P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking  
 P233 - Keep container tightly closed  
 P240 - Ground/bond container and receiving equipment  
 P241 - Use explosion-proof electrical, lighting, ventilating equipment  
 P242 - Use only non-sparking tools  
 P243 - Take precautionary measures against static discharge  
 P261 - Avoid breathing dust, fume, mist, spray, vapours  
 P264 - Wash hands thoroughly after handling  
 P271 - Use only outdoors or in a well-ventilated area  
 P280 - Wear eye protection, protective clothing, protective gloves  
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P312 - Call a POISON CENTER/doctor/physician if you feel unwell  
 P337+P313 - If eye irritation persists: get medical advice/attention  
 P370+P378 - In case of fire: Use dry chemical, foam, carbon dioxide for extinction  
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
 P403+P235 - Store in a well-ventilated place. Keep cool  
 P405 - Store locked up  
 P501 - Dispose of contents/container to comply with applicable local, national and international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

### SECTION 3. Composition/information on Ingredients





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

3.1. Substance

Not applicable

Full text of H-phrases: see section 15

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Polyethylene glycol	(CAS No) 25322-68-3	50 - 55	STOT SE 3, H336
Isopropyl alcohol	(CAS No) 67-63-0	20 - 25	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
L-Menthol	(CAS No) 2216-51-5	1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

## SECTION 4. First-aid measures

4.1. Description of first aid measures

- First-aid measures general** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. In case of breathing difficulties administer oxygen, by trained personnel. Seek medical attention immediately. Wash contaminated clothing before reuse.
- First-aid measures after skin contact** : Immediately flush skin with plenty of water for at least 15 minutes. Remove/Take off immediately all contaminated clothing. Do not rub the skin and eyes after direct contact with the product. Seek medical attention immediately. Wash contaminated clothing before reuse.
- First-aid measures after eye contact** : In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately get medical attention.
- First-aid measures after ingestion** : Contact a Poison Control Center immediately. Give no more than 2 glasses of water and induce vomiting by giving 30 cc (2 tablespoons) of syrup of ipecac. If victim is a child, give no more than 1 glass of water and 15cc (1 tablespoon) syrup of ipecac. If syrup of ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of victim's throat. Do not give anything by mouth to an unconscious or convulsing person. Get immediate medical attention. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation** : May cause respiratory irritation. May cause drowsiness or dizziness. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
- Symptoms/injuries after skin contact** : Repeated or prolonged skin contact may cause irritation.
- Symptoms/injuries after eye contact** : Causes serious eye irritation.
- Symptoms/injuries after ingestion** : Irritating to the gastrointestinal tract. May cause abdominal pain and vomiting (sometimes bloody). Ingestion may cause central nervous system depression, low blood pressure, rapid heart beat and liver damage. Early to moderate central nervous system depression may be evidenced by giddiness, headache, dizziness and nausea. In extreme cases, unconsciousness, respiratory depression and death may occur. Liver damage may be evidenced by loss of appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen on the right side.

4.3. Indication of any immediate medical attention and special treatment needed

Individuals with pre-existing skin disorders, eye problems, or impaired respiratory function may be more susceptible to the effects of overexposure.

## SECTION 5. Fire-fighting measures







Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

<b>5.1. Extinguishing media</b>	
Suitable extinguishing media	: Alcohol resistant foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
<b>5.2. Special hazards arising from the substance or mixture</b>	
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Reactivity	: Thermal decomposition generates : Corrosive vapours. Reacts violently with acids. An exothermic reaction may occur.
<b>5.3. Advice for firefighters</b>	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protective equipment for firefighters	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Containers may swell and burst during a fire due to internal pressure caused by heat. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. Alcohols burn with a pale blue flame which may be extremely hard to see under normal lighting conditions. Personnel may be able to feel the heat of the fire without seeing flames. Extreme caution must be exercised in fighting alcohol fires.

## SECTION 6. Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
General measures	: Eliminate all ignition sources if safe to do so. Use special care to avoid static electric charges. No naked lights. No smoking. Stop leak if safe to do so. No action shall be taken involving any personal risk or without suitable training. Wear protective clothing. For further information refer to section 8 : Exposure-controls/personal protection.
<b>6.1.1. For non-emergency personnel</b>	
Emergency procedures	: Evacuate unnecessary personnel.
<b>6.1.2. For emergency responders</b>	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
<b>6.2. Environmental precautions</b>	
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	
<b>6.3. Methods and material for containment and cleaning up</b>	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Consult the appropriate authorities about waste disposal. Ensure all national/local regulations are observed.
<b>6.4. Reference to other sections</b>	
See Heading 8. Exposure controls and personal protection.	

## SECTION 7. Handling and storage







Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

<b>7.1. Precautions for safe handling</b>	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Personal protective equipment should be selected based upon the conditions under which this product is handled or used. Use personal protective equipment as required. Provide good ventilation in process area to prevent formation of vapour. Do not breathe gas, fumes, vapour or spray. No naked lights. No smoking. Use only non-sparking tools. Never use pressure to empty container. Ground/bond container and receiving equipment. Take care to allow internal pressure to escape from container before releasing closures. Remove closure carefully; internal pressure may be present. Keep closure up to prevent leakage. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	
Technical measures	: Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. Ensure the ventilation system is regularly maintained and tested. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. A washing facility/water for eye and skin cleaning purposes should be present. Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool well ventilated place. Keep in fireproof place. Keep container tightly closed. Protect containers against physical damage. Detached outside storage is preferable. Inside storage should be in an NFPA approved flammable liquids storage room or cabinet. Store in corrosion-proof area at temperatures below 77 °F (25°C). Store away from direct sunlight or other heat sources.
Incompatible materials	: Avoid mixing with acids, most common metals, strong oxidizing agents, brass, zinc, chlorine, aluminum, copper, bronze, mercury, dimethyl sulfate and acetyl chloride.
Storage temperature	: < 25 °C Store at temperatures below 77 °F (25 °C)
<b>7.3. Specific end use(s)</b>	
No additional information available	

## SECTION 8. Exposure controls/personal protection





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. Exposure controls

**Appropriate engineering controls** : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. Use explosion-proof ventilating equipment.

**Personal protective equipment** : Avoid all unnecessary exposure. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations. For certain operations, additional Personal Protection Equipment (PPE) may be required. Protective goggles. Gloves. Protective clothing.



**Hand protection** : Wear protective gloves, rubber gloves. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Eye protection** : Chemical goggles or face shield.

**Skin and body protection** : Wear suitable protective clothing. Chemical resistant safety shoes.

**Respiratory protection** : Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE). Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals. Care must be taken to assure that any respirator chosen is capable of protecting the user from both ammonia and ethyl alcohol vapors.

**Other information** : Do not eat, drink or smoke during use.

## SECTION 9. Physical and chemical properties





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Colour	: Green.
Odour	: Odor of isopropyl alcohol, residual odor of menthol.
Odour threshold	: No data available
pH	: 8.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 35 °C (>95 °F)
Flash point	: 16.6 °C (62 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.029 (Specific Gravity @ 25 °C)
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

## SECTION 10. Stability and reactivity





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. Reacts violently with acids. An exothermic reaction may occur.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Avoid mixing with acids, most common metals, strong oxidizing agents, brass, zinc, chlorine, aluminum, copper, bronze, mercury, dimethyl sulfate and acetyl chloride.

10.6. Hazardous decomposition products

Thermal decomposition generates : Fume. Carbon monoxide. Carbon dioxide. May release flammable gases. Corrosive vapours. Ammonia. Nitrogen oxides. release of highly flammable gases/vapours hydrogen.

## SECTION 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

(Based on available data, the classification criteria are not met)

Isopropyl alcohol (67-63-0)	
LD50 oral rat	4386 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50 inhalation rat (ppm)	16000 ppm (Exposure time: 8 h)
ATE CLP (oral)	4396.000 mg/kg bodyweight
ATE CLP (dermal)	12800.000 mg/kg bodyweight





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

<b>L-Menthol (2216-51-5)</b>	
LD50 oral rat	3300 mg/kg
ATE CLP (oral)	3300.000 mg/kg bodyweight
<b>Polyethylene glycol (25322-68-3)</b>	
LD50 dermal rabbit	> 20 ml/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8.5
Serious eye damage/irritation	: Causes serious eye irritation. pH: 8.5
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
<b>Isopropyl alcohol (67-63-0)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: May cause respiratory irritation. May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory irritation. May cause drowsiness or dizziness. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/injuries after skin contact	: Repeated or prolonged skin contact may cause irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Irritating to the gastrointestinal tract. May cause abdominal pain and vomiting (sometimes bloody). Ingestion may cause central nervous system depression, low blood pressure, rapid heart beat and liver damage. Early to moderate central nervous system depression may be evidenced by giddiness, headache, dizziness and nausea. In extreme cases, unconsciousness, respiratory depression and death may occur. Liver damage may be evidenced by loss of appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen on the right side.

## SECTION 12. Ecological information





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

12.1. Toxicity

<b>Isopropyl alcohol (67-63-0)</b>	
LC50 fishes 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>L-Menthol (2216-51-5)</b>	
LC50 fishes 1	18.9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

12.2. Persistence and degradability

<b>Medicine<sup>®</sup> Sting and Bite Relief</b>	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

<b>Medicine<sup>®</sup> Sting and Bite Relief</b>	
Bioaccumulative potential	Not established.
<b>Isopropyl alcohol (67-63-0)</b>	
Log Pow	0.05 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13. Disposal considerations

13.1. Waste treatment methods


Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not re-use empty containers. Ensure all national/local regulations are observed. Consult the appropriate authorities about waste disposal.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14. Transport information





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

In accordance with DOT	
Transport document description	: UN1993 Flammable liquids, n.o.s. (contains isopropanol), 3, II
UN-No.(DOT)	: 1993
DOT NA no.	: UN1993
DOT Proper Shipping Name	: Flammable liquids, n.o.s. (contains isopropanol)
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	
DOT Symbols	: G - Identifies PSN requiring a technical name
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F). TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	:
Transport by sea	
No additional information available	
Air transport	
No additional information available	





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

## SECTION 15. Regulatory information

### 15.1. US Federal regulations

#### Isopropyl alcohol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
 Listed on SARA Section 313 (Specific toxic chemical listings)

EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)

#### L-Menthol (2216-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Polyethylene glycol (25322-68-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

#### Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	--

#### L-Menthol (2216-51-6)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Polyethylene glycol (25322-68-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

EU-Regulations

**Isopropyl alcohol (67-63-0)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

**L-Menthol (2216-51-5)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

**Polyethylene glycol (25322-68-3)**

Listed on the EU - No-Longer Polymers List (67/548/EEC)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

**Isopropyl alcohol (67-63-0)**

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on Industrial Safety and Health Law Substances (ISHL)  
Listed on the Korean ECL (Existing Chemical List) inventory.  
Listed on New Zealand - Inventory of Chemicals (NZIoC)  
Listed on Inventory of Chemicals and Chemical Substances (PICCS)  
Listed on the Canadian Ingredient Disclosure List

**L-Menthol (2216-51-5)**

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on Industrial Safety and Health Law Substances (ISHL)  
Listed on the Korean ECL (Existing Chemical List) inventory.  
Listed on New Zealand - Inventory of Chemicals (NZIoC)  
Listed on Inventory of Chemicals and Chemical Substances (PICCS)

**Polyethylene glycol (25322-68-3)**

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on the Korean ECL (Existing Chemical List) inventory.  
Listed on New Zealand - Inventory of Chemicals (NZIoC)  
Listed on Inventory of Chemicals and Chemical Substances (PICCS)

15.3. US State regulations

No additional information available

## SECTION 16. Other information

Disclaimer:





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.







Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

Reviewed on 4/21/15

## SAFETY DATA SHEET

### SECTION 1. Product and Company Identification

**PRODUCT NAME:** BZK Antiseptic Towelette  
**PRODUCT USE:** Antiseptic

**Product Code:** 1303, 1331

**Manufacturer's Name:** Dynarex Corporation

**Manufacturer's Address:** 10 Glenshaw Street  
 Orangeburg, NY 10962

**Emergency or Information Phone No.:** 888-DYNAREX or 845-365-8200  
 At other times, contact the local Poison Control Center

### SECTION 2. Hazards Identification

<b>Emergency Overview</b>	Contact with liquid may cause eye and skin irritation
<b>Potential short term health effects</b>	
<b>Routes of exposure</b>	Eye, skin contact, skin absorption, Inhalation, Ingestion.
<b>Eyes</b>	May cause irritation.
<b>Skin</b>	In case of skin irritation, discontinue use of the product.
<b>Inhalation</b>	Not a normal route of exposure. May cause respiratory tract irritation.
<b>Ingestion</b>	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

Page 1 of 7



Orangeburg, NY • Ada, OH • Pocahontas, AR • Jacksonville, FL • McCarran, NV  
[www.dynarex.com](http://www.dynarex.com)





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

**Target organs** Eyes. Skin

**Chronic effects** Prolonged or repeated exposure can cause drying defatting and dermatitis.

**Signs and symptoms** Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea.

**SECTION 3. Composition/information on Ingredients**

Ingredients	CAS Number	%
BZK	8001-54-5	0.13
Water	7732-18-5	99.87

**SECTION 4. First-aid measures**

**First aid procedures**

**Eye Contact** Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

**Skin Contact** In case of skin irritation, discontinue use of product.

**Inhalation** Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

**Ingestion** Not a normal route of exposure. Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.







Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

**Notes to physician**

Symptoms may be delayed.

**General advice**

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach of children. Avoid contact with eyes.

**Flammable Limits: N/A**

Flash Point: N/A

## SECTION 5. Fire-fighting measures

**Flash Point:** Not Available  
**Flammable Limits:** Not Available  
**Extinguishing Media:** Any  
**Special Fire Fighting Procedures:** None  
**Unusual Fire and Explosion Hazards:** None

## SECTION 6. Accidental release measures

<b>Personal precautions:</b>	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
<b>Methods for containment:</b>	Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for cleaning up:</b>	Pick up and discard towel.

## SECTION 7. Handling and storage

<b>Handling:</b>	Use good industrial hygiene practices in handling this material.
<b>Storage:</b>	Keep out of reach of children. Store in a closed container away from incompatible materials.





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

## SECTION 8. Exposure controls/personal protection

<b>Engineering controls:</b>	General ventilation normally adequate.
<b>Personal protective equipment</b>	
<b>Eye/Face protection</b>	Follow standard industrial hygiene practices.
<b>Hand protection</b>	Not required.
<b>Skin and body protection</b>	As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use and approved NIOSH respirator.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

## SECTION 9. Physical and chemical properties

<b>Appearance/Odor:</b>	Liquid saturated on wipe
<b>Color:</b>	Clear liquid
<b>Form:</b>	Liquid saturated on wipe
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	Not available
<b>Physical State:</b>	Solid
<b>Boiling Point:</b>	<200°F
<b>Paper Components:</b>	100% Virgin Paper
<b>Specific Gravity:</b>	1

## SECTION 10. Stability and reactivity

**Chemical Stability:** Stable under recommended storage conditions.  
**Incompatibility:** Caustics. Acids. Oxidizers.





Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

**Hazardous Decomposition Products:** May include and are not limited to: oxides of carbon; hydrogen chloride.

**Hazardous Polymerization:** Will not occur.

**Conditions to avoid:** Do not mix with other chemicals.

## SECTION 11. Toxicological information

### Effects of acute exposure

<b>Eye</b>	May cause irritation
<b>Skin</b>	In case of skin irritation, discontinue use of the product.
<b>Inhalation</b>	Not a normal route of exposure. May cause respiratory tract irritation.
<b>Ingestion</b>	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.
<b>Sensitization</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Chronic Effects</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Carcinogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Mutagenicity</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Reproductive Effects</b>	Non-hazardous by WHMIS/OSHA criteria.
<b>Teratogenicity</b>	Non-hazardous by WHMIS/OSHA criteria.

## SECTION 12. Ecological information

**Ecotoxicity** Not available

**Environmental effects** Not available

**Aquatic toxicity** Not available

**Persistence / degradability** Not available

**Bioaccumulation / accumulation** Not available





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

**Partition coefficient** Not available

**Mobility in environmental media** Not available

**Chemical fate information** Not available

**Other adverse effects** Not available

## SECTION 13. Disposal considerations

**Waste codes:** Not available

**Disposal instructions:** Discard after single use.

Review federal, state/provincial, and local government requirements prior to disposal.

Discard with solid waste. Dispose in accordance with all applicable regulations.

**Waste from residues / unused products:** Not available

**Contaminated packaging:** Not available

## SECTION 14. Transport information

**U.S. Department of Transportation (DOT)** Not regulated as dangerous goods.

**Transportation of Dangerous Goods (TDG - Canada)** Not regulated as dangerous goods.

## SECTION 15. Regulatory information

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**US Federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

**Occupational Safety and Health Administration (OSHA)**





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

29 CFR 1910.1200 hazardous No chemical

**CERCLA (Superfund) reportable quantity**

Benzene: 10.0000  
Benzene, methyl-: 1000.0000  
Benzene, (chloromethyl)-: 100.0000  
Propylene oxide: 100.0000

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** No

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

**Safe Drinking Water Act (SDWA)** Not available

**Drug Enforcement Agency (DEA)** Not available

**Food and Drug Administration (FDA)** Not available

**State regulations** WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**SECTION 16. Other information**

**Disclaimer:**

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.





Telephone: (845) 365-8200 \* Website: www.dynarex.com  
Toll Free: (888) DYNAREX \* Website: www.thcnet.com  
Fax: (845) 365-8201

Reorder # 1108, 1201-1202-1207; HS-1125637

Reviewed on 1/7/15

## Safety Data Sheet

### SECTION 1. Product and Company Identification

Product/Trade Name: Povidone iodine pads  
Povidone iodine swabsticks  
Manufacturer's Name: Dynarex Corporation  
Manufacturer's Address: 10 Glenshaw Street  
Orangeburg, NY 10962  
Emergency or Information Phone No.: 888-DYNAREX or 845-365-8201  
At other times, contact the local Poison Control Center

### SECTION 2. Hazards Identification

Flash Point: >200°F (>90°C)  
Hazardous Decomposition of Byproducts: Emits iodine vapors at high temperatures  
Hazard Rating (NFPA): Health: 1  
Flammability: 1  
Reactivity: 0  
Specific: None

### SECTION 3. Composition/Information on Ingredients

INGREDIENTS	CAS NUMBER	WT. %	ACGIH-TLV
Povidone Iodine Complex	2565-5418	0.5 to 3	None Established

### SECTION 4. First-Aid Measures

Skin Contact: Discontinue if rash or irritation is noted.  
Eye Contact: Flush with cool water for 15 minutes.  
Inhalation: None  
Ingestion: Do not induce vomiting. Get medical attention.

*Executive Headquarters:* Ten Glenshaw Street, Orangeburg, NY 10962





Telephone: (845) 365-8200 \* Website: [www.dynarex.com](http://www.dynarex.com)  
Toll Free: (888) DYNAREX \* Website: [www.thcnet.com](http://www.thcnet.com)  
Fax: (845) 365-8201

Target Organs: N/A

## **SECTION 5. Fire-Fighting Measures**

Extinguishing Media: Any  
Special Fire-fighting Procedures: None  
Unusual Fire and Explosion Hazards: May emit toxic fumes of iodine in a fire.

## **SECTION 6. Accidental Release Measures**

Use absorbent material and dispose per local regulations.

## **SECTION 7. Handling and Storage**

Avoid storing at extreme temperatures.

Store under dry conditions.

## **SECTION 8. Exposure Controls/Personal Protection**

Respiration: None  
Ventilation: None  
Protective Gloves: If handling liquid  
Eye Protection: If splashing is a hazard  
Hygienic Practices: Good housekeeping practices should be followed.  
Other: Wear apron to protect clothing.

## **SECTION 9. Physical and Chemical Properties**

Color/Appearance: Applicator saturated with dark reddish brown liquid  
Odor: Faint Iodine  
Boiling Point: N/A  
Vapor Density: N/A  
Evaporation Rate: N/A  
Solubility in Water: Soluble  
Specific Gravity (H<sub>2</sub>O=1): N/A

*Executive Headquarters:* Ten Glenshaw Street, Orangeburg, NY 10962





Telephone: (845) 365-8200 \* Website: [www.dynarex.com](http://www.dynarex.com)  
Toll Free: (888) DYNAREX \* Website: [www.thcnet.com](http://www.thcnet.com)  
Fax: (845) 365-8201

## **SECTION 10. Stability and Reactivity**

Stability:	Stable
Conditions to avoid:	None known
Incompatibility:	Alkalis and reducing agents
Hazardous Decomposition of By-products:	Emits iodine vapors at high temperatures
Polymerization:	Will not occur

## **SECTION 11. Toxicological Information**

Skin:	May cause irritation
Eyes:	May be irritating
Inhalation:	None
Ingestion:	Harmful

## **SECTION 12. Ecological Information**

Ecotoxicity Not available  
Environmental effects Not available  
Aquatic toxicity Not available  
Persistence / degradability Not available  
Bioaccumulation / accumulation Not available  
Partition coefficient Not available  
Mobility in environmental media Not available  
Chemical fate information Not available  
Other adverse effects Not available

## **SECTION 13. Disposal Considerations**

Follow local, state and federal regulations.

## **SECTION 14. Transport Information**

DOT Shipping Name:  
Technical Shipping Name:

*Executive Headquarters:* Ten Glenshaw Street, Orangeburg, NY 10962





Telephone: (845) 365-8200 \* Website: www.dynarex.com  
 Toll Free: (888) DYNAREX \* Website: www.thcnet.com  
 Fax: (845) 365-8201

DOT Shipping Classification: **DOT not regulated**

DOT ID Number:

DOT Label Requirements:

UN/NA Number Regulations:

Reportable Quantity:

**SECTION 15. Regulatory Information**

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

NPN 00489948 - Pad/ NPN 00489964 - Swabstick

**US Federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200 due to the presence of listed sensitizers. All components are on the U.S. EPA TSCA Inventory List.

**Occupational Safety and Health Administration (OSHA)**

**29 CFR 1910.1200 hazardous chemical** Yes

**CERCLA (Superfund) reportable quantity**  
 Sodium hydroxide: 1000.0000

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

- Hazard categories**  
 Immediate Hazard - Yes  
 Delayed Hazard - Yes  
 Fire Hazard - No  
 Pressure Hazard - No  
 Reactivity Hazard - No

**Section 302 extremely hazardous substance**  
 No

**Section 311 hazardous chemical** Yes

- Clean Air Act (CAA)** Not available  
**Clean Water Act (CWA)** Not available  
**Safe Drinking Water Act (SDWA)** Not available  
**Drug Enforcement Agency (DEA)** Not available  
**Food and Drug Administration (FDA)** Not available

**WHMIS classification** Exempt - Registered product - (NHP see above)

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.





Telephone: (845) 365-8200 \* Website: [www.dynarex.com](http://www.dynarex.com)  
Toll Free: (888) DYNAREX \* Website: [www.thcnet.com](http://www.thcnet.com)  
Fax: (845) 365-8201

## SECTION 16. Other information

### Abbreviations

N/A: Denotes no applicable information found or available  
CAS#: Chemical Abstracts Service Number  
ACGIH: American Conference of Governmental Industrial Hygienists  
OSHA: Occupational Safety and Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
STEL: Short Term Exposure Limit  
NTP: National Toxicology Program  
IARC: International Agency for Research on Cancer  
EU: European Union  
R: Risk  
S: Safety

**Disclaimer:** This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.



**1. Identification**

**Product identifier** Safetec® Triple Antibiotic Ointment  
**Other means of identification** Not available.  
**Recommended use** Not available.  
**Recommended restrictions** None known.  
**Manufacturer/Importer/Supplier/Distributor information**  
**Manufacturer**  
**Manufacturer:** Safetec of America, Inc.  
887 Kensington Avenue  
Buffalo, NY 14215  
**Company Telephone:** 1-716-895-1822  
**E-mail Address:** www.safetec.com  
**Emergency Telephone:** 1-800-255-3924  
**Supplier** Refer to Manufacturer

**2. Hazard(s) identification**

**Physical hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**Health hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**Environmental hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**OSHA defined hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.

**Label elements**

**Hazard symbol** None.  
**Signal word** None.  
**Hazard statement** The mixture does not meet the criteria for classification.  
**Precautionary statement**  
**Prevention** None required according to OSHA Hazcom 2012.  
**Response** None required according to OSHA Hazcom 2012.  
**Storage** None required according to OSHA Hazcom 2012.  
**Disposal** None required according to OSHA Hazcom 2012.  
**Hazard(s) not otherwise classified (HNOC)** None known.  
**Supplemental information** None.

**3. Composition/information on ingredients**

**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Bacitracin Zinc USP		1405-89-6	Proprietary
Neomycin Sulfate USP		1405-10-3	Proprietary
Petrolatum USP		8009-03-8	Proprietary
Polymyxin B Sulfate		1405-20-5	Proprietary

**4. First-aid measures**

**Inhalation** If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.  
**Skin contact** Wash off with warm water and soap. Get medical attention if symptoms occur.  
**Eye contact** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.  
**Ingestion** Seek medical advice.



**Most important symptoms/effects, acute and delayed**

Direct contact with eyes may cause temporary irritation.

**Indication of immediate medical attention and special treatment needed**

Treat symptomatically.

## 5. Fire-fighting measures

**Suitable extinguishing media**

Alcohol foam. Dry chemicals. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical**

Thermal decomposition or combustion may liberate toxic gases or fumes.

**Special protective equipment and precautions for firefighters**

None known.

**Fire fighting equipment/instructions**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**General fire hazards**

No unusual fire or explosion hazards noted.

**Hazardous combustion products**

Carbon oxides.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up**

Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

**Precautions for safe handling**

When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Use only with adequate ventilation. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

Keep container tightly closed. Keep cool. Store away from incompatible materials.

## 8. Exposure controls/personal protection

**Occupational exposure limits**

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Petrolatum USP (CAS 8009-03-8)	PEL	5 mg/m <sup>3</sup>	Mist.

### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Petrolatum USP (CAS 8009-03-8)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Petrolatum USP (CAS 8009-03-8)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.



**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Chemical resistant gloves recommended.
<b>Other</b>	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.
<b>Respiratory protection</b>	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional or manufacturer for specific information.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties**

<b>Appearance</b>	Ointment.
<b>Physical state</b>	Liquid.
<b>Form</b>	Gel.
<b>Color</b>	White to off-white.
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 199.9 °F (> 93.3 °C) Closed Cup
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Insoluble.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Specific gravity</b>	0.83

**10. Stability and reactivity**

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Stable at normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.



<b>Conditions to avoid</b>	High temperatures.
<b>Incompatible materials</b>	Strong oxidizing agents. Acids.
<b>Hazardous decomposition products</b>	Carbon oxides.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	No harmful effects expected in amounts likely to be ingested by accident.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

<b>Acute toxicity</b>	No adverse effects are expected.
<b>Skin corrosion/irritation</b>	This product is not classified as a skin corrosive or irritant.
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	This product is not expected to cause respiratory sensitization.
<b>Skin sensitizer</b>	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified as a specific target organ toxicity -single exposure.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified as a specific target organ toxicity -repeated exposure.
<b>Aspiration toxicity</b>	Not expected to be an aspiration hazard.

## 12. Ecological information

<b>Ecotoxicity</b>	Not expected to be harmful to aquatic organisms.
<b>Persistence and degradability</b>	Not available.
<b>Bioaccumulative potential</b>	Not available.
<b>Mobility in soil</b>	Not available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.



## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### US. California Controlled Substances, CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. Massachusetts RTK - Substance List

Petrolatum USP (CAS 8009-03-8)

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Petrolatum USP (CAS 8009-03-8)

#### US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.



**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 01-19-2015

**Version #** 01

**Disclaimer** Prepared by: ICC The Compliance Center Inc. 1-888-442-9628  
<http://www.thecompliancecenter.com>

**Disclaimer**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and

**Bibliography**

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2014)  
 Canadian Centre for Occupational Health and Safety, CCIInfoWeb Databases, 2014  
 (Chempendium, RTECs, HSDB, INCHEM)  
 European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014.  
 Material Safety Data Sheet from manufacturer.  
 OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.



**1. Identification**

**Product identifier** Safetec® First Aid Cream  
**Other means of identification** Not available.  
**Recommended use** Not available.  
**Recommended restrictions** None known.  
**Manufacturer/Importer/Supplier/Distributor information**  
**Manufacturer**  
**Manufacturer:** Safetec of America, Inc.  
 887 Kensington Avenue  
 Buffalo, NY 14215  
**Company Telephone:** 1-716-895-1822  
**E-mail Address:** www.safetec.com  
**Emergency Telephone:** 1-800-255-3924  
**Supplier** Refer to Manufacturer

**2. Hazard(s) identification**

**Physical hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**Health hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**Environmental hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**OSHA defined hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012.  
**Label elements**  
**Hazard symbol** None.  
**Signal word** None.  
**Hazard statement** The mixture does not meet the criteria for classification.  
**Precautionary statement**  
**Prevention** None required according to OSHA Hazcom 2012.  
**Response** None required according to OSHA Hazcom 2012.  
**Storage** None required according to OSHA Hazcom 2012.  
**Disposal** None required according to OSHA Hazcom 2012.  
**Hazard(s) not otherwise classified (HNOC)** None known.  
**Supplemental information** None.

**3. Composition/information on ingredients**

**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Lidocaine		6108-05-0	0.5
Benzalkonium Chloride		63449-41-2	0.13
Ethanol	Alcohol Ethyl Alcohol	64-17-5	Proprietary
Mineral Oil	Light mineral oil Mineral oil	8042-47-5	Proprietary
Petrolatum USP		8009-03-8	Proprietary

**4. First-aid measures**

**Inhalation** If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.  
**Skin contact** Wash off with warm water and soap. Get medical attention if symptoms occur.



<b>Eye contact</b>	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.
<b>Ingestion</b>	Seek medical advice.
<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water. Water Spray or Fog. Dry chemicals. Foam. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Thermal decomposition or combustion may liberate toxic gases or fumes.
<b>Special protective equipment and precautions for firefighters</b>	None known.
<b>Fire fighting equipment/instructions</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	Carbon oxides. Nitrogen oxides (NOx). Halogenated compounds.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical waste.  Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or confined areas. Dike for later disposal.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Use only with adequate ventilation. Wash thoroughly after handling.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep container tightly closed. Keep cool. Store away from incompatible materials.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3 1000 ppm	
Mineral Oil (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
Petrolatum USP (CAS 8009-03-8)	PEL	5 mg/m3	Mist.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Mineral Oil (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.



**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Petrolatum USP (CAS 8009-03-8)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Ethanol (CAS 64-17-5)	TWA	1900 mg/m <sup>3</sup> 1000 ppm	
Mineral Oil (CAS 8042-47-5)	STEL	10 mg/m <sup>3</sup>	Mist.
Petrolatum USP (CAS 8009-03-8)	TWA	5 mg/m <sup>3</sup>	Mist.
	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection** Chemical resistant gloves recommended.

**Other** Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional or manufacturer for specific information.

**Thermal hazards** Not available.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties**

**Appearance** Cream.  
**Physical state** Liquid.  
**Form** Cream.  
**Color** White to off-white.

**Odor** Not available.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** 140 °F (60 °C)

**Initial boiling point and boiling range** Not available.

**Flash point** Not available.

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not applicable.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.



Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.99

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	High temperatures.
Incompatible materials	Strong oxidizing agents. Acids.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx). Halogenated compounds.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	No harmful effects expected in amounts likely to be ingested by accident.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute toxicity	No adverse effects are expected.
----------------	----------------------------------

Components	Species	Test Results
Ethanol (CAS 64-17-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 15800 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 32380 ppm, 4 hours (vapor) > 61 mg/l, 4 hours (vapor)
<i>Oral</i>		
LD50	Rat	7060 mg/kg
Mineral Oil (CAS 8042-47-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 5 mg/l, 4 hours
<i>Oral</i>		
LD50	Rat	> 5000 mg/l
Skin corrosion/irritation	This product is not classified as a skin corrosive or irritant.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	



**Respiratory or skin sensitization****Respiratory sensitization** This product is not expected to cause respiratory sensitization.**Skin sensitizer** This product is not expected to cause skin sensitization.**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.**IARC Monographs. Overall Evaluation of Carcinogenicity**

Mineral Oil (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive effects.**Specific target organ toxicity - single exposure** Not classified as a specific target organ toxicity -single exposure.**Specific target organ toxicity - repeated exposure** Not classified as a specific target organ toxicity -repeated exposure.**Aspiration toxicity** Not expected to be an aspiration hazard.**12. Ecological information****Ecotoxicity** Not expected to be harmful to aquatic organisms.

Components	Species	Test Results
Ethanol (CAS 64-17-5)		
<b>Aquatic</b>		
<i>Acute</i>		
Algae	EC50	Green algae (Selenastrum capricornutum) 1000 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna) 5012 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours
Mineral Oil (CAS 8042-47-5)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50	Water flea (Daphnia magna) > 100 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss) > 1000 mg/l, 96 hours

**Persistence and degradability** Not available.**Bioaccumulative potential** Not available.**Partition coefficient n-octanol / water (log Kow)**

Ethanol -0.31

**Mobility in soil** Not available.**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.**13. Disposal considerations****Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.**Local disposal regulations** Dispose in accordance with all applicable regulations.**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.



## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Ethanol (CAS 64-17-5)

Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

Mineral Oil (CAS 8042-47-5)

Petrolatum USP (CAS 8009-03-8)

#### US. New Jersey Worker and Community Right-to-Know Act

Ethanol (CAS 64-17-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

Mineral Oil (CAS 8042-47-5)

Petrolatum USP (CAS 8009-03-8)

#### US. Rhode Island RTK

Not regulated.



**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Ethanol (CAS 64-17-5)

Listed: April 29, 2011

Listed: July 1, 1988

**US - California Proposition 65 - CRT: Listed date/Developmental toxin**

Ethanol (CAS 64-17-5)

Listed: October 1, 1987

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 02-23-2015

**Version #** 01

**Disclaimer** Prepared by: ICC The Compliance Center Inc. 1-888-442-9628  
<http://www.thecompliancecenter.com>

**Disclaimer**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and

**Revision Information** Composition / Information on Ingredients: Ingredients  
 Physical & Chemical Properties: Multiple Properties  
 Transport Information: Material Transportation Information

**Bibliography** ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2014)  
 Canadian Centre for Occupational Health and Safety, CCIInfoWeb Databases, 2014  
 (Chempendium, RTECs, HSDB, INCHEM)  
 European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014.  
 Material Safety Data Sheet from manufacturer.  
 OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.