3446

SAFETY DATA SHEET SUPERIOR RUBYFLUID PASTE

9725071

DATE REVISED: January 1, 2014

Product Name: Superior Rubyfluid Paste

Manufacturer: Superior Flux & Mfg. Co. 6615 Parkland Blvd. Cleveland, OH 44139 Emergency Phone Number: 1-800-424-9300 (CHEMTREC) Other Information Calls: (440) 349 3000

Other Information Calls: (440) 349-3000

To the Purchaser: This MSDS contains important environmental, health, and toxicology information for your employees who have ordered this product. Please be sure this information is given to them. If you resell this product, a copy of the MSDS should be given to the buyer.

H.M.I.S. INFORMATION: HEALTH = 1 FLAMMABILITY = 1 REACTIVITY = 1

SECTION I - IDENTIFICATION

Common Name: Superior Rubyfluid Paste Chemical Family: Soft Soldering Flux CAS Number: NA Chemical Name: NA Formula: See below

SECTION II – HAZARDS IDENTIFICATION

Classification of Substance or Mixture:

Classification (CLP): NA Label Elements (CLP): NA



Irritant Environmentally Damaging

Precautionary Phrases: P264, P270, P273, P280, P301+P312, P305+P351+P338, P330, P337+P313, P301+P330+P331, P304+P340, P309+P311 Risk Phrases: R36/37/38, R34 Safety Phrases: S-26, S-27, S-36/37/39, S-45, S18, S61, S62, S64 See section XVI for full text description of S and R phrases Other Hazards: None if used properly

SECTION III- COMPOSITION INFORMATION

Components	CAS Number	%	OSHA PEL	H Phrases
Zinc Chloride	7646-85-7	15-30	1 mg/m ³	H302, H314, H319, H335, H400, H401
Unlisted percentages are not or OSHA as carcinogens.	n-hazardous stabilizers, and	water. None of	the materials in this pro-	oduct are listed in NTP, IARC,

MSDS. Superior Rubyfluid Paste. Page 1 of 5

SECTION IV - FIRST AID MEASURES

Inhalation:	Remove to fresh air
Eyes:	Flush with water for fifteen (15) Minutes. Call physician.
Skin:	Wash thoroughly with soap and water.
Ingestion:	If patient is fully conscious, give large amounts of water. Obtain medical attention immediately.

Most Important Symptoms and effects, both acute and delayed **Primary Routes of Entry into Body:** Fume inhalation, ingestion, skin, and eyes. **Symptoms of Overexposure:** Salivation, coughing, choking, chills, may cause weight loss, brittle bones, anemia, and stiff joints. **Medical Conditions Generally Aggravated by Exposure:** Any weakness of the lungs, kidneys or liver will be aggravated. **Chemical Listed as Carcinogen or Potential Carcinogen:** None **OSHA Permissible Exposure Limit (PEL):** NA **ACGIH Threshold Limit Value (TLV):** NA

SECTION V - FIRE AND EXPLOSION HAZARD DATA Flash Point: 204°C/400°F Flammable Limits: NA Extinguishing Media: Dry chemical, CO₂ foam

Auto Ignition Temperature: NA Special Fire Fighting Procedures: Wear self contained breathing apparatus and protective clothing. Unusual Fire and Explosion Hazards: Will not occur

SECTION VI - ACCIDENTAL RELEASE MEASURES

Steps to be Taken in Case Material is Spilled: Clean up and dispose of in accordance with EPA regulations.

SECTION VII - HANDLING AND STORAGE

Storage Requirements: Store in plastic containers in cool area, away from heat. Handling Precautions: Safe precautionary practices to avoid spills and exposure to skin and fumes. Other Precautions: NA

SECTION VIII - CONTROL MEASURES

Respiratory Protection (TYPE): NIOSH approved respirator. Ventilation: Yes Mechanical (General): Explosion proof Local Exhaust: Yes Protective Gloves: Recommended, NIOSH approved Other Protective Clothing or Equipment: Rubber apron is recommended. Eye Protection: Safety Glasses Regulatory Information: The chemical components are listed on TSCA and DSL inventory. See composition section ii for CAS numbers

MSDS. Superior Rubyfluid Paste. Page 2 of 5

SECTION IX - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point: >400°F Specific Gravity (Water = 1): 1.08 Vapor Pressure (mm Hg): NA Percent Volatile by Volume: NA Vapor Density (Air = 1) : >1 Evaporation Rate (Butyl Acetate = 1): NA Melting Point: > 100°F Solubility in Water: Soluble Reactivity in Water: None Appearance and Odor: Red-colored paste, no characteristic odor

SECTION X - STABILITY AND REACTIVITY

Stability: Product is stable(Conditions to Avoid): MetalsIncompatibility: Alkaline, strong oxidizing or reducing materials, cyanides or combustible materials.Hazardous Decomposition Products: HCl, zinc chloride, zinc oxide, ammonium.Hazardous Polymerization: Will not occur(Conditions to Avoid): Excessive heat or cold

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Data

- 1) Oral: LD-50 (rat): Not available
- 2) Inhalation: LC-50 (rat): Not available
- 3) Dermal: LD-50 (rabbit): Not available
- 4) Skin Irritation: (rabbit): Not available

Chronic Toxicity Data

- 1) Repeated Skin Application: (rat): Not available
- 2) Eye Irritation: (rabbit): Not available

SECTION XII - ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with EPA regulations

MSDS. Superior Rubyfluid Paste. Page 3 of 5

SECTION XIV- TRANSPORTATION

D.O.T. Proper Shipping Name: NA Hazard Class: NA Identification Number: NA Packing Group: NA Type D.O.T Label Required Information: NA

SECTION XV - REGULATORY INFORMATION

OSHA Hazardous Chemical According to 29 CFR 1910.1200: NA Carcinogenicity Classification: (Components Present at 0.1% or More) International Agency for Research on Cancer (IARC): NA American Conference of Governmental Industrial Hygienists (ACGIH): NA National Toxicology Program (NTP): NA Occupational Safety and Health Administration (OSHA): NA All Components of this Product are Listed on the U.S. Toxic Substances Control Act Inventory or Otherwise Comply with TSCA Pre-manufacture Notification Requirements. This product is RoHS compliant.

SECTION XVI - OTHER INFORMATION

The labeling of this product is indicated in Section II. The full text of all abbreviations indicated by codes in the MSDS are as follows:

R34	Causes burns		
R36	Irritating to eyes		
R37	Irritating to respiratory system		
R38	Irritating to skin		
S-18	Handle and open container with care		
S-26	In case of eye contact, rinse thoroughly and get medical attention		
S-27	Take off immediately contaminated clothing		
S-36/37/39	Wear suitable protective clothing, gloves, and eye/face protection		
S-45	In case of accident or if feel unwell call medical advice immediately		
S61	Avoid release to the environment. Refer to special instructions/safety data sheet		
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible		
S64	If swallowed, rinse mouth with water (only if the person is conscious)		
P264	Wash thoroughly after handling		
P270	Do not eat, drink or smoke when using this product		
P273	Avoid release to the environment		
P280	Wear protective gloves/protective clothing/eye protection/face protection		
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell		
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing		
P330	Rinse mouth		
P337+P313	If eye irritation persists get medical advice/attention		
	MSDS. Superior Rubyfluid Paste. Page 4 of 5		

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

- P309+P311 IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician
- H302 Harmful if swallowed
- H319 Causes serious eye irritation
- H401 Toxic to aquatic life
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- H400 Very toxic to aquatic life

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. Reasonable care has been taken in the preparation of this material, but there are NO WARRANTIES, NO REPRESENTATIONS AND NO RESPONSIBILITY AS TO THE ACCURACY OR THE SUITABILITY OF THIS INFORMATION FOR ANY PURCHASER'S USE OR FOR ANY CONSEQUENCE TO USE.

MSDS, Superior Rubyfluid Paste. Page 5 of 5