

H122

9727640A+B+D-G
RA10916, 917, 919, 920, RA12663
RA12664

Page 1/9

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

1 Identification

- **Product Identifier**
- **Trade name: Magic Metallics™ Oxidizers**
- **Product Number:**
MM200 Verde Green Patina, MM201 Aqua Blue Patina, MM202 Green Patina, MM305 Rapid Rust
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description**
Magic Metallics™ oxidizers is a mixture containing water, thickening agents, biocides, opacifiers, water, and metal powders.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Coloramics, LLC (D.B.A. Mayco Colors)
4077 Weaver Court South
Hilliard, Ohio 43026
United States of America
(614) 876-1171
- **Emergency telephone number:** In case of emergency contact your Regional or Local Poison Control Center

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Eye Irrit. 2B H320 Causes eye irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS09

- **Signal word:** Warning

- **Hazard statements:**

Causes eye irritation.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

- **Precautionary statements:**

Avoid release to the environment.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015


Trade name: Magic Metallics™ Oxidizers

- **Unknown acute toxicity:**
0 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 1 Health = 1
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture: consisting of the following components.
- **Dangerous Components:**

CAS: 12125-02-9	Ammonium Chloride	3.2-12.7%
RTECS: BP 4550000	⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	
CAS: 7758-98-7	Copper Sulfate	4.2-5.9%
RTECS: GL 8800000	⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

4 First-Aid Measures

- **Description of first aid measures:**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers

- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** No further relevant information available..
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
12125-02-9 Ammonium Chloride
REL Short-term value: 20 mg/m³
Long-term value: 10 mg/m³
TLV Short-term value: 20 mg/m³
Long-term value: 10 mg/m³
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and food.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not required.
- **Penetration time of glove material:** Not applicable.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers· **Eye protection:**

Safety glasses

* **9 Physical and Chemical Properties**· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· Form:	Liquid
· Color:	Various colors
· Odor:	Slight
· Odor threshold:	Not determined.

· **Change in condition**

· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:**

None

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

Not determined

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not self-igniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:**

Not determined.

· **Density:**

· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.

· **Solubility in / Miscibility with:**

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· **Solvent content:**

· **Organic solvents:** 0.0 %

· **Other information:**

No further relevant information available.

* **10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information• **Information on toxicological effects:**• **Acute toxicity:**• **LD/LC50 values that are relevant for classification:****12125-02-9 Ammonium Chloride**

Oral LD50 1650 mg/kg (rat)

Inhalative LC50/96 hours 3.98 mg/l (Trout)

7758-98-7 Copper Sulfate

Oral LD50 300 mg/kg (rat)

Dermal LD50 1000 mg/kg (rabbit)

• **Primary irritant effect:**• **On the skin:** No irritating effect.• **On the eye:** Irritating effect.• **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

• **Carcinogenic categories:**• **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

*** 12 Ecological Information**• **Toxicity:**• **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

7758-98-7 Copper Sulfate

EC50 .0058-.0073 mg/l (daphnia)

48 hours

• **Persistence and degradability:** No further relevant information available.• **Behavior in environmental systems:**• **Bioaccumulative potential:** No further relevant information available.• **Mobility in soil:** No further relevant information available.• **Ecotoxicological effects:**• **Remark:** Toxic for fish• **Additional ecological information:**• **General notes:**

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

• **Results of PBT and vPvB assessment:**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **Other adverse effects:** No further relevant information available.

* 13 Disposal Considerations

• **Waste treatment methods:**

• **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

• **Uncleaned packagings:**

• **Recommendation:** Disposal must be made according to official regulations.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

* 14 Transport Information

• **UN-Number:**

• **DOT**

• **ADR, IMDG, IATA**

• **UN proper shipping name:**

• **DOT**

• **ADR**

• **IMDG**

• **IATA**

• **Transport hazard class(es):**

• **DOT**

• **Class:**

• **ADR**



• **Class:**

• **Label:**

• **IMDG, IATA**



• **Class:**

• **Label:**

• **Packing group:**

• **DOT**

Non-Regulated Material

UN3082

Non-Regulated Material

UN3082 Environmentally hazardous substances, liquid, n.o.s. (Copper Sulfate)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper Sulfate), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper Sulfate)

Non-Regulated Material

9 (M6) Miscellaneous dangerous substances and articles

9

9 Miscellaneous dangerous substances and articles

9

Non-Regulated Material

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers

· ADR, IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances: Copper Sulfate
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user:	Warning: Miscellaneous dangerous substances and articles
· Danger code (Kemler):	90
· EMS Number:	F-A,S-F
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ):	5L
· Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (COPPER SULFATE), 9, III

***15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**
- **Section 355 (extremely hazardous substances):**
None of the ingredients are listed.
- **Section 313 (Specific toxic chemical listings):**
7758-98-7 Copper Sulfate
- **TSCA (Toxic Substances Control Act):**
All ingredients are listed.
- **California Proposition 65:**
- **Chemicals known to cause cancer:**
None of the ingredients are listed.
- **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients are listed.
- **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients are listed.
- **Chemicals known to cause developmental toxicity:**
None of the ingredients are listed.
- **Carcinogenic categories:**
- **EPA (Environmental Protection Agency):**
None of the ingredients are listed.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers• **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms:**

GHS09

• **Signal word:** Warning• **Hazard statements:**

Causes eye irritation.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

• **Precautionary statements:**

Avoid release to the environment.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

• **State Right to Know:**

All ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/02/2015 / 2• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2015

Reviewed on 10/02/2015

Trade name: Magic Metallics™ Oxidizers

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

*** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106