

4619

9729518



(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)
All Wood Cased Pencil Products
Art - Office - School - Craft - Charcoal - Graphite - Pastels - Colored

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I	
Manufacturer's Name General Pencil Company, Inc.	Emergency Telephone Number 1-800-537-0734
Address (Number, Street, City, State, and ZIP Code) (NJ) 67 Fleet St., Jersey City, NJ 07306 (CA) 3160 Bay Rd., Redwood City, CA 94063	Telephone Number for Information (NJ) 1-201-653-5351 or (CA) 1-650-369-4889
	Date Prepared 11/01/15
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
N/A				
Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)				
Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.				
No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.				

Section III - Physical/Chemical Characteristics			
Boiling Point	N/A	Specific Gravity (H₂O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A		
Appearance and Odor	Solid Stick Form - Cedar Fragrance, Dk. Grey - Black		



(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used)	Flammable Limits	LEL	UEL
365° F	N/A	N/A	N/A
Extinguishing Media			
Foam, Carbon Dioxide, Dry Chemical			
Special Fire Fighting Procedures			
A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.			
Unusual Fire and Explosion Hazards			
Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.			

Section V - Reactivity Data			
Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	N/A
Incompatibility (Materials to Avoid)			
N/A			
Hazardous Decomposition or Byproducts			
N/A			
Hazardous Polymerization	May Occur	N/A	Conditions to Avoid
N/A	Will Not Occur	N/A	N/A

Section VI - Health Hazard Data			
Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
N/A	N/A	N/A	N/A
Health Hazards (Acute and Chronic)			
N/A			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A
Signs and Symptoms of Exposure			
N/A			
Medical Conditions Generally Aggravated by Exposure			
N/A			
Emergency and First Aid Procedures			
N/A			

