461.



100057 900875 1100124 8100131 9700767-68,78 9701042 9715487 www.accobrands.com 9716260-61 Safety Data Sheet 9719140 Version 2.0 Revision Date 05/31/2015

1.1	Product identifiers			
	Product name	:	Alphacolor® Chalk	
	Product numbers			
	Chalk Sticks	:	334003, 314005, 333005, 313007, 305003	
	Soft Pastels	;	105C, 167007, 105w, 105204	
	Soft Square Pastels	:	105007, 102004, 148007, 101006, 102006, 102006, 102008, 145003, 155002, 145011	
1.2	Relevant identified uses of the substance or mixture and uses advised against			
	Identified uses	:	Marking instrument and art supplies.	
1.3	Details of the supplier of the safety data sheet			
	Company	:	ACCO Brands Corporation Four Corporate Drive Lake Zurich, IL 60047-8997	
	Telephone	:	800.222.6462	
1.4	Emergency telephone number			
	Rocky Mountain Poison and Drug Center	:	877.740.5015 (Toll free) 303.739.1110 (Outside US)	

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Not a hazardous substance or mixture.
2.2 GHS Label elements, including precautionary statements

- Not a hazardous substance or mixture.
- 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures Synonyms

: Alphacolor® Chalk Sticks Alphacolor® Square Pastels Alphacolor® Soft Square Pastels Alphacolor® Soft Pastels Alphacolor® Charcoal

Alphacolor® Chalk

ACCO Brands Corporation

Page 1 of 8

Component		Classification	Concentration
Gypsum			
CAS-No.	13397-24-5		95 %
EC-No.	231-900-3		
#403 Blue Color / Ne	on Blue		
CAS-No.	147-14-8		< 5 %
EC-No.	205-685-1		
#301 Green Color / M	leon Green		
CAS-No.	1328-53-6		< 5 %
EC-No.	215-524-7		

4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas, Copper oxides
- 5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas.

Alphacolor® Chalk

ACCO Brands Corporation

Page 2 of 8

For personal protection see section 8.

6.2 Environmental precautions No special environmental precautions required.

- 6.3 Methods and materials for containment and cleaning up Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Gypsum	13397-24-5	TWA	15.0mg/m3 (Total)	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	5.0mg/m3 (Respirable)	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	10.0mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Nasal syn	Nasal symptoms		
		TWA	5 mg/m3 (Respirable)	USA. NIOSH Recommended Exposure Limits	
		Gypsum is the dihydrate form of calcium sulfate; Plaster of Paris is the hemihydrate form.			
		TWA	10 mg/m3 (Total)	USA. NIOSH Recommended Exposure Limits	
		Gypsum is the dihydrate form of calcium sulfate; Plaster of Paris is the hemihydrate form.			

Alphacolor® Chalk

ACCO Brands Corporation

Page 3 of 8

29H,31H- Phthalocyaninato(2-)-N29,N30,N31,N32 copper	147-14-8	TWA	1.0mg/m3	USA. NIOSH Recommended Exposure Limits
polychloro copper phthalocyanine	1328-53-6	TWA	1.0mg/m3	USA. NIOSH Recommended Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Where protection from nuisance levels of dusts are desired handle with gloves. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure No special environmental precautions required.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Chalk sticks and and squares Colour: See package
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	pН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available

Alphacolor® Chalk

ACCO Brands Corporation

Page 4 of 8

j)	Upper/lower flammability or explosive limits	No data available	
k)	Vapour pressure	No data available	
I)	Vapour density	No data available	
m)	Relative density	No data available	
n)	Water solubility	No data available	
0)	Partition coefficient: n- octanol/water	No data available	
p)	Auto-ignition temperature	No data available	
q)	Decomposition temperature	No data available	
r)	Viscosity	No data available	
s)	Explosive properties	No data available	

- t) Oxidizing properties No data available
- 9.2 Other safety information No data available

10. STABILITY AND REACTIVITY

- 10.1 Reactivity No data available
- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid No data available
- 10.5 Incompatible materials Strong oxidizing agents
- 10.6 Hazardous decomposition products In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Alphacolor® Chalk

ACCO Brands Corporation

Page 5 of 8

Germ cell mutagenicity No data available

No data avaliable

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: Not available

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Other adverse effects No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging Dispose of as unused product.

Alphacolor® Chalk

ACCO Brands Corporation

Page 6 of 8

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

massachusetts Right To Know Components		
	CAS-No.	Revision Date
Gypsum	13397-24-5	1989-08-11
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Gypsum	13397-24-5	1989-08-11
Pigment(s)	-	
29H,31H-Phthalocyaninato(2-)-N29,N30,N31,N32	147-14-8	2007-03-01
copper		
polychloro copper phthalocyanine	1328-53-6	2007-03-01
Neon yellow	29556-33-0	
Neon red	3068-39-1	
Neon orange		
Neon violet	73398-89-7	
Neon pink	-	
#005 Red Color	15782-05-5	
#102 Orange color	6505-28-8	
#205 yellow color	5468-75-7	
New Jersey Right To Know Components		
in the second seco	CAS-No.	Revision Date
Gypsum	13397-24-5	1989-08-11
Pigment(s)	-	
29H,31H-Phthalocyaninato(2-)-N29,N30,N31,N32	147-14-8	2007-03-01
copper		
polychloro copper phthalocyanine	1328-53-6	2007-03-01
Neon yellow	29556-33-0	
Neon red	3068-39-1	
Neon orange	-	
Neon violet	73398-89-7	
Neon pink	-	
	15782-05-5	
#005 Red Color	10/02 00 0	

Alphacolor® Chalk

ACCO Brands Corporation

Page 7 of 8

#205 yellow color

5468-75-7

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Consumer Product Labeling

The labeling for this consumer product is regulated by the U.S. Consumer Product Safety Commission, and complies with the Federal Hazardous Substances Act (FHSA) as amended by the Federal Labeling of Hazardous Art Materials Act (LHAMA)/ASTM D-4236.

The information contained in this SDS is provided for information only. Nothing in this SDS is intended to imply that this product is covered by the HCS.

16. OTHER INFORMATION

HMIS Rating

Health hazard:	0
Chronic Health Hazard	:
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	0
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2015 Acco Brands Corporation License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Acco Brands Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Print Date: 6/1/2015

Alphacolor® Chalk

ACCO Brands Corporation

Page 8 of 8