

4877

C30858

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Showsheen[®] Finishing Mist Continuous Spray

GENERAL USE: Grooming Aid

PRODUCT DESCRIPTION: White liquid, fresh scent

MANUFACTURER'S NAME:
W. F. Young, IncDATE PREPARED: April 22, 2010
SUPERSEDES: New

Page 1 of 5

ADDRESS (NUMBER, STREET, P.O. BOX)
302 Benton DriveTELEPHONE NUMBER FOR INFORMATION:
(413) 526-9999CITY, STATE AND ZIP CODE:
East Longmeadow, MA 01028EMERGENCY TELEPHONE NUMBER:
(413) 526-9999

SECTION 2 – HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	% (by weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES Full Test Section 16
----------------------	------------------	-------	----------	------------------	--------------------------------------

No hazardous materials present as defined by OSHA – 29 CFR 1920.1000; EPA – 40 CFR 260-281, 302, 355, 370, 372; DOT – 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Mild liquid, prolonged contact may cause eye irritation. Ingestion may cause gastric distress. Hazard Symbols for this product – None.
Risk Phrase – Not classified.

POTENTIAL HEALTH EFFECTS

INHALATION: None expected, however, certain individuals may experience minor nausea or headaches.

SKIN: None expected, however, prolonged contact may cause irritation.

EYES: Contact with eyes may cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

CARCINOGENICITY

NTP? No

IARC MONOGRAPHS? No

OSHA REGULATED? No

MATERIAL SAFETY DATA SHEET									
PRODUCT NAME: Showsheen® Finishing Mist Continuous Spray						Page 2 of 5			
April 22, 2010									
SECTION 4 – FIRST AID MEASURES									
INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.									
SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.									
EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.									
INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.									
SECTION 5 – FIRE FIGHTING MEASURES									
FLASH POINT (METHOD USED) Nonflammable		FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable							
		AUTOIGNITION TEMPERATURE: Not determined				NFPA CLASS:			
GENERAL HAZARDS: Aerosols, non-flammable. Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide									
EXTINGUISHING MEDIA: Carbon dioxide, water, water fog, dry chemical, chemical foam									
FIRE FIGHTING PROCEDURES: Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released									
UNUSUAL FIRE AND EXPLOSION HAZARDS: Non-flammable gas									
HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes or vapors, oxides of carbon, oxides of silicone									
SECTION 6 – ACCIDENTAL RELEASE MEASURES									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills – wash to sanitary sewer with plenty of water. Large spills – soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water.									
SECTION 7 – HANDLING AND STORAGE									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures.									
SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION									
HAZARDOUS COMPONENTS		NIOSH				ACGIH			
		TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³
No hazardous materials present as defined by OSHA – 29 CFR 1920.1000; EPA – 40 CFR 260-281, 302, 355, 370, 372; DOT – 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC									
PERSONAL PROTECTION:									
RESPIRATORY PROTECTION: None required; however, if misting occurs due to secondary operations such as mixing, spraying, sanding, buffing, etc., NIOSH approved respirator capable of removing particulate from air must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete regulations.									


MATERIAL SAFETY DATA SHEET				
PRODUCT NAME: Showsheen® Finishing Mist Continuous Spray April 22, 2010				Page 3 of 5
SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION, continued				
PROTECTIVE GLOVES: Recommended for general protection.				
EYE PROTECTION: Safety glasses recommended for general protection. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN 166.				
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.				
WORK/HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.				
SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES				
APPEARANCE AND ODOR White liquid, fresh scent		VAPOR PRESSURE 17 MM Hg @ 20°C		
SPECIFIC GRAVITY (WATER =1) 1.0003		EVAPORATION RATE (WATER =1) <1		
SOLUBILITY IN WATER Emulsifies		% VOLATILE (BY WEIGHT) <1		
Ph 6.24		VAPOR DENSITY (AIR = 1) >1		
BOILING POINT 212°F (100°C)		FREEZING POINT 32°F (0°C)		
VISCOSITY Like water		VOLATILE ORGANIC COMPOUNDS (VOC's) <1		
SECTION 10- STABILITY AND REACTIVITY				
STABILITY		UNSTABLE: STABLE: X CONDITIONS TO AVOID: Extreme temperatures, keep from freezing		
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids				
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. Incase of a fire, oxides of carbon and silicone, hydrocarbons, fumes or vapors, and smoke may be produced.				
HAZARDOUS POLYMERIZATION		MAY OCCUR: WILL NOT OCCUR: X CONDITIONS TO AVOID: None		
SECTION 11 – TOXICOLOGICAL INFORMATION				
Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient Species and Route	LC50 of Ingredient Species
No hazardous materials present as defined by OSHA – 29 CFR 1920.1000; EPA – 40 CFR 260-281, 302, 355, 370, 372; DOT – 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC				

MATERIAL SAFETY DATA SHEET	
PRODUCT NAME: Showsheen® Finishing Mist Continuous Spray April 22, 2010	Page 4 of 5
SECTION 12 – ECOLOGICAL INFORMATION	
No data are available on the adverse effects of this material on the environment. Neither COD or BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. One of the ingredients in this mixture are classified as a Marine Pollutant.	
SECTION 13 – DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Product is classified as non-hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.	
SECTION 14 – TRANSPORT INFORMATION	
PROPER SHIPPING NAME: Aerosols, non-flammable	
DOT HAZARD CLASS/PACK GROUP: Class 2.2	IATA HAZARD CLASS/PACK GROUP:
REFERENCE:	IMDG HAZARD CLASS:
UN/NA IDENTIFICATION NUMBER: UN1066	ID/ADR DANGEROUS GOODS CODE:
LABEL: 2.2 (non-flammable gas)	UN TDG CLASS/PACK GROUP:
HAZARD SYMBOLS:	Hazard Identification Number (HIN):
NOTE: exceptions 172.306 ORM-D	

SECTION 15 – REGULATORY INFORMATION
<p>TSCA (Toxic Substance Control Act) All components of this product are listed on the U.S. Toxic Substance Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.</p> <p>SARA TITLE III (Superfund Amendments and Reauthorization Act) 311/312 Hazard Categories: None 313 Reportable Ingredients: None</p> <p>CERCLA (Comprehensive Response Compensation and Liability Act) None</p> <p>California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.</p> <p>CPR (Canadian Controlled Products Regulations) This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS classification: Not controlled</p> <p>IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.</p> <p>DSL/NDSL (Canadian Domestic Substances List/Non-Domestic Substance List) Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substance Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.</p> <p>EINECS (European Inventory of Existing Commercial Chemical Substances) Components of this product identified by CAS numbers are on the European inventory of Existing Commercial Chemical Substances.</p> <p>WGK Water Quality Index: nwg VbK Index: Not applicable</p>

MATERIAL SAFETY DATA SHEET			
PRODUCT NAME: PRODUCT NAME: Showsheen® Finishing Mist Continuous Spray April 22, 2010			Page 5 of 5
SECTION 15 – REGULATORY INFORMATION, continued			
Risk Phrases None	SYMBOL(S) REQUIRED FOR LABEL ORM-D		Safety Phrases S25 Avoid contact with eyes
SECTION 16 – OTHER INFORMATION			
HMIS HAZARD RATINGS	HEALTH	0	*=Chronic Health Hazard 2=Moderate
	FLAMMABILITY	0	0=Insignificant 3=High
	PHYSICAL HAZARD	0	1= Slight 4=Extreme
PERSONAL PROTECTIVE EQUIPMENT		A Safety glasses	
REVISION SUMMARY:		MSDS Prepared by: Karen Norkaitis W. F. Young, Inc	
The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.			

MATERIAL SAFETY DATA SHEET

OSHA - Meets 29 CFR 1910.1200 Standards		HMIS HAZARD RATINGS			
	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH	
	FLAMMABILITY	1	1 = SLIGHT	4 = EXTREME	
	REACTIVITY	0	2 = MODERATE		
TRANSPORTATION INFORMATION					
PROPER SHIPPING NAME:		Not Regulated			
HAZARD CLASS / PKG GRP:		None / None		REF:	Not Applicable
IDENTIFICATION NUMBER:		None		LABEL:	None Required
SECTION 1 - PRODUCT / COMPANY IDENTIFICATION					
IDENTITY (AS USED ON LABEL AND LIST) SHAPLEY'S ORIGINAL M - T - G (Mane - Tail - Groom)					Page 1 of 2
MANUFACTURER'S NAME Shapley's			EMERGENCY TELEPHONE NUMBER (239) 415-2275		
ADDRESS (NUMBER, STREET, P.O. BOX) 11650 Chitwood Drive			TELEPHONE NUMBER FOR INFORMATION (800) 982-2017		
(CITY, STATE AND ZIP CODE) Fort Myers, FL 33908			DATE PREPARED: July 28, 2004 SUPERSEDES: November 25, 2002		
SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY: COMMON NAME(S))	CAS #	% (OPTIONAL)	OSHA PEL PPM	ACGIH TLV MG/M3	SARA TITLE III
Heavy paraffinic petroleum oil	64741-88-4		5 (mist)	5 (mist)	RQ LBS
Sulfur, precipitated	7704-34-9		15 (dust)		
SECTION 3 - HEALTH HAZARD DATA					
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE			EMERGENCY AND FIRST AID PROCEDURES		
INHALATION: High concentrations of mist are irritating to the respiratory tract; vaporization is not expected at ambient temperatures			Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.		
SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate irritation or dermatitis.			Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.		
EYES: High vapor concentration or contact may cause minimal irritation and discomfort.			Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.		
INGESTION: Practically non-toxic; DO NOT induce vomiting.			DO NOT induce vomiting; if vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs; seek immediate medical attention. Small amounts entering mouth should be rinsed out until taste is gone.		
HEALTH HAZARDS (ACUTE AND CHRONIC): Acute effects are possible irritation and discomfort; no known chronic effects have been established.					
CARCINOGENICITY No additional information		NTP?	No	IARC MONOGRAPHS?	No
				OSHA REGULATED?	No
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin, eye, or respiratory disorders may become aggravated through prolonged exposure.					

MATERIAL SAFETY DATA SHEET			
IDENTITY (AS USED ON LABEL AND LIST) SHAPLEY'S ORIGINAL M - T - G (Mane - Tail - Groom)		Page 2 of 2 Date: July 28, 2004	
SECTION 4 - FIRE FIGHTING MEASURES			
FLASH POINT (METHOD USED) > 365 ° F (ASTM-92)	FLAMMABLE LIMITS	LEL: 1.0%	UEL: 7.0%
EXTINGUISHING MEDIA Carbon dioxide, water fog, dry chemical, chemical foam			
SPECIAL FIRE FIGHTING PROCEDURES Firefighters must wear full facepiece self - contained breathing apparatus in positive pressure mode. Do not use solid stream of water since stream will scatter and spread fire. Fine water spray can be used to keep fire - exposed containers cool.			
UNUSUAL FIRE AND EXPLOSION HAZARDS Closed containers can explode due to buildup of pressure when exposed to extreme heat. Do not use direct stream of water on pool fires as product may reignite on water surface. Caution - Material will support combustion!			
SECTION 5 - ACCIDENTAL RELEASE MEASURES			
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CAUTION - WILL SUPPORT COMBUSTION. Do not wash to sanitary sewer. All spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. Flush area with water, recover flush for proper disposal.			
SECTION 6 - HANDLING AND STORAGE			
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures, open flames. CAUTION - This material will support combustion. Keep this and other chemicals out of reach of children.			
SECTION 7 - EXPOSURE CONTROLS / PERSONAL PROTECTION			
RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits (Section 2) are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 for complete regulations.			
VENTILATION	LOCAL EXHAUST: Required MECHANICAL (GENERAL): Yes	SPECIAL: To maintain minimum TWA and STEL levels. OTHER: Engineering and work controls as required.	
PROTECTIVE GLOVES: Neoprene or rubber gloves with cuffs.		EYE PROTECTION: Safety goggles with side shields	
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyebath nearby			
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.			
SECTION 8 - PHYSICAL / CHEMICAL PROPERTIES			
BOILING POINT 600° F	SPECIFIC GRAVITY (WATER = 1) 0.930		
VAPOR PRESSURE (MM Hg) < 0.1 mm Hg @ 20 ° C	VOLATILE ORGANIC COMPOUNDS (VOC's) None		
VAPOR DENSITY (AIR = 1) >10	EVAPORATION RATE (WATER = 1) Non-volatile		
SOLUBILITY IN WATER Negligible	% VOLATILE (BY WEIGHT) None		
APPEARANCE AND ODOR Light yellow oily liquid, mild acrid odor			
SECTION 9 - STABILITY AND REACTIVITY			
STABILITY	UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID: Extreme temperatures, open flames	
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon and sulfur, hydrocarbons, fumes, and smoke may be produced.			
HAZARDOUS POLYMERIZATION	MAY OCCUR: WILL NOT OCCUR: XXX	CONDITIONS TO AVOID: None	
SECTION 10 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. This product may produce concentrated hazardous vapors or fumes in a disposal container creating a dangerous environment. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for ignitable materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway.			
The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.			
MSDS PREPARED BY: CDB, Inc., P.O. Box 5604, Lakeland, FL 33807 (863) 644 - 3298 www.compdatabase.com			