		SAFETY D	<b>DATA SHE</b>	ET	
Issuing Date	6/1/2015	Revision Date	6/1/2015	Revision Number	1
		1. IDEN	ITIFICATION		
Product Ident	tifier				
Product Name	e			NSC6002, NSC6035, NSC60	05, NSC603
Other means	of identification				
Synonyms				NONE	
Recommende	ed use of the chemica	l and restrictions on use			
Recommende	ed use			Writing Instrument	
Uses advised				No information available	
_	supplier of the safety	y data sheet			
Supplier Nam	ie			Yasutomo Inc.	
Supplier Add	ress				
				1805 Rollins	
				Road Burlingame,	
				CA 94010	
Supplier Phor	ne Number			650 737 8888	
Supplier Ema				yasutomo490@gmail.com	
Emergency te	elephone number			650 737 8888	
		2. HAZARDS	IDENTIFICATION		
Classification					
This chemical is co		012 OSHA Hazard Communication Stan	dard (29 CFR 1910.1200		
		te Toxicity - Oral		Category	
		e damage/eye irritation		Category	
	Specific target orga	an toxicity (repeated exposu	re)	Category	2
GHS Label ele	ements, including pre	cautionary statements  Emergency Over	odow.		
			AICM		
Signal word	Danger				
Hazard State	ments				

#### Harmful if swallowed

Causes serious eye damage

May cause damage to organs through prolonged or repeated exposure







Appearance Multiple Colors

**Physical State** 

Solid containing liquid / Solid

Odor

Characteristic

## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protectice gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

#### Eves

IF IN EYES: Rinse cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

## Precautionary Statements - Storage

None

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazard not otherwise classified (HNOC)

NA

#### Unknown Toxicity

8% of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Toxic to aquatic life with long lasting effects.

#### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Ethylene Glycol	107-21-1	15-40%	
Propylene Glycol monomethyl ether	107-98-2	3-7%	
Methyl violet	8004-87-3	1-5%	
Ethyl Alcohol	64-17-5	1-5%	

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

## First aid measures

General Advice In case of rupture: Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while

rinsing. Do not rub affected area. Seek immediate medical attention/advice.

**Skin Contact** 

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do

NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

Most Important symptoms and effects, both acute and delayed

Most Important symptoms and effects

Burning sensation

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically

#### 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

**Hazardous Combustion Products** 

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No. Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing appartus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and dothing. Use personal protective equipment as required. Ensure Personal precautions

adequate ventilation. Evacuate personnel to safe areas.

Refer to protective measures listed in Sections 7 and 8 Other information

**Environmental Precautions** 

Refer to protective measures listed in Sections 7 and 8. Prevent futher leakage or **Environmental Precautions** 

spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. In case of rupture: Soak up with Methods for cleaning up

inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, Handling

eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children. Storage

Incompatible products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene glycol 107-21-1	Ceiling: 100 mg/m3 aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m3	
Propylene glycol monomethyl ether 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m3 (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m3	TWA: 100 ppm TWA: 360 mg/m3 STEL: 150 ppm STEL: 540 mg/m3
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m3 (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m3	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m3

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers, Eyewash stations, Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection None required for consumer use. If splashes are likely to occur: Wear safety glasses

with side shields (or goggles).

Skin and Body Protection None required for consumer use. Repeated or prolonged contact: Wear protective

gloves and protective clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limites

are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat,

drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Solid containing liquid, Solid

Appearance Multiple Colors

Odor Characteristic

Color No information available

Odor Threshold No information available

Property

Values

Remarks Method

Melting/Freezing point

No data available No data available None known None known

Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Fammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Soluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient:	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing Properties	No data available		
Other Information			
Softening Point	No data available		
VOC Content (%)	No data available		
Particle Size	No data available		
Particle Size Distribution			
	10. STABILITY AND RE	ACTIVITY	
Reactivity			
No data available			
Chemical Stability			
Stable under recommended storage	conditions.		
<b>Possibility of Hazardous Reactions</b>			
None under normal processing.			

**Hazardous Polymerization** 

Conditions to avoid

Hazardous polymerization does not occur.

None known based on information supplied.

## Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

## **Hazardous Decomposition Products**

Carbon oxides.

#### 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied

information. In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye Contact Specific test data for the substance or mixture is not available. Severely irritating to

eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to

eyes.

Skin Contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation,

nausea, vomiting, and diarrhea. May be harmful if swallowed. (based on components).

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol 107-21-1	> 3999 mg/kg (Rat)	-	-
Propylene glycol monomethyl ether 107-98-2	> 5199 mg/kg (Rat)	> 12.99 g/kg (Rabbit)	> 54.59 mg/L (Rat) 4h > 24 mg/L (Rat) 4 h
Ethyl Alcohol 64-17-5	-	-	> 124.69 mg/L (Rat) 4h

## Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. The listed substance(s) has been shown to be carcinogenic in long-term studies only when consumed orally. This is not a relevant route of exposure for this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	А3	Group 2B	Known	x

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Corcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Dept of Labor)

X - Present

Reproductive Toxicity

No information available

STOT - single exposure

No information available

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012

OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic

target organ toxicity from chronic or repeated exposure. (STOT RE).

**Chronic Toxicity** 

No known effect based on information supplied. Contains a known or suspected carcinogen. Contains a known or suspected reproductive toxin. The listed substance(s) has been shown to be carcinogenic and toxic to reproduction in

long-term studies only when consumed orally. This is not a relevant route of exposure for this product.

Target Organ Effects

Eyes. Blood. Central Nervous System (CNS). Liver. Reproductive System. Respiratory System. Skin. Heart. Kidney.

**Aspiration Hazard** 

No information available

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

1,450.00 mg/kg

ATEmix (inhalation-dust/mist)

808.70 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water
	Algae			Flea)

Ethylene glycol 107-21-1	96h ECSO: 6500 - 13000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 41000 mg/L (Oncorhynchus mykiss) 96h LC50: 14-18 mL/L (Oncorhynchus mykiss) 96h LC50: 40761 mg/L (Oncorhynchus mykiss) 96h LC50: = 27540 mg/L (Lepomis macrochirus) 96h LC50: = 16000 mg/L (Poecilia reticulata) 96h LC50: 40000 - 60000 mg/L (Pimephales promelas)	EC50 > 10000 mg/L 16 h EC50: = 620 mg/L 30 min EC50: = 620.0 mg/L 30 min	48h ECS0: = 46300 mg/L
Propylene glycol monomethyl ether 107-98-2		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h ECS0: = 23300 mg/L
Ethyl Alcohol 64-17-5		96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss)	ECS0 > 34634 mg/L 30 min ECS0: = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L

# Persistance and Degradability No information available.

# Bioaccumulation

	Chemical Name	Log Pow	
Ethylene glycol	107-21-1	-1.93	
Propylene glycol monomethyl ether 107-98-2		-0.437	
Ethyl Alcohol	64-17-5	-0.32	

# Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

## Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### **Contaminated Packaging**

Dispose of contents/containers in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name		California Hazardous Waste
Ethyl Alcohol	64-17-5	Toxic
		Ignitable

	14. TRA	NSPORT INFORMATION
DOT	Not Regulated	
TDG	Not Regulated	
MEX	Not Regulated	
ICAO	Not Regulated	
IATA	Not Regulated	
IMDG/IMO	Not Regulated	
RID	Not Regulated	
ADR	Not Regulated	
AND	Not Regulated	

#### 15. REGULATORY INFORMATION

## International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

	-10 m		
Chemical Name	CAS No	Weight - %	SARA 313 - Threshold Values

Ethylene glycol	107-21-1	15-40%	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## CERCLA

This material, as supplied, contains one or more substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQ	RQ
Ethylene glycol	5000 lb		RQ 5000 lb final RQ
107-21-1			RQ 2270 kg final RQ

# **US State Regulations**

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethylene glycol 107-21-1	Х	X	X	X	Х
Propylene glycol monomethyl ether 107-98-2	X	Х	X		
Ethyl Alcohol 64-17-5		X			

# International Regulations

## Mexico

National	Occupational	OVNOSUITO	limite
Hational	Occupational	CYDOSTIC	IIIIIII

Component	Carcinogen Status	Exposure Limits
Ethylene glycol 107-21-1		Mexico: Ceiling 100 mg/m3
Ethyl Alcohol 64-17-5		Mexico: TWA 1000 ppm Mexico: TWA - 1900 mg/m3

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

WHMIS Hazard Class

Non-controlled

			16. OTHER	INFORMATION		
NFPA	<b>Health Hazards</b>	1	Flammability 0	Instability	0	Physical and
						Chemical Hazards -
HMIS	Health Hazards	1*	Flammability 0	Physical Hazard	0	Personal Protection
						X

Chronic Hazard Star Legend \* = Chronic Health Hazard

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**