

6118

SAFETY DATA SHEET

Navel Guard

C31350
C31350X
Page 1 of 5
Revision: 07/17/2017
Supersedes Version: 04/29/2014

1. Product and Company Identification

Product Code: 00030
 Product Name: Navel Guard
 Company Name: SCG-Solutions, LLC
 1358 South 9th Street
 De Pere, WI 54115
 Phone Number: (920)217-1214
 Emergency Contact: CHEMTREC Reference: CCN 727645 (800)424-9300
 Information: Sales & Information (920)217-1214

C 31349
C31349X

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning
GHS Hazard Phrases: H315+320 - Causes skin and eye irritation.
GHS Precaution Phrases: P233 - Keep container tightly closed.
GHS Response Phrases: P264 - Wash hands thoroughly after handling.
 P370+378 - In case of fire, use water fog to extinguish.
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
GHS Storage and Disposal Phrases: P312 - Call a POISON CENTER/doctor/... if you feel unwell.
 P403+235 - Store in cool/well-ventilated place.
 P403+233 - Store container tightly closed in well-ventilated place - if product is as volatile as to generate hazardous atmosphere.
 P405 - Store locked up.

Potential Health Effects Chronic: Prolonged or repeated skin contact may cause defatting and dermatitis.
(Acute and Chronic):
Inhalation: Moderately irritating to eyes and respiratory tract.
Skin Contact: May cause irritation with pain and stinging, especially if the skin is abraded.
Eye Contact: Moderately irritating to the eyes.
Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

| CAS # | Hazardous Components (Chemical Name) | Concentration |
|------------|--|---------------|
| 13968-08-6 | Ike-Joe (acidified water) | <=15.0 % |
| 67-63-0 | Isopropyl alcohol | < 7.0 % |
| 68608-89-9 | Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts | < 4.0 % |

Navel Guard

Revision: 07/17/2017
Supersedes Version:04/29/2014

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact:

In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In Case of Eye Contact:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

In Case of Ingestion:

Get medical aid.

Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward.

Note to Physician:

Urine acetone test may be helpful in diagnosis. Hemodialysis should be considered in severe intoxication. None known.

5. Fire Fighting Measures

Flash Pt: NP 0.00 C (32.0 F)

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NP 0.00 C

Suitable Extinguishing Media: Use extinguishing media appropriate to surrounding fire conditions.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. May form explosive peroxides. Vapors are heavier than air and may travel to a source of ignition and flash back.

Flammable Properties and Hazards: No data available.

6. Accidental Release Measures

Steps To Be Taken in Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

7. Handling and Storage

Precautions To Be Taken in Handling: Keep container tightly closed in a dry and well-ventilated place.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place.

8. Exposure Controls/Personal Protection

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|------------|--|--------------|-------------------------------|--------------|
| 13968-08-6 | Ike-Joe (acidified water) | No data. | No data. | No data. |
| 67-63-0 | Isopropyl alcohol | PEL: 400 ppm | TLV: 200 ppm STEL: 400 ppm | No data. |
| 68608-89-9 | Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts | No data. | No data. | No data. |

SAFETY DATA SHEET

Page 3 of 5

Navel Guard

Revision: 07/17/2017
Supersedes Version: 04/29/2014

| | |
|---|--|
| Respiratory Equipment (Specify Type): | A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. |
| Eye Protection: | Wear chemical splash goggles. |
| Protective Gloves: | Wear appropriate gloves to prevent skin exposure. |
| Other Protective Clothing: | Wear appropriate protective clothing to prevent skin exposure. |
| Engineering Controls (Ventilation etc.): | Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. |

9. Physical and Chemical Properties

| | |
|---|--|
| Physical States: | <input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid |
| Appearance and Odor: | Dark red liquid. Alcohol like. |
| Freezing Point: | <= 32.00 C (89.6 F) - 0.00 F (-17.8 C) |
| Boiling Point: | <= 212.00 C (413.6 F) - 0.00 F (-17.8 C) |
| Autoignition Pt: | NP 0.00 C (32.0 F) |
| Flash Pt: | NP 0.00 C (32.0 F) |
| Explosive Limits: | LEL: No data. UEL: No data. |
| Specific Gravity (Water = 1): | 1.000 at 70.0 F (21.1 C) |
| Vapor Pressure (vs. Air or mm Hg): | No data. |
| Vapor Density (vs. Air = 1): | No data. |
| Evaporation Rate: | No data. |
| Solubility in Water: | 100% |
| pH: | 1.5 - 2.0 |
| Percent Volatile: | No data. |

10. Stability and Reactivity

| | |
|--|--|
| Stability: | Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/> |
| Conditions To Avoid - Instability: | No specific conditions to avoid noted. |
| Incompatibility - Materials To Avoid Avoid: | Strong oxidizing agents. Acidic conditions. |
| Hazardous Decomposition Or Byproducts: | Carbon monoxide. |
| Possibility of Hazardous Reactions: | Will occur <input type="checkbox"/> Will not occur <input checked="" type="checkbox"/> |
| Conditions To Avoid - Hazardous Reactions: | No data available. |

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other CAS# 67-63-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Information:

| CAS # | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|------------|--|------|------|-------|------|
| 13968-08-6 | Ike-Joe (acidified water) | n.a. | n.a. | n.a. | n.a. |
| 67-63-0 | Isopropyl alcohol | n.a. | 3 | A4 | n.a. |
| 68608-89-9 | Benzenesulfonic acid, mono-C11-13-branched alkyl derivs sodium salts | n.a. | n.a. | n.a. | n.a. |

12. Ecological Information

General Ecological Information:

Ecotoxicity: Fish: Fathead Minnow: 1000 ppm; 96h; LC50Daphnia: 1000 ppm; 96h; LC50Fish: Gold orfe: 8970-9280 ppm; 48h; LC50 IPA has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial metabolism, a low potential to affect the germination of some plants, a high potential to biodegrade (low persistence) with unacclimated microorganisms from activated sludge. Environmental: Not regulated. Physical: THOD: 2.40 g oxygen/g COD: 2.23 g oxygen/g BOD-5: 1.19-1.72 g oxygen/g. Other: No information available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

Packing Group:

II

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|------------|--|---|
| 13968-08-6 | Ike-Joe (acidified water) | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |
| 67-63-0 | Isopropyl alcohol | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 1076; NY Part 597: No; PA HSL: Yes - E; SC TAP: No; WI Air: No |
| 68608-89-9 | Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No |

16. Other Information

Revision Date: 07/17/2017

Additional Information About No data available.

This Product:

Company Policy or
Disclaimer:

THE INFORMATION CONTAINED HEREIN is based upon the best information available and is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this document and the product label. Furthermore, the vendor assumes no responsibility for injury caused by abnormal use or misuse of this product even if reasonable safety procedures are followed.