

Revision Date 20-Apr-2015

Version 1.03

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name Product Code

Hot Melt

Hot Melt **FPC 925**

Product(s) Covered

FPC 925, H-19R10, H-810R

PELT/TOTE/1000L/1PP

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use **Uses Advised Against** No information available. No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name FPC CORPORATION 355 HOLLOW HILL DR WAUCONDA IL 60084 Phone: (847) 887-4583

Fax: (847) 487-0174

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available

Physical State Solid

Odor No information available

Precautionary Statements - Prevention Not Applicable

Page 1/8

FPC 925 Hot Melt Revision Date 20-Apr-2015

Version 1.03

Precautionary Statements - Response

Not Applicable

Precautionary Statements - Storage

Not Applicable

Precautionary Statements - Disposal

Not Applicable

Hazards Not Otherwise Classified (HNOC)

Not Applicable

Unknown Toxicity

66.85% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Not Applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Paraffin waxes and Hydrocarbon waxes	8002-74-2	1 - 5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First Aid Measures

4.1. Description of First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

Inhalation Remove to fresh air.

Ingestion Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection

SECTION 11: Toxicological Information

SECTION 5: Fire Fighting Measures

FPC 925 Hot Melt Revision Date 20-Apr-2015

Version 1.03

5.1. Extinguishing Media

Suitable Extinguishing Media

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

Should a spark occur near flammable vapors or airborne dust mixtures, an explosion could occur resulting in injury or death. This product may retain a static electrical charge, which could produce a spark.

Hazardous Combustion

Carbon monoxide, Carbon dioxide (CO2).

Products

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental Precautions

Environmental Precautions Keep out of drains, sewers, ditches and waterways.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Take up mechanically, placing in appropriate containers for disposal. Clean contaminated

surface thoroughly. Solid: Use personal protection equipment. Cover with plastic sheet to prevent spreading. Avoid creating dust. Molten. Where possible allow molten material to solidify naturally. Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated surface thoroughly.

6.4. References to Other Sections

Reference to Other Sections SECTION 8: Exposure Controls/Personal Protection

SECTION 7: Handling and Storage SECTION 13: Disposal Considerations

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

FPC 925 Hot Melt Revision Date 20-Apr-2015

Version 1.03

Advice on Safe Handling

Avoid contact with skin, eyes or clothing. Avoid contact with eyes and skin. Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. Wash with plenty of water and soap.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions

Store away from incompatible materials.

Incompatible Materials

Incompatible with oxidizing agents. Strong acids. Strong bases.

7.3. Specific End Use(s)

Other Information

Since empty containers retain product residue, follow label warnings even after container is emptied. Keep product and empty container away from heat and sources of ignition. Do not reuse container.

7.4. References to Other Sections

Reference to Other Sections

SECTION 13: Disposal Considerations SECTION 10: Stability and Reactivity

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m³ fume	TWA: 2 mg/m³ fume	•	TWA: 2 mg/m³ STEL: 6 mg/m³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m³	-	TWA: 1.6 mg/m³	TWA: 2 mg/m ³

8.2. Exposure Controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Eye/Face Protection

Solid:. Wear safety glasses with side shields (or goggles). Molten. Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Heat resistant gloves are recommended when

handling molten materials.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations

Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.

Remarks • Method

FPC 925 Hot Melt Revision Date 20-Apr-2015

Version 1.03

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid Color White

Odor No information available **Odor Threshold** No information available

Property

No information available No information available **Melting Point/Freezing Point** No information available **Boiling Point** > 204.4 °C / > 399.9 °F **Flash Point** No information available **Evaporation Rate** Flammability (solid, gas) No information available

Flammability Limits in Air

No information available **Upper Flammability Limits Lower Flammability Limit** No information available No information available **Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity Water Solubility** No information available No information available Solubility in Other Solvents No information available **Partition Coefficient** No information available **Autoignition Temperature** No information available **Decomposition Temperature** No information available **Kinematic Viscosity** No information available **Dynamic Viscosity** No information available **Explosive Properties**

9.2. Other Information

Oxidizing Properties

No information available Softening Point No information available Molecular Weight No information available Solvent Content (%) 100 Solid Content (%)

.960 g/cm3 Density

VOC No information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges. 10.5. Incompatible Materials

No information available

FPC 925 Hot Melt

Revision Date 20-Apr-2015

Version 1.03

Incompatible with oxidizing agents. Strong acids. Strong bases. 10.6. Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Product Information No data available No data available. Inhalation No data available. **Eve Contact** No data available. **Skin Contact** No data available. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin waxes and Hydrocarbon waxes 8002-74-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	•

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available. Symptoms Skin Corrosion/Irritation No information available. No information available. Serious Eye Damage/Eye Irritation No information available. Irritation No information available. Corrosivity Sensitization No information available. **Germ Cell Mutagenicity** No information available. No information available. Reproductive Toxicity No information available. **Developmental Toxicity** No information available. **Teratogenicity** STOT - Single Exposure No information available. No information available. STOT - Repeated Exposure No information available. **Chronic Toxicity** Eyes, Respiratory system, Skin. **Target Organ Effects**

No information available. **Aspiration Hazard**

This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, Carcinogenicity

OSHA, IARC or NTP at or above 0.1 wt%.

SECTION 12: Ecological Information

12.1. Toxicity

No information available

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

FPC 925 Hot Melt Revision Date 20-Apr-2015

Version 1.03

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Disposal of Wastes

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging

Dispose of in accordance with federal, state and local regulations

SECTION 14: Transport Information

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

SECTION 15: Regulatory Information

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

California Proposition 65

This product does not contain one or more substances listed on Proposition 65 at or above 0.01 wt. %.

FPC 925 Hot Melt Revision Date 20-Apr-2015

Version 1.03

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain a substance(s) on the SVHC as proposed by ECHA above a concentration of 0.1 wt. %

SECTION 16: Other Information

HMIS

Health Hazards 1

Flammability 1

Physical Hazards 0

Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By

Product Safety & Regulatory Affairs

Revision Date

20-Apr-2015

Revision Note

Not Applicable.

Training Advice

No information available

Further Information

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet