MATERIAL SAFETY DATA SHEET PRODUCT NAME: LIQUITEX IRIDESCENT TINTING MEDIUM

MSDS NO.L105 PAGE' 1

BINNEY & SMITH INC. 1100 CHURCH LANE EASTON, PA 18044

TELEPHONE NOS.

EMERGENCY: 1-215-253-6271 INFORMATION: 1-215-272-9652

1. PRODUCT IDENTIFICATION

PRODUCT NAME(8): LIQUITEX Iridescent Tinting Medium

PRODUCT COLORS/CODES: No. 10-7008

2. HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS

CAS NO.

OSHA PEL

TLV %

Mica-group minerals 2-propanol

12001-26-2

67-63-0

3. PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: Not established

FREEZING POINT: Not established

VAPOR PRESSURE @ 20°C.: Not established

VAPOR DENSITY (AIR=1): >1

EVAPORATION RATE (BUTYL ACETATE=1): <1

SPECIFIC GRAVITY (WATER=1): 1.44

SOLUBILITY IN WATER: Disperses readily in water

APPEARANCE AND ODOR: Slightly viscous, colored liquid; slight acrylate odor

4. FIRE AND EXPLOSION HAZARED DATA

FLASH POINT AND METHOD: Not established

FLAMMABLE LIMITS IN AIR-

UPPER: Not established

% BY VOLUME:

LOWER: Not established

EXTINGUISHING MEDIA: CO2, water and/or chemical foam

SPECIAL FIRE FIGHTING PROCEDURES: No special procedures required

UNUSUAL FIRE OR EXPLOSION HAZARDS: No unusual hazards known

OUMZO

MATERIAL SAFETY DATA SHEET PRODUCT NAME: LIQUITEX IRIDESCENT TINTING MEDIUM MSDS NO.L105 PAGE 2

5. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Not established

ROUTES OF ENTRY:

INHALATION: Possible when spray applying or sanding dry paint

BKIN: Not an established route

INGESTION: Possible to ingest free-flowing liquid

ACUTE OR CHRONIC HEALTH HAZARDS: This product is certified in a program of toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. This product conforms to ASTM D-4236.

EFFECTS OF OVEREXPOSURE: No effects known

MEDICAL CONDITIONS AGGREVATED BY EXPOSURE: Pre-existing skin, eye and respiratory disorders and impaired functions from pre-existing disorders may be aggravated by exposure to this product.

EMERGENCY AND FIRST AID:

EYES: Immediately flush eyes with water for at least 15 minutes and seek medical attention.

SKIN: Wipe excess from skin and flush with water

INGESTION: Consult physician, hospital and/or poison control center

INHALATION: Remove victim to fresh air and treat symptoms

CARCINOGENICITY: THE INGREDIENTS OF THIS PRODUCT ARE ON THE TOXIC SUBSTANCES CONTROL ACT (TSCA) INVENTORY.

6. REACTIVITY DATA

STABILITY: Material is stable

CONDITIONS TO AVOID: None known

INCOMPATIBILITY (MATERIALS TO AVOID): No incompatibilities known

<u>HAZARDOUS DECOMPOSITION PRODUCTS:</u> Thermal decomposition may yield carbon dioxide, carbon monoxide and unknown organic compounds.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: No conditions known

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: LIQUITEX IRIDESCENT TINTING MEDIUM

MSDS NO.L105 PAGE 3

7. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE OF RELEASE OR SPILL: Soak up residue with absorbent materila and place in non-leaking container for proper disposal. Flush area with water to remove trace residue.

<u>WASTE DISPOSAL METHOD:</u> Material is non-hazardous per CFR 40 Part, definition for hazardous waste. Dispose of waste as residual process waste per applicable federal, state or local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING OR STORING: No special precautions are required.

8. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Use NIOSH-certified mask when spray-applying or sanding dry paint.

PROTECTIVE GLOVES: None required

EYE PROTECTION: Avoid contact with eyes. Wear splash goggles when handling or transferring large quantities of paint or if there is a likelihood of contact with eyes.

OTHER PROTECTIVE EQUIPMENT: None required

<u>VENTILATION:</u> Use product with good local ventilation to control vapor and nuisance dusts.

OTHER PROTECTION: None required

9. SPECIAL INFORMATION

DATE PREPARED: 12/09/90

APPROVED BY: P.E.Moll, Director of Process Development/Product Safety

THE INFORMATION CONTAINED HEREIN IS PROVIDED FOR THE PURPOSE OF DISCLOSING PRODUCT HAZARDS AND DOES NOT CONSTITUTE PRODUCT SPECIFICATIONS. ALL WARRANTIES, EITHER EXPRESSED OR IMPLIED, ARE HEREBY DISCLAIMED.