

SAFETY DATA SHEET

1. Identification

Product identifier: BLACK MAGIC 58118

sds Inv.# 1018

Other means of identification

SDS number: 58118

mfg ID code: RE1000002938

Recommended restrictions

Product use: Coating

Restrictions on use: This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: STONE MANUFACTURING & SUPPLY CO.
Address: 1212 KANSAS AVENUE
KANSAS CITY,MO 64127
Telephone: 816-231-4020 (for information only)

Emergency telephone number US: 1-816-285-3071
outside US: 1-816-285-3071

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Skin sensitizer Category 1

Carcinogenicity Category 2

Toxic to reproduction Category 2

Environmental Hazards

Acute hazards to the aquatic environment Category 3

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
May cause an allergic skin reaction.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
Harmful to aquatic life.

Precautionary Statements

| | |
|---|---|
| Prevention: | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment. |
| Response: | IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. |
| Storage: | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. |
| Disposal: | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Hazard(s) not otherwise classified (HNOC): | None. |

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|---|------------|-------------------------|
| Methane, dichloro- | 75-09-2 | 50 - <100% |
| Propane | 74-98-6 | 10 - <20% |
| Butane | 106-97-8 | 10 - <20% |
| Benzene, methyl- | 108-88-3 | 5 - <10% |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | 97-56-3 | 0.1 - <1% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| | |
|----------------------|---|
| Ingestion: | Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. |
| Inhalation: | Move to fresh air. |
| Skin Contact: | If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention. |
| Eye contact: | Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. |

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling: Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|--------------------|-----------|-----------------------|--|
| Methane, dichloro- | TWA | 50 ppm | US. ACGIH Threshold Limit Values (2008) |
| | TWA | 25 ppm | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006) |
| | OSHA_ACT | 12.5 ppm | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006) |
| | STEL | 125 ppm | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (02 2006) |
| Propane | REL | 1,000 ppm 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Butane | REL | 800 ppm 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 1,000 ppm | US. ACGIH Threshold Limit Values (03 2018) |
| | TWA | 800 ppm 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 150 ppm 560 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Benzene, methyl- | REL | 100 ppm 375 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 100 ppm 375 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | Ceiling | 300 ppm | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | TWA | 20 ppm | US. ACGIH Threshold Limit Values (2008) |
| | TWA | 200 ppm | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | MAX. CONC | 500 ppm | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | STEL | 150 ppm 560 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |

Biological Limit Values

| Chemical Identity | Exposure Limit Values | Source |
|--|--------------------------------|---------------------|
| Methane, dichloro- (dichloromethane: Sampling time: End of shift.) | 0.3 mg/l (Urine) | ACGIH BEL (03 2013) |
| Benzene, methyl- (toluene: Sampling time: End of shift.) | 0.03 mg/l (Urine) | ACGIH BEL (03 2013) |
| Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.) | 0.3 mg/g (Creatinine in urine) | ACGIH BEL (03 2013) |
| Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.) | 0.02 mg/l (Blood) | ACGIH BEL (03 2013) |

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

Eye/face protection:

Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol

Color: No data available.

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure: 2,895 - 4,274 hPa (20 °C)

Vapor density: No data available.

Density: No data available.

Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity: No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

| | |
|--|------------------------------|
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | No data available. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|--------------------|
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------------------|--------------------|
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

| | |
|-----------------|-------------------------|
| Product: | ATEmix: 21,745.52 mg/kg |
|-----------------|-------------------------|

Dermal

| | |
|-----------------|--|
| Product: | Not classified for acute toxicity based on available data. |
|-----------------|--|

Specified substance(s):

| | |
|--------------------|-------------------------------|
| Methane, dichloro- | LD 50 (Rat): > 2,000 mg/kg |
| Benzene, methyl- | LD 50 (Rabbit): > 5,000 mg/kg |

Inhalation

| | |
|-----------------|--|
| Product: | Not classified for acute toxicity based on available data. |
|-----------------|--|

Specified substance(s):

| | |
|--------------------|---|
| Methane, dichloro- | LC 50 (Mouse): 49,000 mg/m3 |
| Propane | LC 50: > 100 mg/l LC 50: > 100 mg/l |
| Butane | LC 50: > 100 mg/l LC 50: > 100 mg/l |
| Benzene, methyl- | LC 50 (Rat): 28.1 mg/l LC 50: > 100 mg/l |

Repeated dose toxicity

Product: No data available.

Specified substance(s):

| | |
|--------------------|---|
| Methane, dichloro- | NOAEL (Rat(Female, Male), Oral, 104 Weeks): 6 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 200 ppm(m) Inhalation Experimental result, Key study |
| Propane | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study |
| Butane | LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study |
| Benzene, methyl- | LOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,250 mg/kg (Target Organ(s): Liver, Kidney) Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 625 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation - vapor): 2,355 mg/l Inhalation Experimental result, Key study |

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Benzene, methyl- in vivo (Rabbit): Irritating Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Benzene, methyl- Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Benzene, methyl- Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

Specified substance(s):

| | |
|---|---|
| Methane, dichloro- | Suspect cancer hazard - may cause cancer. |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | Potential cancer hazard. |

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

| | |
|---|--|
| Methane, dichloro- | Overall evaluation: 2A. Probably carcinogenic to humans. |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | Overall evaluation: 2B. Possibly carcinogenic to humans. |

US. National Toxicology Program (NTP) Report on Carcinogens:

| | |
|---|--|
| Methane, dichloro- | Reasonably Anticipated to be a Human Carcinogen. |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | Reasonably Anticipated to be a Human Carcinogen. |

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s):

Benzene, methyl- Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s):

Benzene, methyl- Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s):

Benzene, methyl- Category 2

Aspiration Hazard

Product: No data available.

Specified substance(s):

Benzene, methyl- May be fatal if swallowed and enters airways.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Methane, dichloro- LC 50 (Pimephales promelas, 96 h): 193 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Benzene, methyl- LC 50 (Oncorhynchus kisutch, 96 h): 5.5 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Methane, dichloro- LC 50 (Daphnia magna, 48 h): 27 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Benzene, methyl- LC 50 (Water flea (Daphnia magna), 48 h): 54.6 - 174.7 mg/l Mortality
LC 50 (Ceriodaphnia dubia, 2 d): 3.78 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Methane, dichloro- LC 50 (Pimephales promelas): 471 mg/l Experimental result, Key study
NOAEL (Pimephales promelas): 83 mg/l Experimental result, Key study

Benzene, methyl- NOAEL (Oncorhynchus kisutch): 1.39 mg/l Experimental result, Key study
LOAEL (Oncorhynchus kisutch): 2.77 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Benzene, methyl- LOAEL (Ceriodaphnia dubia): 2.76 mg/l Experimental result, Key study
NOAEL (Ceriodaphnia dubia): 0.74 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Methane, dichloro- > 75 % Soil Experimental result, Key study
68 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Benzene, methyl- 100 % (14 d) Detected in water. Experimental result, Weight of Evidence study
86 % Detected in water. Experimental result, Weight of Evidence study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Methane, dichloro- Bioconcentration Factor (BCF): > 0.91 - < 7.9 Aquatic sediment Estimated by calculation, Supporting study

Benzene, methyl- Leuciscus idus, Bioconcentration Factor (BCF): 90 Aquatic sediment
Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

| | |
|---|--------------------|
| Methane, dichloro- | No data available. |
| Propane | No data available. |
| Butane | No data available. |
| Benzene, methyl- | No data available. |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | No data available. |

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, Flammable |
| Transport Hazard Class(es) | |
| Class: | 2.1 |
| Label(s): | — |
| Packing Group: | II |
| Marine Pollutant: | No |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

IMDG

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, Flammable |
| Transport Hazard Class(es) | |
| Class: | 2 |
| Label(s): | — |
| EmS No.: | |
| Packing Group: | — |
| Environmental Hazards: | Yes |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

IATA

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| Proper Shipping Name: | Aerosols, Flammable |
| Transport Hazard Class(es): | |
| Class: | 2.1 |
| Label(s): | — |
| Packing Group: | — |
| Environmental Hazards: | Yes |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |
| Cargo aircraft only: | Allowed. |

15. Regulatory information

US Federal Regulations

Restrictions on use: This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Methane, dichloro- | lbs. 1000 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| Benzene, methyl- | lbs. 1000 |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard
Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Flammable aerosol
Skin sensitizer
Carcinogenicity
Toxic to reproduction

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|---|----------------------------|
| Methane, dichloro- | lbs. 1000 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| Benzene, methyl- | lbs. 1000 |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | |

SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|---|------------------------------------|
| Methane, dichloro- | 10000 lbs |
| Propane | 10000 lbs |
| Butane | 10000 lbs |
| Benzene, methyl- | 10000 lbs |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | 10000 lbs |

SARA 313 (TRI Reporting)

| <u>Chemical Identity</u> | <u>Reporting threshold for other users</u> | <u>Reporting threshold for manufacturing and processing</u> |
|---|--|---|
| Methane, dichloro- | lbs | lbs. |
| Benzene, methyl- | lbs | lbs. |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | lbs | lbs. |

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)
US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

| | |
|---|------------------------------|
| Methane, dichloro- | Carcinogenic. 05 2011 |
| Benzene, methyl- | Developmental toxin. 03 2008 |
| Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]- | Carcinogenic. 05 2011 |

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Methane, dichloro-
Propane
Butane
Benzene, methyl-
Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]-

US. Massachusetts RTK - Substance List

Chemical Identity

Methane, dichloro-
Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]-

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Methane, dichloro-
Propane
Butane
Benzene, methyl-
Benzenamine, 2-methyl-4-[2-(2-methylphenyl)diazenyl]-

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Inventory Status:

| | |
|--|--|
| Australia AICS: | On or in compliance with the inventory |
| Canada DSL Inventory List: | Not in compliance with the inventory. |
| Canada NDSL Inventory: | Not in compliance with the inventory. |
| Ontario Inventory: | Not in compliance with the inventory. |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory. |
| Japan (ENCS) List: | Not in compliance with the inventory. |
| Japan ISHL Listing: | Not in compliance with the inventory. |
| Japan Pharmacopoeia Listing: | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI): | Not in compliance with the inventory. |
| Mexico INSQ: | Not in compliance with the inventory. |
| New Zealand Inventory of Chemicals: | Not in compliance with the inventory. |
| Philippines PICCS: | On or in compliance with the inventory |
| Taiwan Chemical Substance Inventory: | Not in compliance with the inventory. |
| US TSCA Inventory: | On or in compliance with the inventory |
| EINECS, ELINCS or NLP: | Not in compliance with the inventory. |

16. Other information, including date of preparation or last revision

| | |
|------------------------------|---|
| Issue Date: | 11/15/2019 |
| Revision Information: | No data available. |
| Version #: | 1.0 |
| Further Information: | No data available. |
| Disclaimer: | This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. |