

9731559 9733594Athru Ay 9731558 9731559-6276 H 011490

R&F Handmade Paints, Inc. 84 Ten Broeck Avenue Kingston, NY, U.S.A. 12401 Telephone: 001-845-331-3112 Fax: 001-845-331-3242

Engaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobatt Yellow.

Page 1 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product identifier

Encaustic Paints

Product Code(s)

Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Relevant identified uses of the substance or mixture and uses advised against

: Artist paint.

Use pattern: Consumers/Retail products.

Details of the supplier of the safety data sheet:

R&F Handmade Paints, Inc.

84 Ten Broeck Avenue Kingston, New York, U.S.A.

12401

Email: info@rfpaints.com

Refer to Section 16 for a local distributor.

Telephone

: 001-845-206-8088

Emergency Telephone Number

: Not available.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Solid (Wax like). Various colours. Wax-like odour.

Most important hazards:

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

This preparation is not classified as dangerous according to Directive 1999/45/EC.

Label elements

EUH210 - Safety data sheet available on request.

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008. According to present data no labelling is required according to Regulation (EC) No. 1272/2008.

Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic furnes. May be mildly irritating to skin, eyes and respiratory system. The molten product can cause serious burns.

Environmental precautions: Avoid release to the environment.

PBT assessment: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).



Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow ; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 2 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not applicable

Mixtures

Chemical nature: Mixture - Beeswax; Resin; Pigment.

The following substances shall be indicated according to legislation:

Chemical name	CAS#	EC No.	Concentration	EU Classification	CLP Classification
Encaustic Paints - Cadmium	Orange conta	ins the following	g component:		
Cadmium sulfoselenide orange	12656-57-4	235-758-3	10.0 - 25.0	None assigned.	None assigned.
Encaustic Paints - Cadmium	Reds contain	the following co	emponent:		
Cadmium sulfoselenide red	58339-34-7	261-218-1	10.0 - 25.0	not hazardous (Supplier)	not hazardous (Supplier
Encaustic Paints - Cadmium	Yellows cont	ain the following	component:		
Cadmium zinc sulfide yellow	8048-07-5	232-466-8	10.0 - 25.0	not hazardous (Supplier)	not hazardous (supplier)
Encaustic Paints - Cerulean	Blue contains	the following co	omponent:		
Spinels, cobalt tin grey	68187-05-3	269-066-8	15.0 - 40.0	None assigned, Substances for which there are Community workplace exposure limits.	Carc.2; H351
Encaustic Paints - Cobalt B	lue contains th	e following com	ponent:		
Cobalt aluminate blue spinel	1345-16-0	310-193-6	15.0 - 40.0	None assigned, Substances for which there are Community workplace exposure limits,	Carc.2; H351
Encaustic Paints - Cobalt V	iolet Deep con	tains the following	ng component:		
tricobalt bis(orthophosphate)	13455-36-2	236-655-6	15.0 - 40.0	Xn - Harmful; R22 (Supplier)	Acute Tox. 4; H302 Carc.2; H351 (Supplier)
Encaustic Paints - Cobalt Y	ellow contains	the following co	emponent:		
Tripotassium hexanitritocobaltate	13782-01-9	237-435-2	15.0 - 40.0	None assigned. Substances for which there are Community workplace exposure limits.	Carc.2; H351



Fax: 001-845-331-3242

Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light;

Page 3 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chromium (III) oxide, hydrated	12001-99-9	None for the hydrated form. The anhydrous form has the following EINECS number: 215-160-9	10.0 - 25.0	None assigned. Substances for which there are Community workplace exposure limits.	None assigned, Substances for which there are Community workplace exposure limits,
Encaustic Paints: Chron	nium Oxide Green	contains the follo	wing compor	nent:	
Chromium (III) oxide	1308-38-9	215-160-9	10.0 - 25.0	None assigned. Substances for which there are Community workplace exposure limits.	None assigned. Substances for which there are Community workplace exposure limits.
Encaustic Paints: Cobal	t Violet Light con	tains the following	component:		
Ammonium cobalt phosphate	14590-13-7	238-633-1	15.0 - 40.0	Xn - Harmful; R22 (self classified)	Acute Tox. 4; H302 Carc.2; H351 (self classified)

For the full text of the H and R phrases mentioned in this Section, see Section 2 or 16.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion

; Do NOT induce vomiting. Never give anything by mouth to an unconscious person. When

symptoms persist or in all cases of doubt seek medical advice.

Inhalation

Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. When symptoms

persist or in all cases of doubt seek medical advice.

Skin contact

Eye contact

Cool skin rapidly with cold water after contact with molten material. For skin contact, wash with soap and water while removing contaminated clothing. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before reuse.

: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Most important symptoms and effects, both acute and delayed

; May be mildly irritating to skin, eyes and respiratory system.

The molten product can cause serious burns.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams,

carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

; Not flammable under normal conditions of use. The product is insoluble and floats on water. Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; Nitrogen oxides (NOx); Sulphur oxides; Metal oxides.



Fax: 001-845-331-3242

Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 4 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Advice for firefighters

Protective equipment for fire-fighters

: Wear self-contained breathing apparatus and protective suit. Fight fire with normal precautions from a reasonable distance.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment. Keep people away from and upwind of spill/leak.
 Ventilate the area. Prevent further leakage or spillage if safe to do so.

Environmental precautions

: Do not allow material to contaminate ground water system.

Methods and material for containment and cleaning up

Eliminate all ignition sources if safe to do so. Pick up and transfer to properly labelled containers. If product is heated and molten, allow product to cool off before cleaning up. Scrape up product and place it into a container for disposal. Keep in properly labelled containers. Contact the proper local authorities.

Reference to other sections

 Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use only in well-ventilated areas. Wear suitable protective equipment. Wear protective gloves. For personal protection see section 8. Avoid breathing fumes. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from acids and other incompatibles. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

: Store in a cool, dry, well ventilated area, away from incompatibles. Keep out of the reach of children.

Specific end use(s)

Artist paint.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Exposure Limits:				
Chemical Name	Exposure Limits	Type	Notes	
Ammonium cobalt phospl	hate			
	0.05 mg/m³ (TWA) 0.2 mg/m³ (STEL)	Poland (OEL)	(as Co) (dust and fume)	
	0.02 mg/m³ (TWA)	Spain (OEL)	(as Co)	
	0.1 mg/m³ (TWA) 0.3 mg/m³ (STEL)	The United Kingdom (WELs)	(as Co)	



Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 5 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Cadmium sulfoselenide orang	je		
	0.05 mg/m³ (TWA)	France (OEL)	(as Cd)
	0.01 mg/m³ (TWA)	Poland (OEL)	(as Cd)
	0.01 mg/m³ (inhalable); 0.002 mg/m³ (respirable dust) (TWA)	Spain (OEL)	(as Cd)
	0.025 mg/m³ (TWA) 0.075 mg/m³ (STEL)	The United Kingdom (WELs)	(as Cd)
Cadmium sulfoselenide red			
	0.05 mg/m³ (TWA)	France (OEL)	(as Cd)
	0.01 mg/m³ (TWA)	Poland (OEL)	(as Cd)
	0.01 mg/m³ (inhalable); 0.002 mg/m³ (respirable dust) (TWA)	Spain (OEL)	(as Cd)
	0.025 mg/m³ (TWA) 0.075 mg/m³ (STEL)	The United Kingdom (WELs)	(as Cd)
Cadmium zinc sulfide yellow	0.05 mg/m³ (TWA)	France (OEL)	(as Cd)
	0.01 mg/m³ (TWA)	Poland (OEL)	(as Cd)
	0.01 mg/m³ (TWA)	Spain (OEL)	(as Cd)
	0.025 mg/m³ (TWA)	The United Kingdom (WELs)	(as Cd)
Chromium (III) oxide	0.02 mg/m³ (TWA)	Estonia (OEL)	(as Cr)
	2 mg/m³ (TWA)	France (OEL)	(as 'Chromium II insoluble inorganic compounds')
	0.5 mg/m³ (TWA)	Italy (OEL)	(as 'Chromium II insoluble inorganic compounds')
	1 mg/m³ (TWA)	Latvia (OEL)	(as Cr)
	2 mg/m³ (TWA)	Spain (OEL)	(as 'Chromium II insoluble inorganic compounds')
Chromium (III) oxide, hydrate	d		
	0.02 mg/m³ (TWA)	Estonia (OEL)	(as Cr)
	2 mg/m³ (TWA)	France (OEL)	(as 'Chromium II insoluble inorganic compounds')
	0.5 mg/m³ (TWA)	Italy (OEL)	(as 'Chromium II insoluble inorganic compounds')
	1 mg/m³ (TWA)	Latvia (OEL)	(as Cr)



Fax: 001-845-331-3242

Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 6 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

	2 mg/m³ (TWA)	Spain (OEL)	(as 'Chromium III insoluble inorganic compounds')
Cobalt aluminate blue spinel	0.05 mg/m³ (TWA) 0.2 mg/m³ (STEL)	Poland (OEL)	(as Co)
	0.2 mg/m³ (TWA)	Spain (OEL)	(as Co)
	0.1 mg/m³ (TWA) 0.3 mg/m³ (STEL)	The United Kingdom (WELs)	(as Co)
Spinels, cobalt tin grey	0.05 mg/m³ (TWA) 0.2 mg/m³ (STEL)	Poland (OEL)	(as Co) (dust and fume)
	0.02 mg/m³ (TWA)	Spain (OEL)	(as Co)
	0.1 mg/m³ (TWA) 0.3 mg/m³ (STEL)	The United Kingdom (WELs)	(as Co)
tricobalt bis(orthophosphate)	0.05 mg/m³ (TWA) 0.2 mg/m³ (STEL)	Poland (OEL)	(as Co) (dust and furne)
	0.02 mg/m³ (TWA)	Spain (OEL)	(as Co)
	0.1 mg/m³ (TWA) 0.3 mg/m³ (STEL)	The United Kingdom (WELs)	(as Co)
Tripotassium hexanitritocoba	Itate		
	0.05 mg/m³ (TWA) 0.2 mg/m³ (STEL)	Poland (OEL)	(as Co)
	0.02 mg/m³ (TWA)	Spain (OEL)	(as Co)
	0.1 mg/m³ (TWA) 0.3 mg/m³ (STEL)	The United Kingdom (WELs)	(as Co)

Exposure controls

Ventilation and engineering measures

- : Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.
- Respiratory protection
- : not required under normal use. If airbourne concentrations are above the permissible exposure limits or are not known, respiratory protection may be required. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. The type of respiratory protection will depend on the conditions of use (see also EN 149).
- Skin protection
- : Gloves impervious to the material are recommended. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.
- Eye / face protection
- : Wear as appropriate: Safety glasses with side-shields; Tightly fitting safety goggles. See also EN 166.
- Other protective equipment
- : Ensure that eyewash stations and safety showers are close to the workstation location.



Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light;

Page 7 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

General hygiene considerations

Avoid breathing fumes. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

: solid (Wax like) - Various colours. Appearance

Odour : Wax like

Odour threshold : No information available.

pΗ : Not applicable. : > 240°C Flash point Flashpoint (Method) : open cup

Lower flammable limit (% by vol.)

No information available.

Upper flammable limit (% by vol.)

: No information available.

Flammability (solid, gas) : Not considered flammable.

Auto-ignition temperature : No information available.

Decomposition temperature ; No information available. Oxidizing properties

: None known.

Explosive properties : Not explosive Initial boiling point and boiling range

: > 260°C

meiting/Freezing point : 72°C (approximately)
Relative density : 0.927 - 0.970
Solubility in water

Solubility in water : insoluble
Other solubility(les) : No information available.
Vapour pressure : Not applicable. Does not form vapours at normal room temperatures.
Vapour density : Not applicable.

Partition coefficient: n-octanol/water

: No information available.

: Not applicable.

Evaporation rate (BuAe = 1) : No information available.

Other Information

Volatiles (% by weight)

: negligible

Volatile organic Compounds (VOC's)

: Not applicable.

Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not normally reactive.

Chemical stability

: Stable under normal conditions. Hazardous polymerisation does not occur.

Possibility of hazardous reactions

: None known.



Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 8 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Conditions to avoid

: Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.

Extreme heat and flame, wet or humid conditions

Incompatible materials

: Strong oxidizing agents; Acids.

Hazardous decomposition products

In the event of fire the following can be released: Carbon oxides; Nitrogen oxides (NOx); Sulphur oxides; metal oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on Toxicological effects:

Acute toxicity

 According to the classification criteria of the European Union, this product is not considered as being an acutely toxic chemical.

Encaustic Paints - Cobalt Violet Deep contains Tricobalt bis(orthophosphate). The supplier of this substance lists an LD50 oral rat value of > 1500 mg/kg. With no upper limit on this value, a worst case scenario is assumed that the substance is classified in the following category: Acute tox. 4; H302 (LD50 oral of > 300 mg/kg; ≤ 2000 mg/kg). The calculated ATE for the mixture, was found to be: 6625 mg/kg.

Encaustic Paints - Cobalt Violet Light contains Ammonium cobalt phosphate. The data available for this substance lists an LD50 oral rat value of > 1470 mg/kg. With no upper limit on this value, a worst case scenario is assumed that the substance is classified in the following category: Acute tox. 4; H302 (LD50 oral of > 300 mg/kg; ≤ 2000 mg/kg). The calculated ATE for the mixture, was found to be: 6616 mg/kg.

Skin corrosion/Irritation

According to the classification criteria of the European Union, this product is not considered as being a skin corrosive or irritant.

Serious eye damage/irritation :

According to the classification criteria of the European Union, this product is not considered

as being a corrosive material.

Respiratory or skin sensitisation

: According to the classification criteria of the European Union, this product is not considered as being an allergic respiratory sensitiser. According to the classification criteria of the European Union, this product is not considered as being an allergic skin sensitiser.

At temperatures above 200°C, Encaustic Paints - Indian Yellow may release 3,3'-dichlorobenzidine (EC No. 202-109-0). 3,3'-dichlorobenzidine may cause an allergic skin reaction.

Germ cell mutagenicity Carcinogenicity : Contains no ingredient listed as a mutagen.

: Not classifiable as a human carcinogen.

At temperatures above 200°C, Encaustic Paints - Indian Yellow may release 3,3'-dichlorobenzidine (EC No. 202-109-0). 3,3'-dichlorobenzidine may cause cancer.

Encaustic Paints - Cobalt Violet Deep contains Tricobalt bis(orthophosphate). Encaustic Paints - Cobalt Violet Light contains Ammonium cobalt phosphate. Encaustic Paints - Cerulean Blue contains Spinels, cobalt tin grey. Encaustic Paints - Cobalt Blue contains Cobalt aluminate blue spinel. Encaustic Paints - Cobalt Yellow contains Tripotassium hexanitritocobaltate. These substances may be classified as Carc. 2; H351 due to their classifications according to IARC (Possibly carcinogenic to humans - IARC Group 2B - 'Cobalt and cobalt compound'). However, these classifications are applicable to a 'group' designation, and these specific substances are not specifically listed in the IARC Monographs. The IARC designation applies to Cobalt compounds in dust form. The physical form of these mixtures and the very limited data on the Cobalt compounds that are present, therefore mean that data are insufficient for classification.



Fax: 001-845-331-3242

Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow ; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 9 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Reproductive toxicity STOT-single exposure : Contains no ingredient listed as toxic to reproduction.

: According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through a single exposure.

stort-repeated exposure : According to the classification criteria of the European

: According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through repeated exposures.

Aspiration hazard cause target organ toxicity through repeated exposures

According to the classification criteria of the European

: According to the classification criteria of the European Union, this product is not considered

as being an aspiration hazard to humans.

Toxicological data

There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data. See below for individual ingredient acute toxicity data.

	LCso(4hr)	LD)so
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)
Encaustic Paints - Cadmiun	Orange contains the follow	ving component:	
Cadmium sulfoselenide orange	No information available.	> 5110 mg/kg	No information available.
Encaustic Paints - Cadmiun	Reds contain the following	component:	
Cadmium sulfoselenide red	> 140 mg/m³/2H	> 5110 mg/kg	No information available.
Encaustic Paints - Cadmiun	Yellows contain the follow	ing component:	
Cadmium zinc sulfide yellow	No information available.	> 5000 mg/kg	No information available.
Encaustic Paints - Cerulean	Blue contains the following	component:	
Spinels, cobalt tin grey	No information available.	> 5000 mg/kg	No information available,
Encaustic Paints - Cobalt B	lue contains the following co	omponent:	
Cobalt aluminate blue spinel	No information available.	> 5000 mg/kg	No information available.
Encaustic Paints - Cobalt Vi	olet Deep contains the follo	wing component:	
tricobalt bis(orthophosphate)	No information available.	> 1500 mg/kg (supplier)	No information available.
Encaustic Paints - Cobalt Yo	ellow contains the following	component:	+
Tripotassium hexanitritocobaltate	No information available.	No information available.	No information available.
Encaustic Paints - Viridian o	contains the following comp	onent:	
Chromium (III) oxide, hydrated	No information available.	No information available.	No information available.
Encaustic Paints: Chromiun	n Oxide Green contains the	following component:	
Chromium (III) oxide	> 5.41 mg/L	> 15,000 mg/kg	No information available.
Encaustic Paints: Cobalt Vic	olet Light contains the follow	ving component:	+
Ammonium cobalt phosphate	No information available.	> 1470 mg/kg	No information available.

Routes of exposure Effects of acute exposure

- : Inhalation; Eye contact; Skin contact; Ingestion.
- : Inhalation: May cause mild respiratory irritation at higher temperatures.

Skin contact: Direct skin contact may result in little or no irritation. The molten product can cause serious burns.

Eye contact: May cause mild eye irritation.

Ingestion: May cause irritation of mouth, throat, and stomach. May result in nausea and vomiting.



Fax: 001-845-331-3242

Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 10 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Potential Chronic Health Effects

None known or reported by the manufacturer.

Other important hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Persistence and degradability

The product itself has not been tested.The product itself has not been tested.

Bioaccumulation potential Mobility in soil

: The product itself has not been tested.

Results of PBT and vPvB assessment

 This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

Other Adverse Environmental effects

: No data is available on the product itself.

Water contaminating class (Germany)

: Green Gold: not water endangering (self classified)

Indian Yellow: 1 (self classified)
Cadmium Orange: 2 (self classified)
Cadmium Reds: 1 (self classified)
Cadmium Yellows: 1 (self classified)

Chromium Oxide Green: not water endangering (self classified)

Viridian: not water endangering (self classified)
Cerulean Blue: not water endangering (self classified)
Cobalt Blue: not water endangering (self classified)

Cobalt Blue: not water endangering (self classified)
Cobalt Violet Deep: 1 (self classified)
Cobalt Violet Light: 1 (self classified)
Cobalt Yellow: 1 (self classified)

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Handling for Disposal

 Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of Disposal

: Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.



Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 11 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 14. TRANSPORTATION INFORMATION Transport Regulatory Packing hazard Label Information **UN Number** UN proper shipping name Group class(es) ADR/RID Not regulated None not regulated none Not applicable. EU ADR/RID Classification Code EU ADR / RID Not applicable. Hazard Identification Number ADR/RID Not classified as dangerous for conveyance in the meaning of the regulations for the transport of dangerous goods by road Additional and rail. information ICAO/IATA None Not regulated. Not regulated none ICAO/IATA None. Additional information IMDG None Not regulated. Not regulated IMDG None. Additional information

Special precautions for user

: Not dangerous goods Keep away from heat.

Environmental hazards

This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

- 1. Classification according to Regulation (EC) No. 1272/2008 on the classification of hazardous mixtures.
 - 2. This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

3. In accordance with the legislation of the United Kingdom.

4. German legislation on water endangering substances VwVwS (see Section 12).

Chemical safety assessment : A chemical safety assessment has not been carried out by the Manufacturer of this product.



Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 12 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16. OTHER INFORMATION

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

CAS: Chemical Abstract Services

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures EC: European Community

EEC: European Economic Community

EINECS: European Inventory of Existing Commercial chemical Substances

EN: European Standard

EU: European Union HSDB: Hazardous Substances Data Bank IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods

LC: Lethal Concentration LD: Lethal Dose

OEL: National occupational exposure limits

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

RTECS: Registry of Toxic Effects of Chemical Substances

SDS: Safety Data Sheet STEL: Short Term Exposure Limit TWA: Time Weighted Average WEL: Workplace Exposure Limit

Information Source

: 1. Material Safety Data Sheet from manufacturer.

2. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2012

(Chempendium, RTECs, HSDB, INCHEM).

3. European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information

System, 2012.

4. European Chemicals Agency, Classification Legislation, 2012.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2012.

Preparation Date (dd/mm/yyyy)

23/08/2012

H & R-Phrases (Full text)

H302 - Harmful if swallowed.

H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that

no other routs of exposure cause the hazard>.

R22 - Harmful if swallowed.

Refer to section 2 for additional H and R phrases not listed here.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.



Fax: 001-845-331-3242

Encaustic Paints

Product code(s): Cadmium Orange; Cadmium Reds; Cadmium Yellows; Green Gold; Indian Yellow; Chromium Oxide Green; Viridian; Cerulean Blue; Cobalt Blue; Cobalt Violet Deep; Cobalt Violet Light; Cobalt Yellow.

Page 13 of 13

SDS Preparation Date (dd/mm/yyyy): 23/08/2012

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Prepared for: R&F Handmade Paints, Inc. 84 Ten Broeck Avenue Kingston, NY, U.S.A. 12401 Telephone: 001-845-331-3112 Website: http://www.rfpaints.com/ Please direct all enquiries to R&F Handmade Paints. Prepared by: ICC The Compliance Center Inc. icc Compliance Center http://www.thecompliancecenter.com Distributed by: Art-Select Schützenstrasse 22 Deutsch Evern 21407 Germany Tél.: +49 4131 24151 Fax: +49 4131 24155 http://www.artselect.de

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from R&F Handmade Paints, Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and R&F Handmade Paints, Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and R&F Handmade Paints, Inc.

END OF DOCUMENT



SAFETY DATA SHEET **ENCAUSTIC GROUND**

Date: February 28, 2014 Project Code: RFE1188

Page 1 of 4

1. Identification of the Preparation and of The Company

Product Name and/or code:

ENCAUSTIC GROUND

Effective Date:

2/28/2014

Manufacturer:

R&F HANDMADE PAINTS, INC.

84 TEN BROECK AVENUE

KINGSTON, NY 12401 USA

Emergency Contact:

RICHARD FRUMESS, President 1-800-206-8088

Product Use:

ART MATERIAL

2. Hazards Identification

Classification of the Product:

Non-Hazardous

Regulation (EC) No. 1272/2008

Not classified as dangerous for supply/use. Directive 67/548/EEC & Directive Not classified as dangerous for supply/use.

1999/45/EC

Label Elements

No special requirements are applicable.

Precaution Statement:

No special requirements are applicable.

First Aid Statement

Refer to Section 4

Children's Statement

Not any

Information pertaining to

particular dangers for man and

This product has not been classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

environment.

3. Composition/Information on Ingredients:

Substances:

Water based Acrylic Ground

Mixture of the following chemicals:

Proprietary Mixture

Risk and Safety Phrases:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) and no workplace-related occupational exposure limits are specified for any of the listed ingredients.

4. First Aid Measures

Inhalation

Remove to fresh air.

Skin Contact

Wash with soap and water

Eye Contact

Carefully flush for water for 15 minutes. If irritation occurs, contact a physician.

Ingestion

Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

5. Firefighting Measures

Extinguishing Media

Water, foam, carbon dioxide or dry chemical equipment.

Fire/Explosion Hazards

Sealed containers may rupture. Product presents no unusual hazard.

Flashpoint:

None.



SAFETY DATA SHEET ENCAUSTIC GROUND

Date: February 28, 2014 Project Code: RFE1188

Page 2 of 4

Additional Information	When fighting any fire, wear positive pressure self contained NIOSH approved breathing device.		
	6. Accidental Release Measures		
Environmental precautions	None.		
Methods and Materials for Containment and Cleaning up	Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.		
	7. Handling and Storage		
Safe Handling	Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage		
Storage	Store between 50-100 deg. F., ideally 70 deg. F.		
	8. Exposure Controls/Personal Protection		
Personal Protective Equipment	Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.		
General	None.		
Respiratory	Avoid temperatures above 350° F., the onset of polymer decomposition for acrylics. Sanding dust can become airborne and be an inhalation nuisance. Use with ventilation and avoid breathing dust. Wear a dust mask or a NIOSF approved respirator. Follow manufacturer's directions.		
Protective clothing	None.		
Eye Protection	Wear goggles where spills or splashing may occur.		
	9. Physical and Chemical Properties		
Appearance	White Opaque Water based Acrylic Coating		
Physical State	Solid (Wax like)		
Color	White		
Odor	Slight Acrylic Odor		
Boiling Point	212 F		
Freezing Point	32 F		
State (pH)	Not Known		
Specific Gravity	1.04		
Viscosity	Not Known		
Flashpoint	None		
Vapor Pressure	Equivalent to water.		
Vapor Density	Equivalent to water.		
Solubility in water	Miscible		
	10. Stability and Reactivity		
Reactivity:	Data not available.		
Chemical Stability	Stable		
Hazardous reactions	No dangerous reactions known.		



SAFETY DATA SHEET ENCAUSTIC GROUND

Date: February 28, 2014 Project Code: RFE1188

Page 3 of 4

Conditions to Avoid No further relevant information available.

Incompatible materials No further relevant information available.

Hazardous Decomposition No dangerous decomposition products known.

11. Toxicological Information

Primary irritant effect:

Eye Effects No irritating effect Skin Effects No irritating effect

Sensitization No effect

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations. When used and handled according to specifications, the product does not have any harmful effects according to your experience and the information provided to us.

12. Ecological Information

Toxicity:

Aquatic toxicity

Persistence and degradability

Bio accumulative potential

Mobility in soil

Not expected to be harmful to the environment.

No further relevant information available.

Additional ecological information

13. Disposal Considerations

Waste treatment methods

Recommendation: Smaller quantities can be disposed of with household waste. Do not flush liquid paint into public sewer or water supply.

Uncleansed packaging

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14. Transport Information

UN-NUMBER Not applicable Not applicable DOT, ADR, IMDG, IATA UN proper shipping name Not applicable DOT, ADR, IMDG, IATA Not applicable Transport hazard class(es) Not applicable DOT, ADR, IMDG, IATA Not applicable Class Not applicable Label Not applicable **Packing Group** Not applicable DOT, ADR, IMDG, IATA Not applicable **Environmental Hazards** Not applicable Marine pollutant No Special precautions for user Not applicable Danger code (Kemler) Not applicable



SAFETY DATA SHEET **ENCAUSTIC GROUND**

Date: February 28, 2014 Project Code: RFE1188

Page 4 of 4

Transport in bulk according to Annex II of Marpol73/878 and the IBC Code.

Not applicable

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

Not applicable.

Section 355 (extremely hazardous substances)

Section 313 (Specific toxic chemical listing)

TSCA (Toxic Substance Control Act)

Proposition 65

Chemicals known to cause cancer

Chemicals known to cause reproductive toxicity for females Chemicals known to cause reproductive toxicity for males

Chemicals known to cause developmental toxicity

All ingredients are listed.

None of the ingredients is listed

None of the ingredients is listed None of the ingredients is listed

Carcinogenicity categories

EPA (Environmental Protection Agency

TLV (Threshold Limit Value established by ACGIH

MAK (German Maximum Workplace Concentration

NOISH-Ca (National Institute for Occupational Safety &

OSHA-Ca (Occupational Safety & Health Administration)

None.

None.

None.

None.

None.

16. Other Information

Reason for Issue:

5-Year Review

Prepared by:

Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)

Chief Toxicologist and President ENVIRONMENTAL MEDICINE, INC.

263 CENTER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to R&F Handmade Paints, Inc.. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will R&F Handmade Paints, Inc. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility f the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.