
8303 .

Revision date: 30-Apr-2015

Version: 2.5



I. IDENTIFIC	1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING	
Product Identifier		
Material Name: OrbeSeal	®	
Trade Name:	Teat Seal	
Synonyms:	OrbeSeal, Teatseal	
Chemical Family:	Mixture	
Relevant Identified Uses of the Sub	stance or Mixture and Uses A	dvised Against
Intended Use: Restrictions on Use:	Veterinary product used as N Not for human use	Ion-antibiotic intramammary dry cow treatment
Details of the Supplier of the Safety	/ Data Sheet	
Zoetis Inc.		Zoetis Belgium S.A.
100 Campus Drive, P.O. Box 651		Mercuriusstraat 20
Florham Park, New Jersey 07932 (L		1930 Zaventem
Rocky Mountain Poison and Drug ( Product Support/Technical Service		Belgium
Emergency telephone number:		Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9		International CHEMTREC (24 hours): +1-703-527-3887
Contact E-Mail: VMIPSrecords@	zoetis.com	
	2. HAZARDS IDE	ENTIFICATION
		ENTIFICATION aste with a paraffin odor in a disposable syringe
Appearance:	Grayish white viscous oily p	
Appearance: Classification of the Substance or I	Grayish white viscous oily p Mixture	
Appearance: Classification of the Substance or I GHS - Classification	Grayish white viscous oily p Mixture	
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol:	Grayish white viscous oily p Mixture	
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification:	Grayish white viscous oily p Mixture sategory 4	
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol: EU Risk Phrases:	Grayish white viscous oily p Mixture sategory 4 Harmful; (Xn)	
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol:	Grayish white viscous oily p Mixture sategory 4 Harmful; (Xn)	
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol: EU Risk Phrases: Label Elements	Grayish white viscous oily p Mixture ategory 4 Harmful; (Xn) R22 - Harmful if swallowed.	
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol: EU Risk Phrases: Label Elements Signal Word:	Grayish white viscous oily p Mixture sategory 4 Harmful; (Xn) R22 - Harmful if swallowed. Warning H302 - Harmful if swallowed P264 - Wash hands thorough	aste with a paraffin odor in a disposable syringe
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol: EU Risk Phrases: Label Elements Signal Word: Hazard Statements:	Grayish white viscous oily p Mixture sategory 4 Harmful; (Xn) R22 - Harmful if swallowed. Warning H302 - Harmful if swallowed P264 - Wash hands thorough P270 - Do not eat, drink or sr	aste with a paraffin odor in a disposable syringe
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol: EU Risk Phrases: Label Elements Signal Word: Hazard Statements:	Grayish white viscous oily p Mixture sategory 4 Harmful; (Xn) R22 - Harmful if swallowed. Warning H302 - Harmful if swallowed P264 - Wash hands thorough P270 - Do not eat, drink or sr P301+ P312 - IF SWALLOW unwell	aste with a paraffin odor in a disposable syringe hy after handling noke when using this product
Appearance: Classification of the Substance or I GHS - Classification Acute Oral Toxicity: C EU Classification: EU Symbol: EU Risk Phrases: Label Elements Signal Word: Hazard Statements:	Grayish white viscous oily p Mixture sategory 4 Harmful; (Xn) R22 - Harmful if swallowed. Warning H302 - Harmful if swallowed P264 - Wash hands thorough P270 - Do not eat, drink or sr P301+ P312 - IF SWALLOW unwell P330 - Rinse mouth	aste with a paraffin odor in a disposable syringe hy after handling noke when using this product

Material Name: OrbeSeal® Revision date: 30-Apr-2015 Page 2 of 8 Version: 2.5



Other Hazards Short Term:

Long Term: Australian Hazard Classification (NOHSC):

Note:

May cause skin irritation. Signs and symptoms might include skin rash, itching, redness or swelling.

May cause damage to liver and kidneys (based on components) Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Bismuth subnitrate	1304-85-4	215-136-8	Xn; R22	Acute Tox. 4 (H302)	65
Liquid paraffin	92062-35-6	295-550-3	Not Listed	Not Listed	< 30
Colloidal silicon dioxide	7631-86-9	231-545-4	Not Listed	Not Listed	1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum di-/tristearate (ALUGEL 30 HEP)	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

#### Additional Information:

\* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get medical attention.
Skin Contact:	Remove contaminated clothing and shoes. Wash skin with soap and water. This material may not be completely removed by conventional laundering. Consult professional laundry service. Do not home launder. If irritation occurs or persists, get medical attention.

Material Name: OrbeSeal® Revision date: 30-Apr-2015	Page 3 of 8 Version: 2.5
Ingestion:	Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.
Nost Important Symptoms and Effect Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known
ndication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None
	5. FIRE-FIGHTING MEASURES
Extinguishing Media:	Carbon dioxide, dry powder, or foam.
Special Hazards Arising from the Su Hazardous Combustion Products:	Ibstance or Mixture Carbon dioxide, carbon monoxide, and oxides of nitrogen
Fire / Explosion Hazards:	Fine particles (such as dust and mists) may fuel fires/explosions.
Advice for Fire-Fighters Evacuate area and fight fire from protective turn out gear.	n a safe distance. Wear approved positive pressure, self-contained breathing apparatus and full
Additional Information:	This product contains an oxidizer and may support combustion. Paraffin is combustible.
6.	ACCIDENTAL RELEASE MEASURES
Personnel involved in clean-up s	<ul> <li>appropriate personal protective equipment (see Section 8). Minimize exposure.</li> <li>labeled, sealed container for disposal. Care should be taken to avoid environmental release.</li> <li>ant and Cleaning Up Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spi area thoroughly.</li> <li>Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.</li> </ul>
	7. HANDLING AND STORAGE
Precautions for Safe Handling When handling, use appropriate heat, sparks, and flame. Avoid environment should be avoided.	personal protective equipment (see Section 8). Use with adequate ventilation. Keep away from contact with eyes, skin and clothing. Wash thoroughly after handling. Releases to the
Conditions for Safe Storage, Includi Storage Conditions:	ng any Incompatibilities Store in a cool, dry, well-ventilated area. Protect from light. Keep away from heat, sparks, and flames. Keep container tightly closed when not in use.

Material Name: OrbeSeal® Revision date: 30-Apr-2015 Page 4 of 8 Version: 2.5

Storage Temperature: Incompatible Materials: Specific end use(s): Store as directed by product packaging. Strong oxidizing agents and strong acids , organic materials , combustible materials No data available

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control Parameters** 

Refer to available public information for specific member state Occupational Exposure Limits.

Colloidal silicon dioxide	
Australia TWA	2 mg/m <sup>3</sup>
Austria OEL - MAKs	4 mg/m <sup>3</sup>
	0.3 mg/m <sup>3</sup>
Czech Republic OEL - TWA	0.1 mg/m <sup>3</sup>
	4.0 mg/m <sup>3</sup>
Estonia OEL - TWA	2 mg/m <sup>3</sup>
Finland OEL - TWA	5 mg/m <sup>3</sup>
Germany - TRGS 900 - TWAs	4 mg/m <sup>3</sup>
Germany (DFG) - MAK	4 mg/m <sup>3</sup>
Ireland OEL - TWAs	6 mg/m <sup>3</sup>
	2.4 mg/m <sup>3</sup>
Latvia OEL - TWA	1 mg/m <sup>3</sup>
OSHA - Final PELs - Table Z-3 Mineral D:	20 mppcf
	Listed
Slovakia OEL - TWA	4.0 mg/m <sup>3</sup>
Switzerland OEL -TWAs	4 mg/m <sup>3</sup>
	0.3 mg/m <sup>3</sup>

The exposure limit(s) listed for solid components are only relevant if dust or mist may be generated.

Exposure Controls	
Engineering Controls:	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or aerosols.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Chemical protective gloves
Eyes:	Wear safety glasses or goggles if eye contact is possible.
Skin:	Wear protective clothing when working with large quantities.
Respiratory protection:	Respiratory protection is recommended as a precaution to minimize exposure when handling this material in bulk.
9.	PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Smooth Oily Paste Grayish White Color: Paraffin odor No data available. Odor: Odor Threshold: Molecular Formula: Mixture Molecular Weight: Mixture Solvent Solubility: No data available Water Solubility: No data available Solubility: Insoluble: Water (based on components) pH: Melting/Freezing Point (°C): No data available. 260 based on highest component melting point (Bismuth subnitrate) Boiling Point (°C): No data available. Partition Coefficient: (Method, pH, Endpoint, Value) No data available

# Material Name: OrbeSeal® Revision date: 30-Apr-2015

.

.

Page 5 of 8 Version: 2.5

9 PH	YSICAL AND CH	IEMICAL PROPERTIES
Decomposition Temperature (°C):	No data available.	
Evaporation Rate (Gram/s):	No data available	
Vapor Pressure (kPa):	No data available	
Vapor Density (g/ml):	No data available	
Relative Density:	4.93 (Bismuth subnitrate	)
Viscosity:	No data available	
Flammablity:		
Autoignition Temperature (Soli	d) (°C):	No data available
Flammability (Solids):		No data available
Flash Point (Liquid) (°C):		179 based on lowest component boiling point (Paraffin)
Upper Explosive Limits (Liquid	) (% by Vol.):	No data available
Lower Explosive Limits (Liquid	l) (% by Vol.):	No data available
Polymerization:		Will not occur
Additional Information:		There are no data available for this mixture. The information given in this section is for major component(s).
	10 STABILITY	AND REACTIVITY
Reactivity:	No data available	
Chemical Stability:	Stable	
Possibility of Hazardous Reactions		
Oxidizing Properties:	Bismuth subnitrate is an o	oxidizer.
Conditions to Avoid:		ark, flames and all other sources of ignition. Avoid prolonged
Conditions to Avoid:	exposure to higher tempe	ark, flames and all other sources of ignition. Avoid prolonged aratures and/or direct sunlight.
Incompatible Materials:	exposure to higher tempe Strong oxidizing agents a	ark, flames and all other sources of ignition. Avoid prolonged ratures and/or direct sunlight. nd strong acids , organic materials , combustible materials
Incompatible Materials: Hazardous Decomposition	exposure to higher tempe	ark, flames and all other sources of ignition. Avoid prolonged ratures and/or direct sunlight. nd strong acids , organic materials , combustible materials
Incompatible Materials:	exposure to higher tempe Strong oxidizing agents a	ark, flames and all other sources of ignition. Avoid prolonged ratures and/or direct sunlight. nd strong acids, organic materials, combustible materials
Incompatible Materials: Hazardous Decomposition Products:	exposure to higher tempe Strong oxidizing agents a Toxic or corrosive oxides	ark, flames and all other sources of ignition. Avoid prolonged ratures and/or direct sunlight. nd strong acids, organic materials, combustible materials
Incompatible Materials: Hazardous Decomposition Products: 1	exposure to higher tempe Strong oxidizing agents a Toxic or corrosive oxides	ark, flames and all other sources of ignition. Avoid prolonged ratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects General Information:	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation.
Incompatible Materials: Hazardous Decomposition Products:	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin Point, Dose)	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate Mouse Oral Minimum Lethal Dose	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin Point, Dose)	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin <b>Point, Dose)</b> 1200 mg/kg	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. nd strong acids, organic materials, combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation.
Incompatible Materials: Hazardous Decomposition Products: 1 Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate Mouse Oral Minimum Lethal Dose Ingestion Acute Toxicity Skin Irritation / Sensitization	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin <b>Point, Dose)</b> 1200 mg/kg Harmful if swallowed. May cause skin irritation.	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. Ind strong acids , organic materials , combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation. In contact
Incompatible Materials: Hazardous Decomposition Products: Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate Mouse Oral Minimum Lethal Dose Ingestion Acute Toxicity Skin Irritation / Sensitization Repeated Dose Toxicity: (Duration, S	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin <b>Point, Dose)</b> 1200 mg/kg Harmful if swallowed. May cause skin irritation.	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. Ind strong acids , organic materials , combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation. In contact
Incompatible Materials: Hazardous Decomposition Products: Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate Mouse Oral Minimum Lethal Dose Ingestion Acute Toxicity Skin Irritation / Sensitization Repeated Dose Toxicity: (Duration, S Bismuth subnitrate 3 Day(s) Rabbit Subcutaneous 5	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin Point, Dose) 1200 mg/kg Harmful if swallowed. May cause skin irritation. pecies, Route, Dose, End g/kg/day LOAEL Kin	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. Ind strong acids , organic materials , combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation. In contact
Incompatible Materials: Hazardous Decomposition Products: Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate Mouse Oral Minimum Lethal Dose Ingestion Acute Toxicity Skin Irritation / Sensitization Repeated Dose Toxicity: (Duration, S Bismuth subnitrate	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin Point, Dose) 1200 mg/kg Harmful if swallowed. May cause skin irritation. pecies, Route, Dose, End g/kg/day LOAEL Kin	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. Ind strong acids , organic materials , combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation. In contact A Point, Target Organ) dney
Incompatible Materials: Hazardous Decomposition Products: Information on Toxicological Effects General Information: Acute Toxicity: (Species, Route, End Bismuth subnitrate Mouse Oral Minimum Lethal Dose Ingestion Acute Toxicity Skin Irritation / Sensitization Repeated Dose Toxicity: (Duration, S Bismuth subnitrate 3 Day(s) Rabbit Subcutaneous 5	exposure to higher temper Strong oxidizing agents a Toxic or corrosive oxides <b>1. TOXICOLOGI</b> Toxicological properties of section describes the pot Routes of exposure: skin Point, Dose) 1200 mg/kg Harmful if swallowed. May cause skin irritation. pecies, Route, Dose, End g/kg/day LOAEL Kin	ark, flames and all other sources of ignition. Avoid prolonged eratures and/or direct sunlight. Ind strong acids , organic materials , combustible materials of carbon and nitrogen. CAL INFORMATION of the formulation have not been investigated. The information in this ential hazards of the individual ingredients and the formulation. In contact A Point, Target Organ) dney

Material Name: OrbeSeal® Revision date: 30-Apr-2015

	11. TOXICOLOGICAL INFORMATION
Subchronic Effects	Single or multiple subcutaneous injections of bismuth subnitrate into female mice produced neurological signs including ataxia, tremors, and convulsions. Hydrocephalus and axonal swelling in the spinal cord were the major neuropathological lesions.
Carcinogen Status:	None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSH/ See below
Colloidal silicon dioxide IARC:	Group 3 (Not Classifiable)
Product Level Toxicity Data Acute Toxicity Estimate (ATE), dermal	ca. 1851 mg/kg
	12. ECOLOGICAL INFORMATION
Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

### **13. DISPOSAL CONSIDERATIONS**

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

### 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: OrbeSeal® Revision date: 30-Apr-2015

## **15. REGULATORY INFORMATION**

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications WHMIS hazard class: Non-controlled This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.

Bismuth subnitrate	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	215-136-8
Liquid paraffin	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	295-550-3
Colloidal silicon dioxide	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-545-4
Aluminum di-/tristearate (ALUGEL 30 HEP)	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

## **16. OTHER INFORMATION**

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Xn - Harmful

R22 - Harmful if swallowed.

**Data Sources:** 

The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Material Name: OrbeSeal®	
Revision date: 30-Apr-2015	

**Reasons for Revision:** 

Updated Section 2 - Hazard Identification. Updated Section 11 - Toxicology Information.

Prepared by:

w

Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet