

8451.

TB26495

V# 010439

MATERIAL SAFETY DATA SHEET

3/15/2016

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC
10511 Valley Blvd
El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : WIRELESS NOTEBOOK

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Paper	N/A
Paper Board	N/A

3. HAZARD IDENTIFICATION

Product does not contain any known hazardous ingredients. The primary health hazard probably is due to exposure to dust. Cellulose dust is biologically inert that has little or no effect on the lungs and does not produce significant organic disease or toxic effect when allowable exposure limit are met.

4. FIRST AID MEASURES

Skin contact : Not expected to be a problem. Wash contaminated skin with mild soap and water. Individuals experiencing skin sensitivity should obtain medical advice.

Eye contact : Not expected to be a problem. Paper or paper dust cause irritation or scratch the eye surface. Flush with water to remove particles. Remove contact lenses if present. Consult a physician if persistent irritation or other symptoms develop.

- Inhalation : Not expected to be a problem. Inhalation of paper or paper dust may cause respiratory irritation. Move to fresh air if effects occur. Consult a physician if persistent coughing or other symptoms develop.
- Ingestion : Not expected to be a problem. No adverse effects are believed to occur from swallowing a small amount. Consult a physician if symptoms develop, or if a large amount is swallowed.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Water, foam or carbon dioxide

5.2 HAZARDOUS COMBUSTION PRODUCTS

Combustion products include carbon monoxide, carbon dioxide, aldehydes, dense, black smoke.

5.3 SPECIAL PROTECTION FOR FIRE FIGHTERS

Positive pressure self contained breathing apparatus and protective clothing should be worn in fighting fires. Determine the need to evacuate or isolate the area according to your local emergency plan.

6. ACCIDENTAL RELEASE MEASURES

6.1 RELEASE/SPILL PROCEDURES

Pick up and recycle or dispose as normal refuse. Minimize cleanup procedures that generated large amounts of dust. Notification to regulatory agencies is not expected to be an issue

6.2 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear appropriate protective equipment. Eliminate all ignition sources.

6.3 ENVIRONMENTAL PRECAUTIONS

Normal good environmental housekeeping, i.e., prevent material from entering drainage systems, prevent disposal in local soil and bodies of water.

6.4 METHODS AND MATERIALS FOR CLEANING UP

Collect material and place in a container for recycle or disposal. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentrations. Avoid dispersal of dust in the air.

7. HANDLING AND STORAGE

7.1 HANDLING

No special precautions are necessary beyond normal good hygiene and workplace safety practices. Provide adequate ventilation.

7.2 PRECAUTIONS

Minimize the generation of dust when processing and use good housekeeping to prevent accumulation of dust in the work area.

7.3 CONDITIONS FOR SAFE STORAGE

Store away from heat and ignition sources, open flame, combustible materials, strong oxidizers.

EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. ENGINEERING CONTROLS

Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

No special protection required. Use of eye protection is always good industrial practice.

8.2.2 Skin Protection

No special protection required. Wearing gloves is good industrial practice

8.2.3 Respiratory Protection

None needed with adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Solid
Odor	: Nil
Melting Point / Freezing Point	: Not applicable
Vapor Density	: Not applicable
Vapor Pressure	: Not applicable
Water Solubility	: Sparingly soluble (if disintegrate in water)
Specific Gravity	: 0.66 - 0.80
pH	: 7.0 - 8.0
Flammability	: Yes

Flash Point : Not applicable
Autoignition Temperature : 233°C
TDG Flammability : May be combustible at high temperature

10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive
Chemical Stability : Stable
Possibility of Hazardous Reaction : Reaction with strong oxidizers will generate heat and may cause fire.
Conditions to Avoid : Sparks, open flame, ignition sources, extreme heat.
Incompatible Materials : Strong acids, bases and oxidizers
Hazardous Decomposition Products : Incomplete combustion can produce carbon and oxides of carbon, possible aldehydes.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity : Not listed as a carcinogen by NTP, IARC & ACGIH or regulated as Carcinogen by OSHA.
Reported Human Effects : Not a skin irritant. Paper dust may cause eye and respiratory irritation.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method : Waste can be naturally disposed, but recycling is recommended as an option. Dispose in accordance with applicable Federal, State, and Local Waste Management regulations.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products **MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** User is responsible for determining whether the Bazic Products is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic Products, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic Products to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

MATERIAL SAFETY DATA SHEET

3/15/2016

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC
 10511 Valley Blvd
 El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : Composition Book

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Paper	N/A
Paper Board	N/A

3. HAZARD IDENTIFICATION

Product does not contain any known hazardous ingredients. The primary health hazard probably is due to exposure to dust. Cellulose dust is biologically inert that has little or no effect on the lungs and does not produce significant organic disease or toxic effect when allowable exposure limit are met.

4. FIRST AID MEASURES

Skin contact : Not expected to be a problem. Wash contaminated skin with mild soap and water. Individuals experiencing skin sensitivity should obtain medical advice.

Eye contact : Not expected to be a problem. Paper or paper dust cause irritation or scratch the eye surface. Flush with water to remove particles. Remove contact lenses if present. Consult a physician if persistent irritation or other symptoms develop.

- Inhalation : Not expected to be a problem. Inhalation of paper or paper dust may cause respiratory irritation. Move to fresh air if effects occur. Consult a physician if persistent coughing or other symptoms develop.
- Ingestion : Not expected to be a problem. No adverse effects are believed to occur from swallowing a small amount. Consult a physician if symptoms develop, or if a large amount is swallowed.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Water, foam or carbon dioxide

5.2 HAZARDOUS COMBUSTION PRODUCTS

Combustion products include carbon monoxide, carbon dioxide, aldehydes, dense, black smoke.

5.3 SPECIAL PROTECTION FOR FIRE FIGHTERS

Positive pressure self contained breathing apparatus and protective clothing should be worn in fighting fires. Determine the need to evacuate or isolate the area according to your local emergency plan.

6. ACCIDENTAL RELEASE MEASURES

6.1 RELEASE/SPILL PROCEDURES

Pick up and recycle or dispose as normal refuse. Minimize cleanup procedures that generated large amounts of dust. Notification to regulatory agencies is not expected to be an issue

6.2 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear appropriate protective equipment. Eliminate all ignition sources.

6.3 ENVIRONMENTAL PRECAUTIONS

Normal good environmental housekeeping, i.e., prevent material from entering drainage systems, prevent disposal in local soil and bodies of water.

6.4 METHODS AND MATERIALS FOR CLEANING UP

Collect material and place in a container for recycle or disposal. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentrations. Avoid dispersal of dust in the air.

7. HANDLING AND STORAGE

7.1 HANDLING

No special precautions are necessary beyond normal good hygiene and workplace safety practices. Provide adequate ventilation.

7.2 PRECAUTIONS

Minimize the generation of dust when processing and use good housekeeping to prevent accumulation of dust in the work area.

7.3 CONDITIONS FOR SAFE STORAGE

Store away from heat and ignition sources, open flame, combustible materials, strong oxidizers.

EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. ENGINEERING CONTROLS

Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

No special protection required. Use of eye protection is always good industrial practice.

8.2.2 Skin Protection

No special protection required. Wearing gloves is good industrial practice

8.2.3 Respiratory Protection

None needed with adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Solid
Odor	: Nil
Melting Point / Freezing Point	: Not applicable
Vapor Density	: Not applicable
Vapor Pressure	: Not applicable
Water Solubility	: Sparingly soluble (if disintegrate in water)
Specific Gravity	: 0.66 - 0.80
pH	: 7.0 - 8.0
Flammability	: Yes

Flash Point : Not applicable
Autoignition Temperature : 233°C
TDG Flammability : May be combustible at high temperature

10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive
Chemical Stability : Stable
Possibility of Hazardous Reaction : Reaction with strong oxidizers will generate heat and may cause fire.
Conditions to Avoid : Sparks, open flame, ignition sources, extreme heat.
Incompatible Materials : Strong acids, bases and oxidizers
Hazardous Decomposition Products : Incomplete combustion can produce carbon and oxides of carbon, possible aldehydes.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity : Not listed as a carcinogen by NTP, IARC & ACGIH or regulated as Carcinogen by OSHA.
Reported Human Effects : Not a skin irritant. Paper dust may cause eye and respiratory irritation.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method : Waste can be naturally disposed, but recycling is recommended as an option. Dispose in accordance with applicable Federal, State, and Local Waste Management regulations.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Bazic Products is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic Products, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic Products to determine whether it is fit for a particular purpose and suitable for user's method of use or application.