

SA 62306 SB07940 SA 02307 SB26111 SB07939 SB28542 Version: 2.0 Revision date: 03/21/2012 Initiator: 0001 15000004310 15000004310

SAFETY DATA SHEET

V# 025230

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Tenite(TM) Propionate 360E4861312 Clear Trsp

Product No.: 360E4861312, 50012658, 50052033, 50057609, 50121313

Synonyms, Trade Names: not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Plastics Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

1.4 Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

CAUTION!

MOLTEN MATERIAL WILL PRODUCE THERMAL BURNS

SECTION 3: Composition/information on ingredients

3.1 / 3.2 Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
cellulose acetate propionate	>70%	CAS-No.: 9004-39-1 EC No.: 618-383-3	
bis(2-ethylhexyl) adipate	<15%	CAS-No.: 103-23-1	
additive(s)/colorant(s)	<15%	proprietary	

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY



vPvB: very persistent and very bioaccumulative substance.

SECTION 4: First aid measures

Seomon 4. Thist and measu	
4.1 Description of first aid meas	ures
Inhalation:	Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin contact:	Wash with soap and water. Get medical attention if symptoms occur. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Get medical attention.
Ingestion:	Seek medical advice.
4.2 Most important symptoms and effects, both acute and delayed:	Burns should be treated as thermal burns. The material will come off as healing occurs; therefore, immediate removal from the skin is not necessary.
4.3 Indication of any immediate	medical attention and special treatment needed
Hazards:	Contact with molten substance/product may cause severe burns to skin and eyes.
Treatment:	Treat symptomatically.
SECTION 5: Firefighting me	asures
General fire hazards:	Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures.
5.1 Extinguishing media	
Suitable extinguishing media:	Water spray. Dry chemical. Carbon Dioxide.
Unsuitable extinguishing	None known.
media:	
	None known.
5.2 Special hazards arising from the substance or	None known.

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY

ΕΛSTΜΛΝ

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Wear appropriate personal protective equipment.
6.2 Environmental precautions:	Avoid release to the environment.
6.3 Methods and material for containment and cleaning up:	Sweep up and place in a clearly labeled container for chemical waste.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Avoid contact with molten material.
7.2 Conditions for safe storage, including any incompatibilities:	Keep container closed.
7.3 Specific end use(s):	Plastics.
SECTION 8: Exposure contr	ols/personal protection
8.1 Control parameters	
Occupational exposure limits	S
	If exposure limits have not been established, maintain airborne levels to an acceptable level.
8.2 Exposure controls	
Appropriate engineering controls:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

Individual protection measures, such as personal protective equipment

acceptable level.

General information: Eye bath. Washing facilities.

Eye/face protection:It is a good industrial hygiene practice to minimize eye contact. Wear a face
shield when working with molten material.

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY

E/	۱S	Т	VI.	Λ	N

6

SDSUS / EN / 12 Version: 2.0 Revision date: 03/21/2012 Initiator: 0001 150000004310

Skin protection Hand protection:	It is a good industrial hygiene practice to minimize skin contact. When material is heated, wear gloves to protect against thermal bums.
Other:	No data available.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air- purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Observe good industrial hygiene practices.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Annoarance

Appearance	
Physical State:	Solid
Form:	Pellet
Color:	varies with formulation
Odor:	slight
Odor Threshold:	No data available.
pH:	No data available.
Softening Point:	varies with formulation
Boiling Point:	No data available.
Flash Point:	not applicable, combustible solid
Evaporation Rate:	Not determined.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%)-:	No data available.
Flammability Limit - Lower (%)-:	No data available.
Vapor pressure:	Not determined.
Vapor density (air=1):	No data available.
Specific Gravity:	> 1 (estimated)
Solubility(ies)	
Solubility in Water:	Negligible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water)	: No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	Thermal stability not tested. Low stability hazard

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY



SDSUS / EN / 12 Version: 2.0 Revision date: 03/21/2012 Initiator: 0001 150000004310

	expected at normal operating temperatures.
Dynamic Viscosity:	No data available.
Kinematic viscosity:	Not determined.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

SECTION 10: Stability and reactivity


10.1 Reactivity:	None known.
10.2 Chemical stability:	Stable
10.3 Possibility of hazardous reactions:	None known.
10.4 Conditions to avoid:	None at ambient temperatures.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	Carbon Dioxide. Carbon Monoxide.

SECTION 11: Toxicological information

Information on likely r	outes of exposure
Inhalation:	None known.
Ingestion:	None known.
Skin contact:	Molten material will produce thermal burns.
Eye contact:	Molten material will produce thermal burns.

11.1 Information on toxicological effects

Acute Toxicity	
Oral Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	Oral LD-50: (Rat): > 6,400 mg/kg (highest dose tested) Oral LD-50: (Mouse): > 6,400 mg/kg (highest dose tested)
bis(2-ethylhexyl) adipate	Oral LD-50: (Rat, Male.): 45,000 mg/kg Oral LD-50: (Rat, Female.): 24,600 mg/kg
additive(s)/colorant(s)	Oral LD-50: (Rat): > 2,000 mg/kg No data available.
Dermal	
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	Dermal LD-50: (Guinea Pig): > 5,000 mg/kg (highest dose tested)
OPYRIGHT 2012 BY EASTMAN CHEMIC	CAL COMPANY



cellulose acetate propionate No data available. ©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY

ΕΛSTΜΛΝ

6/11

SDSUS / EN / 12 Version: 2.0



SDSUS / EN / 12 Version: 2.0 Revision date: 03/21/2012 Initiator: 0001 150000004310

bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
In vivo	
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Carcinogenicity	
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Reproductive toxicity	
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Specific target organ toxicity	- single exposure
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Specific target organ toxicity	- repeated exposure
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Aspiration hazard	
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Other adverse effects:	No data available.

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY



SECTION 12: Ecological information 12.1 Toxicity Acute toxicity Fish Product: No data available. Specified substance(s) No data available. cellulose acetate propionate LC-50 (Bluegill Sunfish, 96 h): > 0.78 mg/l (limit of solubility in fresh water) bis(2-ethylhexyl) adipate LC-50 (Fathead Minnow, 96 h): > 0.78 mg/l (limit of solubility in fresh water) LC-50 (Rainbow Trout, 96 h): > 0.78 mg/l (limit of solubility in fresh water) NOEC: (golden orfe, 48 h): > 10,000 mg/l No data available. additive(s)/colorant(s) Aquatic invertebrates Product: No data available. Specified substance(s) EC-50 (daphnid, 48 h): > 1 mg/l (highest concentration tested) cellulose acetate propionate EC-50 (Water Flea, 48 h): > 500 mg/l bis(2-ethylhexyl) adipate No data available. additive(s)/colorant(s) **Chronic Toxicity** Fish Product: No data available. Specified substance(s) No data available. cellulose acetate propionate No data available. bis(2-ethylhexyl) adipate No data available. additive(s)/colorant(s) Aquatic invertebrates Product: No data available. Specified substance(s) No data available. cellulose acetate propionate NOEC (Water Flea, 21 d): > 0.77 mg/l bis(2-ethylhexyl) adipate LOEC (Water Flea, 21 d): > 0.77 mg/l No data available. additive(s)/colorant(s) **Toxicity to Aquatic Plants** Product: No data available. Specified substance(s) No data available. cellulose acetate propionate EC-50 (Scenedesmus subspicatus, 72 h): > 500 mg/l bis(2-ethylhexyl) adipate No data available. additive(s)/colorant(s) 12.2 Persistence and degradability Biodegradation

Product: No data available.

OCOPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY

ΕΛSTΜΛΝ

SDSUS / EN / 12 Version: 2.0 Revision date: 03/21/2012 Initiator: 0001 150000004310

Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	> 90 % (28 d, Ready Biodegradability: Manometric Respirometry Test) Readily biodegradable
additive(s)/colorant(s)	No data available.
Biological Oxygen Demand:	
Product	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
Chemical Oxygen Demand:	
Product	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
BOD/COD ratio	
Product	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
12.3 Bioaccumulative potential	
Product:	No data available.
Specified substance(s)	
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	Bluegill Sunfish, Bioconcentration factor (BCF): 27 (Calculated) The product is not bioaccumulating.
additive(s)/colorant(s)	No data available.
12.4 Mobility in soil:	No data available.
Known or predicted distribut	ion to environmental compartments
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.
12.5 Results of PBT and vPvB assessment:	No data available.
cellulose acetate propionate	No data available.
bis(2-ethylhexyl) adipate	No data available.
additive(s)/colorant(s)	No data available.

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY



12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:	No data available.
Disposal Methods:	Dispose of waste and residues in accordance with local authority requirements. Incinerate.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class not regulated

IMDG - International Maritime Dangerous Goods Code Class not regulated

IATA

Class not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS (Canada) Status: noncontrolled US EPCRA (SARA Title III) Section 313 - Toxic Chemical List NONE

OSHA: nonhazardous

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY

ENSTMAN

SDSUS / EN / 12 Version: 2.0 Revision date: 03/21/2012 Initiator: 0001 150000004310

TSCA (US Toxic Substances Control Act): All components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All components of this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All components of this product are listed on AICS or otherwise comply with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All components of this product are listed in the Handbook or have been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All components of this product are listed on the Korean inventory or otherwise comply with the Korean Toxic Substances Control Act.

Philippines Inventory (PICCS): All components of this product are listed on the Philippine inventory or otherwise comply with PICCS.

SECTION 16: Other information

HMIS® Hazard Ratings:

Health - 1, Flammability - 1, Chemical Reactivity - 0

determination of the methods to safeguard workers and the environment.

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information:	New SDS
Key literature references and sources for data:	No data available.
Training information:	No data available.
Regulation (EC) No. 1272/2008	1
Issue Date: SDS No:	03/21/2012
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent

©COPYRIGHT 2012 BY EASTMAN CHEMICAL COMPANY