92660

Peninsula Plastics

9/26/2012 5:04 AM PAGE

8/022

PE 09677-88

Material Safety Data Sheet

SCHOOLIN

EVATANE® 33-45

WHMIS

Protective Clothing

TOG







Product and company identification

: EVATANE® 33-45

Supplier

QUADRA CHEMICALS LTD.

3901 F.X. Tessier Vaudreuil-Dorion, Quebec

Canada J7V 5V5 Tel: 1-800-665-6553

Material uses

: Industrial applications

Code

: Q06959

Validation date

: 5/14/2012.

Responsible name

: Regulatory Affairs / Affaires réglementaires

In case of emergency

: TRANSPORTATION EMERGENCY - 24HRS/DAY - 7 DAYS/WEEK

IN CANADA - CALL 1-800-567-7455

Hazards identification

sical state

: Solid. [Pellets.]

Odor

Odorless.

Emergency overview

PROCESS VAPOURS MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN

Slightly irritating to the eyes, skin and respiratory system. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Routes of entry

: Inhalation. Ingestion.

Potential acute health effects

: Slightly irritating to the respiratory system. Inhalation

: No known significant effects or critical hazards. Ingestion Skin : Slightly irritating to the skin.

: Slightly irritating to the eyes.

Potential chronic health effects

Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Chronic effects

Cardnogenicity : No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. Teretogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Developmental effects : No known aignificant effects or critical hazards. Fertility effects

: Not available. get organs

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

: No specific data. Ingestion

EVATANE® 33-45

Page: 2/5

Hazards identification

Skin

: Adverse symptoms may include the following:

irritation redness

Eyes

Adverse symptoms may include the following:

irritation watering redness

Medical conditions aggravated by over: None known.

exposure See toxicological information (section 11)

3. Composition/information on ingredients

Name

ethylene vinyl acetate copolymer

CAS number

10

not available

not available

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and honce require reporting in this section.

4. First aid measures

Eye contact

Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical

attention immediately.

" 'n contact

: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before rouse. Get medical attention immediately.

Inhalation

; Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Notes to physician

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or Inhaled.

Fire-fighting measures 5.

Flammability of the product : No specific fire or explosion hazard.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the aurrounding fire. ; None known.

Not suitable

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal decomposition products : acetic acid

Special protective equipment for fire-fighters ; Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

QUADRA

9/26/2012 5:04 AM PAGE 10/022 Fax Server

EVATANE® 33-45

Page: 3/5

Accidental release measures

Personal pracautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Spill or leak

: Move containers from splll area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Product name

Exposure limits

No exposure limit value known.

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

ada

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 9/28/2012 5:04 AM PAGE 11/022 Fax Server

EVATANE® 33-45-

Page: 4/5

Exposure controls/personal protection

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles. Recommended: safety glasses with side-shields

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Recommended: lab coat

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, tume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Physical and chemical properties

Physical state

: Solid, [Pellets.]

Color

: White.

Odor

: Odorless.

Solubility

: Insoluble in the following materials: cold water.

Density : 0.93 to 0.96 g/cm³

10 . Stability and reactivity

Stability

: The product is stable.

Hazardous polymerization

: Under normal conditions of storage and use, hazardous polymerization will not occur.

ditions to avoid

: No specific data.

Materials to avoid

: oxidizing materials

acids

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Toxicological information

Acute toxicity

Product/ingredient name Not available, Result

Species

Dose

Exposure

Conclusion/Summary

: Not available.

12. Ecological information

Environmental effects

: Not available.

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

te and empty packaging must be disposed of in accordance with federal, provincial, and municipal environmental control regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Fax Server

EVATANE® 33-45

Page: 5/5

. Transport information

Regulatory information **UN** number

Proper shipping пате

Classes

PG" Label

Additional Information

TDG Classification

Not regulated. -



PG*: Packing group

15 . Regulatory information

WHMIS (Canada)

: Not controlled under WHMIS (Canada).

Canada Inventory

: This product is listed or exempted.

Other information

Additional information

: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Other special considerations

: This product may contain traces of vinyl acetate. Vinyl acetate is classified by IARC as

class 2B. Vinyl acetate is classified by ACGIH as class A3.

Regulatory Affairs Department : 1 800 665-6553

Notice to reader

he best of our knowledge, the information contained herein is accurate. However, neither the above-named piler, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.