Section 1 Identification Page E1 of E2



**CHEMTREC 24 Hour Emergency** Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

PHENOLPHTHALEIN SOLUTION **Product** 

Synonyms 1% Phenolphthalein in 95% Ethanol / Phenolphthalein Indicator

Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS02 / GHS08 / GHS06

Target organs: Eyes, Central nervous system, Liver, Kidneys.



SDS No.: 9344





### **GHS Classification:**

Flammable liquid (Category 2) Acute toxicity, inhalation (Category 3) Skin irritation (Category 2) Eye irritation (Category 2B) Mutagenicity (Category 2) Carcinogenicity (Category 1B) Reproductive toxicity (Category 2) STOT-SE (Category 2) STOT-SE (Category 3)

# GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness. H341: Suspected of causing genetic defects.

H350: May cause cancer.

H361f: Suspected of damaging fertility. H371: May cause damage to organs.

### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

## Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs: Get medical attention. P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

| Section 3             | Composition / information on | omposition / information on ingredients |                |           |  |  |  |  |
|-----------------------|------------------------------|---|----------------|-----------|--|--|--|--|
| Chemical Name         |                              | CAS#                                    | %              | EINECS    |  |  |  |  |
| Ethyl alcohol         |                              | 64-17-5                                 | 80.75 - 81.51% | 200-578-6 |  |  |  |  |
| Isopropyl alcohol     |                              | 67-63-0                                 | 8.55%          | 200-661-7 |  |  |  |  |
| Water                 |                              | 7732-18-5                               | 5.00%          | 231-791-2 |  |  |  |  |
| Methanol              |                              | 67-56-1                                 | 3.80 - 4.08%   | 200-659-6 |  |  |  |  |
| Phenolphthalein       |                              | 77-09-8                                 | 1.00%          | 201-004-7 |  |  |  |  |
| Methyl isobutyl ketor | ne                           | 108-10-1                                | 0.85 - 0.95%   | 203-550-1 |  |  |  |  |
|                       |                              |   |                |           |  |  |  |  |
|                       |                              |   |                |           |  |  |  |  |
|                       |                              |   |                |           |  |  |  |  |

#### Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

#### Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

| Section 8        | Exposure controls / personal protection |  |  |  |  |  |  |  |
|------------------|---|--|--|--|--|--|--|--|
| Exposure Limits: | Chemical Name                           | ACGIH (TLV)                                  | OSHA (PEL)                             | NIOSH (REL)                            |  |  |  |  |
|                  | Ethanol                                 | STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3) | TWA: 1000 ppm / 1900 mg/m <sup>3</sup> | TWA: 1000 ppm / 1900 mg/m <sup>3</sup> |  |  |  |  |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Physical and chemical properties Section 9

Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available

pH: Data not available Melting / Freezing point: -114°C (-173°F)\* Boiling point: 74-80°C (165.2-176°F)\*

Flash point: 5°C (41°F)\*

Evaporation rate (Butyl acetate = 1): Ca 2\* Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 4.0%(V) / 20.0%(V)\*

Vapor pressure (mm Hg): Ca 50 @ 20°C' Vapor density (Air = 1): Ca 1.5\*

Relative density (Specific gravity): 0.7919-0.7955°C @ 60/60°F\*

Solubility(ies): Soluble in water.

Partition coefficient: (n-octanol / water): Low Pow: -.32\*

Auto-ignition temperature: 400°C (752°F)\* Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

\*[200 Proof Ethanol]

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

#### Section 11 **Toxicological information**

Acute toxicity: Oral-rat LD50: 7060 mg/kg; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant. Serious eye damage/irritation: Eyes-rabbit - Severe irritant. Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: (R) Reasonably anticipated to be a human carcinogen. [Phenolphthalein] IARC classified: Group 2B: Possibly carcinogenic to humans. [Phenolphthalein]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: MWARNING! : This product can expose you to chemicals including Phenolphthalein, Methanol, and Methyl isobutyl ketone, which are known to the State of Cali-

fornia to cause cancer and birth defects or other reproductive harm.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eves: Contact with eves may cause blindness.

Signs and symptoms of exposure: See Potential health effects above. Risk of cancer depends on level and duration of exposure.

Additional information: RTECS #: KQ6300000 [Ethanol]

## **Ecological information**

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute] Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

#### Section 14 Transport information

UN/NA number: UN1170 Shipping name: Ethanol solution

Reportable Quantity: 5,000 lbs (2270 kg) Hazard class: 3 Packing group: || Marine pollutant: No

2020 ERG Guide # 127 **Exceptions:** Limited quantity equal to or less than 1 L

#### Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

| Transmission of the later of the manner for the annyarous forms on the inventory not |                                      |  |  |                                      |  |   |  |  |
|--|--------------------------------------|--|--|--------------------------------------|--|---|--|--|
| Component  | TSCA                                 | CERLCA (RQ)  | RCRA code                                | DSL                                  | NDSL   | CA Prop 65  |  |  |
| Ethanol<br>Methanol<br>Isopropanol<br>Phenolphthalein                                | Listed<br>Listed<br>Listed<br>Listed | Not listed<br>5,000 lbs.<br>Not listed<br>Not listed | D001<br>U154<br>Not listed<br>Not listed | Listed<br>Listed<br>Listed<br>Listed | Not listed<br>Not listed<br>Not listed<br>Not listed | ▲ WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov. |  |  |

#### Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: October 12, 2020 Supercedes: January 23, 2020 Form 06/2015