Revision date: 9/20/2016

Revision: 5

241542

Supersedes date: 4/6/2016 RZ15438

SAFETY DATA SHEET 46D BUFF STONEWARE CLAY

V#004030

1. Identification

89120

Product identifier
Product name

46D BUFF STONEWARE CLAY

Product number

46D BUFF STONEWARE CLAY

Recommended use of the chemical and restrictions on use

Application

Dry Ceramic Clay

Details of the supplier of the safety data sheet

Supplier

American Art Clay Co Inc

6060 Guion Road Indianapolis, IN 46254-1222

USA

Toll Free: 1-800-925-5195 ext. 1303 Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone

1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards

Not Classified

Health hazards

Eye Irrit. 2A - H319 Carc. 1B - H350 STOT RE 2 - H373

Environmental hazards

Not Classified

Label elements

Pictogram





Signal word

Danger

Hazard statements

H319 Causes serious eye irritation.

H350 May cause cancer.

H373 May cause damage to organs (Lungs) through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 If exposed or concerned: Get medical advice/ attention.

P314 Get medical advice/ attention if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information

WARNING: CANCER AGENT !! INHALATION MAY PRODUCE CANCER. INHALATION MAY CAUSE LUNG DAMAGE, CONTAINS: QUARTZ, PRECAUTIONS: Use in a locally exhausting hood appropriate for the operation. Damp mop after use. Use a NIOSH-certified mask for dusts and mists. Not for use by children in dry form. FIRST AID TREATMENT: For further health information, contact a national poison control number; 1-800-222-1222.

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

ball clay 60-100%

CAS number: 1332-58-7

Classification Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

Resp. Sens. 1 - H334

Fireclay 10-30%

CAS number: 1332-58-7

Classification Acute Tox. 4 - H332

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

The full text for all hazard statements is displayed in Section 16.

ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water

or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and deleyed

Inhalation Prolonged or repeated exposure may cause the following adverse effects: Frequent inhalation

of dust over a long period of time increases the risk of developing lung diseases. May cause respiratory system irritation. Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the

throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products

with specific warnings about ingestion will give guidance there.

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact

Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards

The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment Use protective equipment appropriate for surrounding materials.

for firefighters

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8.

Environmental precautions

Environmental precautions

Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up

Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections

For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions

Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limita

ball day

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m3 total dust

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction

A4

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m3 respirable fraction

Fireday

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m3 respirable fraction

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m3 respirable fraction

OSHA = Occupational Safety and Health Administration. ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

Ingredient comments Only ingredients listed n Section 3 are notifiable for this product. If none are shown then all

ingredients are exempt.

Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection

Wear eye protection. No specific eye protection required unless the "EYE PROTECTION"

pictogram is shown above or specified in Section 2.

Hand protection

No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures

Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important

if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Powder.

Color

Various colors.

Odor

Almost odorless.

Odor threshold

No information available.

pH

6-8

Meiting point

No information available.

Initial boiling point and range

No information available.

Flash point

No information available

Evaporation rata

Flammability (solid, gas)

No information available. No information available.

4/8

Upper/lower flammability or

explosive limits

No information available.

Vapor pressure

No information available.

Relative density

Greater than 1.0

Solubility(ies)

Not applicable.

Partition coefficient

No information available.

Auto-ignition temperature

Not applicable.

Decomposition Temperature

No information available.

Viscosity

No information available.

Explosive properties

none

Oxidizing properties

none

Other Information

Not applicable.

10. Stability and reactivity

Reactivity

There are no known reactivity hazards associated with this product.

Stability

No particular stability concerns.

Possibility of hazardous

reactions

None known.

Conditions to avoid

None known.

Materials to avoid

None known.

Hazardous decomposition

products

None known.

11. Toxicological Information

Information on toxicological effects

Toxicological effects

Please read Section 2 thoroughly to understand the toxicological risks, (if any) and

precautions for safe use (if any).

Acute toxicity - inhalation

ATE inhalation (dusts/mists

15.0

mg/l)

Skin corrosion/irritation

Skin corrosion/irritation

Please read Section 2 thoroughly to understand the skin sensitivity risks, (if any) and

precautions for safe use (if any).

Skin sensitization

Skin sensitization

Based on available data the classification criteria are not met.

Eye contact

May cause temporary eye irritation.

12. Ecological information

Ecotoxicity

Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and

container. Do not put materials into waterways or sewers.

Toxicity

Toxicity

Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and

container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability

No data available.

Biodegradation

Not inherently biodegradable,

Bioaccumulative potential

Partition coefficient

No information available.

Mobility in soil

Mobility

Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects

None known.

13. Disposal considerations

Waste treatment methods

General information

Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be

considered.

14. Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory Information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause cancer.

ball clay

60-100%

Fireclay

10-30%

Massachusetts "Right To Know" List

Minspar 250

10-30%

Fireclay

10-30%

Rhode Island "Right To Know" List

ball clay

60-100%

Fireclay

10-30%

Minnesota "Right To Know" List

ball clay

60-100%

Fireclay

10-30%

New Jersey "Right To Know" List

ball clay

60-100%

Fireclay

10-30%

Pennsylvania "Right To Know" List

ball clay

60-100%

Fireclay

10-30%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous

Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3,

Feldspar68476-25-5

Ground Calcined Fireclay Shapes14464-46-1

Revision date

9/20/2016

Revision

5

Supersedes date

4/6/2016

SDS No.

4880

Hazard statements in full

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H350 May cause cancer.

H373 May cause damage to organs (Lungs) through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.